

BIDS AND AWARDS COMMITTEE

National Highway, Purok 6, Bulanao, Tabuk City, Kalinga

Website: https://ksu.edu.ph Email: procurementservice_bac@ksu.edu.ph Tel. No.: 0917-6240170

Annex A: Schedule of Prices:

Name of Supplier: _____

0	1	2	3	4	5	6	7	8	9	10
No.	Item and Description	Country of origin	Qty	Unit	Unit price EXW per item	Transportation and Insurance and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 3)
	Lot 1: LABORATORY EQUIPMENT AND SOLAR POWER SYSTEM									
1	Lathe Machine Distance between centers: 350mm Swing over bed: 180mm Spindle taper:mt3 Tailstock taper:mt2 Chuck diameter:80mm Spindle bore:20 rpm Range of metric threads: 0.5-2.5 Range of imperial threads: 12-52 t.p.i. Spindle speed: 50-2500 rpm Power of motor:550w Voltage: 220v/60hz/single phase Net weight: 40kg Inclusions: 3-jaw, change gears, drill chuck, • Spindle taper:mt3 • Tailstock taper:mt2 • Chuck diameter:80mm • Spindle bore:20 rpm • Range of metric threads: 0.5-2.5 • Range of imperial threads: 12-52 t.p.i. • Spindle bore:20 rpm • Range of imperial threads: 12-52 t.p.i. • Spindle speed: 50-2500 rpm • Power of motor:550w • Voltage: 220v/60hz/single phase • Net weight: 40kg		1	Lot						



BIDS AND AWARDS COMMITTEE

National Highway, Purok 6, Bulanao, Tabuk City, Kalinga

	Inclusions: 3-jaw,change gears,drill chuck)					
2	3D Printer with Filament 450*450*470mm Build Volume Quality Dual Y-axis Linear Rails Multi-printers Control "Sprite" Dual-gear Direct Extruder CR Touch 25-point Auto-leveling Anti-wobbling Dual Z-axis PC Spring Steel Build Surface 800W Industrial Control Power Supply Solar Power System	1	Lot			
3	SOLAR PANEL-5set • Dual Glass 200W • Dimension: 132cm*67cm*3cm • Weight: 12KG • Max Power Output(W): 500W • Voltage MPP Vmp(V): 19.69V • Current MPP Imp(A): 10.21A • Voltage Open Circuit Voc(V): 24.08V • Short Circuit Current Isc(A): 10.72A Battery: (3pcs) • CODI Lifepo4 Battery 12.8V 180AH w/BMS Maintenance Free Ready To Use • Rated Voltage: 12.8V • MAximum Discharge Current: 100A • Peak Discharge Current: 100A • Peak Discharge Current: 36A-90A • Maximum Charge Current: 100A • Cooling Method: Self-Cooling • Battery Type: Lithium Iron Phosphate • Cycle Life: >4000 Cycles @25°C., 0.25C charge and discharge • Battery Voltage Range: 10V-14.6	1	Lot			



BIDS AND AWARDS COMMITTEE

National Highway, Purok 6, Bulanao, Tabuk City, Kalinga

Website: https://ksu.edu.ph Email: procurementservice_bac@ksu.edu.ph Tel. No.: 0917-6240170

 Certification: MSDS, UN38.3, CE (Optional) Dimensions: length 380±5 mm * width 200±5 mm* height 250±5mm Weight: 17.5Kg Maximum Number Of Series: 4 Maximum No. Of Parallel: 3 				
Charge Controller (2pcs) • 12V: 1200w - batt Cable not included • Rated Power :1200w • Surge Power: 3600w in 3 secs • Battery Rated Voltage: 12v /24v • Battery Support : LEAD ACID, AGM, GEL , LIFEPO4 • Built in AC charger, max 15A charge current • Built in MPPT charger, 40A • Max PV input: maximun 100v voc, maximum 600w(12v) ,1200w(24v) • AC Input :220vac • AC Input :220vac • AC Input Range: 165v-275v • Frequency: 60Hz • Transformer type : Toroidal • AC Ouput : pure sine wave • High & Low Voltage Alarm • Automatic self-protect in short circuit and shutdown • Over Temperature Alarm • Overload Alarm - Auto Shutdown in 20s • Dimensions: • Size: 396 ² /204 [±] /4/5				
Size: 396*294*145 Terms and Conditions: a. All Equipment and components should be branded (not clone, imitation, or assemble). Availability of parts in the local market by local distributor c. Provision of Technical Data Sheet (TDS) as part of financial proposal indicating the			-	

equipment, and for post qualification of offers.

d. Provision of Operations and Maintenance Manual of the item/s as applicable.



Republic of the Philippines **KALINGA STATE UNIVERSITY BIDS AND AWARDS COMMITTEE**

National Highway, Purok 6, Bulanao, Tabuk City, Kalinga

		dar days from receipt of a written notice from	
		t's testing and ceiling must be conducted with	
		unit will start after the turn-over and orientation	n of the end-user.
h. During or after the delivery, the Supp	olier shall submit the following	requirements:	
i. Delivery Receipt			
ii. Supplier's Sales Invoice			
iii. Operation's Manual			
iv. Warranty or KSU will deduct 1%	on the total value of the equip	oment as Retention Money	
After Sales Requirements:			
	ble within 7 days, a free servic	e backup unit (1:1) or service spare part of the	e same or higher specification must be provided by the supplier until the defective unit/part is
considered repaired/replaced.			
b. Monday to Friday, office hours technic			
c. Capable of providing technical service	assistance within 24 hours OF	R next business day on-site (NBDOS) service	
			Total Amount (<i>Php</i>)
Total Amount of in words:			
Performance Security:	N/A	Warranty:	Warranty shall be for one (1) year for non-expendable supplies or equipment reckoned from the date of acceptance of the Goods
Delivery Period:	45 CD	Price Validity:	30 cd
After having carefully read and acc quotations on the items/s above:	epted your General Conditic	ons on Negotiated Procurement of Sup	plies, materials and Equipment for Caffeine Project, I/We hereby offer the price
Printed Name/ Signat	ure		E-mail Address
Company Name			Contact No.
Company Address			TIN



BIDS AND AWARDS COMMITTEE

National Highway, Purok 6, Bulanao, Tabuk City, Kalinga

Website: https://ksu.edu.ph Email: procurementservice_bac@ksu.edu.ph Tel. No.: 0917-6240170

Annex A: Schedule of Prices:

Name of Supplier: _____

0	1	2	3	4	5	6	7	8	9	10
No.	Item and Description	Country of origin	Qty	Unit	Unit price EXW per item	Transportation and Insurance and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 3)
	Lot 2: ELECTRONICS AND MECHANICAL SUPPLIES AND MATERIALS									
1	Auto feed Soldering gun		3	unit						
2	Tubular Steels (1x2 / 1x1 / inches)		3	piece						
3	Nuts and bolts (M5 X 30mm / M5 X 10 mm)		3	set						
4	Pneumatic Actuators (M NPT SCM/15MM/50MM/100MM)		3	piece						
5	Linear guide rails HIWIN 15MM/12MM		1	unit						
6	Air Compressor 36L-50L COMPRESSOR		2	unit						
7	Rivets (3 x 10)		3	piece						
8	Stainless Sheets (20 mm)		3	piece						
9	Aluminum Stocks (10 mm x 500 mm x 500mm)		3	piece						
10	Stainless round stock (20mm)		3	piece						
11	Aluminum Brackets (4040 /2020/ 3030)		3	piece						
12	Lock (808 lock)		3	piece						
13	Panel Latch (304 latch)		3	piece						
14	Electrical Panel Box (40x50x20cm / 30x40x20cm)		3	piece						
15	Pneumatic Fittings (1/8 NPT X 6MM / M5 X 6)		3	set						
16	Pneumatic hose (6mm OD)		3	piece						
17	Acrylic sheet (4x8ft)		3	piece						
18	Hinges (4X3X2 INCHES)		3	piece						
19	Aluminum Extrusions 40x80mm		3	piece						
20	Heavy Duty Casters 3inches		3	piece						
21	Roller Sealer / heater blocks 50mm / 150mmx300mm		3	piece						
22	Compressor regulator AFC2000		3	piece						
23	Pressure gauge 60psi		3	piece						
24	3D printer filament (ABS / PETG)		6	piece						
25	ALUMINUM EXTRUSION 20X20mm		3	piece						
26	ALUMINUM EXTRUSION 20X40mm		3	piece						



BIDS AND AWARDS COMMITTEE

National Highway, Purok 6, Bulanao, Tabuk City, Kalinga

27 CROSST RALE (sourm) 3 piece 28 CASTER WHEELS (4 inches) 3 piece	07						<u> </u>
29 BALL SCREW SF1605 3 piece	27	CROSSTABLE (550mm)	3	piece			
30 VERTICAL SEALER BLADE 150MM X 15MM BLADE 3 piece 31 TOOL HOLDER (CUSTOM PARTS FOR THE MACHINE) 3 piece							
131 TOOL HOLDER (CUSTOM PARTS FOR THE MACHINE) 3 piece							
32 BLIND RIVET BOX (1/8 X 1/2) 3 piece							
33 CUT OFF WHEEL SET (14 INCHES) 3 piece							
34 CARBIDE INSERT(DCMT 070204) 3 piece				piece			
35 RIVNUT INSERT(M5 / M6 INSERT) 3 piece	33			piece			
36 PNEUMATIC RIV GUN(BT606) 3 piece 1 37 Screw Insert puller (BT606) 3 piece 1 38 CABLE GLANDS(SMM/6MM/12MM) 3 piece 1 38 CABLE GLANDS(SMM/6MM/12MM) 3 piece 1 40 LINEAR BEARING (12MM/15MM) 3 piece 1 41 FLAP DISC (4 INCHES) 3 piece 1 42 CUTTING DISC (4 INCHES) 3 piece 1 43 HOTP PLASTIC STOCK (200X300X300MM) 5 piece 1 44 MID WIRE (0.9MM) 3 piece 1 1 45 STAINLESS WELDING ROD (16MM) 3 piece 1 1 46 COMPRESSOR DISTRIBUTOR (5 PORT ALUMINUM BLOCK) 3 piece 1 1 47 MANUAL SOLENOID VALVE (44210 FORWARD REVERSE) 6 piece 1 1 48 PILLOW BLOCK BEARINGS (12MM /15MM) 10 piece 1 1 49 <t< td=""><td>34</td><td></td><td>3</td><td>piece</td><td></td><td></td><td></td></t<>	34		3	piece			
37 Screw Insert puller (BT606) 3 piece 38 CABLE GLANDS(5MM/6MM/12MM) 3 piece 39 LINEAR BEARING (12MM/15MM) 3 piece 39 LINEAR BHAFT(12MM/15MM) 3 piece 40 LINEAR SHAFT(12MM/15MM) 3 piece 41 FLAP DISC (4 INCHES) 3 piece	35	RIVNUT INSERT(M5 / M6 INSERT)	3	piece			
38 CABLE GLANDS(SMM/6MM/12MM) 3 piece 1 39 LINEAR BEARING (12MM/15MM) 3 piece 1 1 40 LINEAR SHAFT(12MM/15MM) 3 piece 1 1 41 FLAP DISC (4 INCHES) 3 piece 1 1 42 CUTTING DISC (4 INCHES) 5 piece 1 1 43 HDTP PLASTIC STOCK (200X300X300MM) 3 piece 1 1 44 MID WIRE (0.9MM) 3 piece 1 1 1 45 STAINLESS WELDING ROD (1.6MM) 3 piece 1 1 1 46 COMPRESSOR DISTRIBUTOR (5 PORT ALUMINUM BLOCK) 3 piece 1	36	PNEUMATIC RIV GUN(BT606)	3	piece			
39 LINEAR BEARING (12MM/15MM) 3 piece 40 LINEAR SHAFT(12MM/15MM) 3 piece 41 FLAP DISC (4 INCHES) 3 piece 42 CUTTING DISC (4 INCHES) 5 piece 43 HDTP PLASTIC STOCK (200X300X300MM) 3 piece 44 MID WIRE (0.9MM) 3 piece 45 STAINLESS WELDING ROD (1.6MM) 3 piece	37	Screw Insert puller (BT606)	3	piece			
40 LINEAR SHAFT(12MM/15MM) 3 piece 1 41 FLAP DISC (4 INCHES) 3 piece 1 1 42 CUTTING DISC (4 INCHES) 5 piece 1 1 43 HDTP PLASTIC STOCK (200X300X300MM) 3 piece 1 1 44 MID WIRE (0.9MM) 3 piece 1 1 45 STAINLESS WELDING ROD (1.6MM) 3 piece 1 1 46 COMPRESSOR DISTRIBUTOR (5 PORT ALUMINUM BLOCK) 3 piece 1 1 47 MANUAL SOLENOID VALVE (4H210 FORWARD REVERSE) 6 piece 1 1 48 PILLOW BLOCK BEARINGS (12MM /15MM) 10 piece 1	38	CABLE GLANDS(5MM/6MM/12MM)	3	piece			
41 FLAP DISC (4 INCHES) 3 piece 42 CUTTING DISC (4 INCHES) 5 piece 43 HDTP PLASTIC STOCK (200X300X300MM) 3 piece 44 MID WIRE (0.9MM) 3 piece 45 STAINLESS WELDING ROD (1.6MM) 3 piece 46 COMPRESSOR DISTRIBUTOR (5 PORT ALUMINUM BLOCK) 3 piece 47 MANUAL SOLENOID VALVE (4H210 FORWARD REVERSE) 6 piece 48 PILLOW BLOCK BEARINGS (12MM /15MM) 10 piece 49 TOGGLE SWITCH 10 piece	39	LINEAR BEARING (12MM/15MM)	3	piece			
42 CUTTING DISC (4 INCHES) 5 piece 43 HDTP PLASTIC STOCK (200X300X300MM) 3 piece 44 MID WIRE (0.9MM) 3 piece 45 STAINLESS WELDING ROD (1.6MM) 3 piece 46 COMPRESSOR DISTRIBUTOR (5 PORT ALUMINUM BLOCK) 3 piece 47 MANUAL SOLENOID VALVE (4H210 FORWARD REVERSE) 6 piece 48 PILLOW BLOCK BEARINGS (12MM /15MM) 10 piece 49 TOGGLE SWITCH 10 piece	40	LINEAR SHAFT(12MM/15MM)	3	piece			
43 HDTP PLASTIC STOCK (200X300X00MM) 3 piece 44 MID WIRE (0.9MM) 3 piece 45 STAINLESS WELDING ROD (1.6MM) 3 piece 46 COMPRESSOR DISTRIBUTOR (5 PORT ALUMINUM BLOCK) 3 piece 47 MANUAL SOLENOID VALVE (4H210 FORWARD REVERSE) 6 piece 48 PILLOW BLOCK BEARINGS (12MM /15MM) 10 piece <td>41</td> <td>FLAP DISC (4 INCHES)</td> <td>3</td> <td>piece</td> <td></td> <td></td> <td></td>	41	FLAP DISC (4 INCHES)	3	piece			
43 HDTP PLASTIC STOCK (200X300X00MM) 3 piece 44 MID WIRE (0.9MM) 3 piece 45 STAINLESS WELDING ROD (1.6MM) 3 piece 46 COMPRESSOR DISTRIBUTOR (5 PORT ALUMINUM BLOCK) 3 piece 47 MANUAL SOLENOID VALVE (4H210 FORWARD REVERSE) 6 piece 48 PILLOW BLOCK BEARINGS (12MM /15MM) 10 piece <td>42</td> <td>CUTTING DISC (4 INCHES)</td> <td>5</td> <td>piece</td> <td></td> <td></td> <td></td>	42	CUTTING DISC (4 INCHES)	5	piece			
45 STAINLESS WELDING ROD (1.6MM) 3 piece	43		3	piece			
46COMPRESSOR DISTRIBUTOR (5 PORT ALUMINUM BLOCK)3piece47MANUAL SOLENOID VALVE (4H210 FORWARD REVERSE)6piece48PILLOW BLOCK BEARINGS (12MM /15MM)10piece49TOGGLE SWITCH10piece50CIRCUIT BREAKER (20A)5piece51EMERGENCY STOP SWITVCH, 20A5piece52SOLENOID VALVES (5WAY 2 POSITION)2piece53SSR RELAY (10 A)2piece54STEPPER MOTOR (10 A)3piece55WIRES (14 AWG; 12AWG; 16AWG) 1 ROLL2box56SPADE CONNECTOR3piece	44	MID WIRE (0.9MM)	3	piece			
47 MANUAL SOLENOID VALVE (4H210 FORWARD REVERSE) 6 piece 48 PILLOW BLOCK BEARINGS (12MM /15MM) 10 piece 49 TOGGLE SWITCH 10 piece 50 CIRCUIT BREAKER (20A) 5 piece <td>45</td> <td>STAINLESS WELDING ROD (1.6MM)</td> <td>3</td> <td>piece</td> <td></td> <td></td> <td></td>	45	STAINLESS WELDING ROD (1.6MM)	3	piece			
47 MANUAL SOLENOID VALVE (4H210 FORWARD REVERSE) 6 piece	46	COMPRESSOR DISTRIBUTOR (5 PORT ALUMINUM BLOCK)	3	piece			
48 PILLOW BLOCK BEARINGS (12MM /15MM) 10 piece <td>47</td> <td></td> <td>6</td> <td>piece</td> <td></td> <td></td> <td></td>	47		6	piece			
50 CIRCUIT BREAKER (20A) 5 piece	48		10	piece			
51EMERGENCY STOP SWITVCH, 20A5piece52SOLENOID VALVES (5WAY 2 POSITION)2piece53SSR RELAY (10 A)2piece54STEPPER MOTOR (10 A)3piece55WIRES (14 AWG;12AWG;16AWG) 1 ROLL2box56SPADE CONNECTOR3piece	49	TOGGLE SWITCH	10	piece			
52 SOLENOID VALVES (5WAY 2 POSITION) 2 piece	50	CIRCUIT BREAKER (20A)	5	piece			
53 SSR RELAY (10 A) 2 piece	51	EMERGENCY STOP SWITVCH, 20A	5	piece			
53 SSR RELAY (10 A) 2 piece	52	SOLENOID VALVES (5WAY 2 POSITION)	2	piece			
54 STEPPER MOTOR (10 A) 3 piece <td>53</td> <td></td> <td>2</td> <td>piece</td> <td></td> <td></td> <td></td>	53		2	piece			
55 WIRES (14 AWG;12AWG;16AWG) 1 ROLL 2 box 1 56 SPADE CONNECTOR 3 piece 1	54			piece			
56 SPADE CONNECTOR 3 piece	55		2	box			
57 GX AVIATION PLUG (4 PIN / 12 PIN) 3 piece	56		3	piece			
	57	GX AVIATION PLUG (4 PIN / 12 PIN)	3	piece			



BIDS AND AWARDS COMMITTEE

National Highway, Purok 6, Bulanao, Tabuk City, Kalinga

58	HEATING ELEMENT (60 WATTS / 120 WATTS)	3	piece				
	POWER SUPPLY 12/24 VOLT 10A	2	piece				
	PID TEMEPERATURE CONTROLLER (OMRON 400-1000C CONTROLLER)	2	piece				
	LED STRIP LIGHTS (10 WATTS)	3	piece				
	PROXIMITY SENSOR (INDUCTIVE / CAPACITIVE)	2	piece				
63	LIMIT SWITCH(SPDT MOMETARY SWITCH)	4	piece				
64	PUSH BUTTON SWITCH, 220V INPUT, 22MM NORMALLY OPEN	5	piece				
65	DIN RAIL (35 MM, 4METERS)	3	piece				
6	RODLESS PNEUMATIC ACTUATOR (SCM 15MMX200MM)	2	piece				
7	PRESSURE GAUGE (AFC 2000)	3	piece				
58 ⁻	TERMINAL BLOCK(TB2503 3 WAY / 6WAY)	3	piece				
	 Terms and Conditions: a. All Equipment and components should be branded (not clone, imitation, or assembled) ar b. Availability of parts in the local market by local distributor c. Provision of Technical Data Sheet (TDS) as part of financial proposal indicating the brand equipment, and for post qualification of offers. d. Provision of Operations and Maintenance Manual of the item/s as applicable. e. The Supplier shall replace any rejected item within fifteen (15) calendar days from receipt 	I name and model of it	em/s. The TDS will be	used as documents for a	•		
	 a. All Equipment and components should be branded (not clone, imitation, or assembled) ar b. Availability of parts in the local market by local distributor c. Provision of Technical Data Sheet (TDS) as part of financial proposal indicating the brand equipment, and for post qualification of offers. d. Provision of Operations and Maintenance Manual of the item/s as applicable. e. The Supplier shall replace any rejected item within fifteen (15) calendar days from receipt f. Three (3) months Warranty, in the case of Expendable Supplies, after acceptance b g. During or after the delivery, the Supplier shall submit the following requirements: i. Delivery Receipt ii. Supplier's Sales Invoice 	I name and model of it	em/s. The TDS will be	used as documents for a	•		
	 a. All Equipment and components should be branded (not clone, imitation, or assembled) ar b. Availability of parts in the local market by local distributor c. Provision of Technical Data Sheet (TDS) as part of financial proposal indicating the brand equipment, and for post qualification of offers. d. Provision of Operations and Maintenance Manual of the item/s as applicable. e. The Supplier shall replace any rejected item within fifteen (15) calendar days from receipt f. Three (3) months Warranty, in the case of Expendable Supplies, after acceptance b g. During or after the delivery, the Supplier shall submit the following requirements: i. Delivery Receipt 	I name and model of it of a written notice fror y the Procuring Entit	em/s. The TDS will be	used as documents for a	•		
	 a. All Equipment and components should be branded (not clone, imitation, or assembled) ar b. Availability of parts in the local market by local distributor c. Provision of Technical Data Sheet (TDS) as part of financial proposal indicating the brand equipment, and for post qualification of offers. d. Provision of Operations and Maintenance Manual of the item/s as applicable. e. The Supplier shall replace any rejected item within fifteen (15) calendar days from receipt f. Three (3) months Warranty, in the case of Expendable Supplies, after acceptance b g. During or after the delivery, the Supplier shall submit the following requirements: i. Delivery Receipt ii. Supplier's Sales Invoice iii. Operation's Manual 	I name and model of it of a written notice fror y the Procuring Entit	em/s. The TDS will be	used as documents for a	accreditation of p		
	 a. All Equipment and components should be branded (not clone, imitation, or assembled) ar b. Availability of parts in the local market by local distributor c. Provision of Technical Data Sheet (TDS) as part of financial proposal indicating the brand equipment, and for post qualification of offers. d. Provision of Operations and Maintenance Manual of the item/s as applicable. e. The Supplier shall replace any rejected item within fifteen (15) calendar days from receipt f. Three (3) months Warranty, in the case of Expendable Supplies, after acceptance b g. During or after the delivery, the Supplier shall submit the following requirements: i. Delivery Receipt ii. Supplier's Sales Invoice iii. Operation's Manual 	I name and model of it of a written notice fror y the Procuring Entit	em/s. The TDS will be	used as documents for a	accreditation of p		
	 a. All Equipment and components should be branded (not clone, imitation, or assembled) ar b. Availability of parts in the local market by local distributor c. Provision of Technical Data Sheet (TDS) as part of financial proposal indicating the brand equipment, and for post qualification of offers. d. Provision of Operations and Maintenance Manual of the item/s as applicable. e. The Supplier shall replace any rejected item within fifteen (15) calendar days from receipt f. Three (3) months Warranty, in the case of Expendable Supplies, after acceptance b g. During or after the delivery, the Supplier shall submit the following requirements: i. Delivery Receipt ii. Supplier's Sales Invoice iii. Operation's Manual iv. Warranty or KSU will deduct 1% on the total value of the equipment as Retention M 	I name and model of it of a written notice fror y the Procuring Entit	em/s. The TDS will be n the end-user. y of the delivered sup Warranty shall be	used as documents for a	accreditation of p t (<i>Php</i>)	rograms, inven	tory of



After having carefully read and accepted your General Conditions on **Negotiated Procurement of Supplies, materials and Equipment for Caffeine Project**, I/We hereby offer the price quotations on the items/s above:

Printed Name/ Signature

Company Name

Company Address

Contact No.

E-mail Address

TIN



BIDS AND AWARDS COMMITTEE

National Highway, Purok 6, Bulanao, Tabuk City, Kalinga

Website: https://ksu.edu.ph Email: procurementservice_bac@ksu.edu.ph Tel. No.: 0917-6240170

Annex A: Schedule of Prices:

Name of Supplier: _____


0	1	2	3	4	5	6	7	8	9	10
No.	Item and Description	Country of origin	Qty	Unit	Unit price EXW per item	Transportation and Insurance and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 3)
	Lot 3: OFFICE EQUIPMENT, SUPPLIES AND MATERIALS									
1	LAPTOP (w/ accessories), NVDIA GeForce RTX 4060, 8GB Laptop GPU, 16" FHD 165Hz, Intel Core i7-13700x, 32 GB PDR5, 512GB M.2NVMe PCIe4 SSD, Windows 11		1	unit						
2	Epson EcoTank L5290 A4 Wi-Fi All-in-One Ink Tank Printer with ADF		1	unit						
3	Flash Drive, OTG, 128 GB, capless		5	piece						
4	External Hard Drive, 1TB, USB 3.0		1	piece						
5	Ink, compatible for Epson Printer, 003, Black		10	bottle						
6	Ink, compatible for Epson Printer, 003, Cyan		10	bottle						
7	Ink, compatible for Epson Printer, 003, Magenta		10	bottle						
8	Ink, compatible for Epson Printer, 003, Yellow		10	bottle						
9	HDMI connector (1.5 meters), use to connect the Laptop and the LCD Projector		1	piece						
10	Toilet Tissue Paper, 2-ply, 100% recycled, pack of 12		10	pack						
11	PAPER, Multi-Purpose (COPY) A4, 80gsm		30	ream						
12	PAPER, Multi-Purpose (COPY)legal (8.5x13), 80gsm		40	ream						
13	Sticky Notes, Sign Here, Arrow Flags, PT 5 in 1		10	pack						
14	Tape, Double-sided, 1"		10	roll						
15	Tape, transparent, 24mm		10	roll						
16	Ballpoint Pen, High Quality Writing, BP-S Fine, 12pcs/box, Color: black		10	box						
17	BALLPOINT PEN, High-Quality Writing, BP-S FINE, 12pcs/box, Color: blue		10	box						
18	Self-Inking Stamp, receive stamp with date		3	piece						
19	Scissor, symmetrical, blade length: 65mm (6")		5	pair						
20	Pencil, Lead with Eraser, #2, 12 pcs/box		5	box						
21	Paper, Linen board, 180 gsm, white, A4		10	pack						
22	Paper, Linen board, 180 gsm, white, legal		10	pack						
23	Paper Clip, 30mm, 100pcs/box or 120g		10	box						
24	Paper Clip, 50mm, 100pcs/box or 120g		10	box						
25	MARKER, Permanent, broad type, 12pcs/box, Refillable, color:black		2	box						
26	MARKER, Whiteboard, Broad type, refillable, 12pcs/box, color:black		2	box						



BIDS AND AWARDS COMMITTEE

National Highway, Purok 6, Bulanao, Tabuk City, Kalinga

			<u></u>			<u></u>		
27	Lever Arch File Folder, 2 rmg, Legal		5	piece				
28	Lever Arch File Folder, 2 rmg, A4		5	piece				
29	CLIP, backfold, 32mm, 12 pieces per box		15	box				
30	CLIP, backfold, 50mm, 12 pieces per box		15	box				
	Duct Tape, 2", blue		10	roll				
32	Note Pad, Stick-on, 3" x 3", 100 sheets/pa	d	10	pack				
33	Fastener, metal, non-sharp edges, 70mm	between prongs, 50 sets per box	10	box				
34	CORRECTION TAPE, 8 m(min)		15	piece				
35	Data file box, made of chipboard, with clos		10	piece				
36		e 210mm x 370mm, 100pcs/box, color: green	1	box				
37	Mobile phone Load, Cell Card Prepaid, Gl	obe,(P300)	72	piece				
38	Folder, with Tab, Legal, 100pcs/pack		1	pack				
39	ORGANIZING TRAY/RACK, 3 layers, Met	al/Steel	2	unit				
40	Puncher, Paper, Heavy Duty with 2 holes	and guide	1	piece				
41	Record Book, 300 pages		5	book				
	 equipment, and for post qualification of Provision of Operations and Maintena e. The Supplier shall replace any rejecter f. Three (3) months Warranty, in the of g. During or after the delivery, the Supplier i. Delivery Receipt 	DS) as part of financial proposal indicating the brand of offers. Ince Manual of the item/s as applicable. Ince Manual of the item/s as applicable.	of a written notice f	rom the end-user.			ograms, inver	
	ii. Supplier's Sales Invoice iii. Warranty or KSU will deduct 1%	on the total value of the equipment as Retention Mo	ney.	1	otal Amount (<i>Php</i>)			
	Total Amount of in words:					I		
	Performance Security:	N/A	Warranty:		e for one (1) year for non-ex ne date of acceptance of the		olies or equip	ment
					ie date of acceptance of the	00003		



After having carefully read and accepted your General Conditions on Negotiated Procurement of Supplies, materials and Equipment for Caffeine Project, I/We hereby offer the price quotations on the items/s above:

Printed Name/ Signature

Company Name

Company Address

Contact No.

TIN

E-mail Address