

Annex B: Scope of Works Name of Project: UPGRADING OF RADIO AND SERVER ROOM OF RIZAL CAMPUS, ICT COMPUTER AND SPEECH LABORATORY OF ALL CAMPUSES

ITEM No.	ITEMS OF WORK	QTY	UNIT	SCOPE OF WORKS
B.7	OCCUPATIONAL SAFETY AND HEALTH PROGRAM	1.00	lumpsum	-covers safety personal protective equipment to be used during the construction until the project is done
				Materials are as follows: safety gloves safety shoes safety helmets caution tape, 3" x 300m First Aid Kit
801(6)	REMOVAL OF STRUCTURES AND OBSTRUCTION	1.00	lumpsum	-covers the removal of existing ceiling at Radio Room, removing of door knobs of computer laboratories Equipment: Minor Tools (10% of Labor) Power tools Note: Refer to ICT/ INFRA Personnel for Inquiries and Verifications
1004(2)	FINISHING HARDWARE (LOCKSET)	1.00	lumpsum	-covers the replacement of door knobs specified in the plan Equipment: Minor Tools (10% of Labor) Power tools Materials are as follows: 4 Latch Main Door Knobs-Lever Type Lockset Heavy duty floor bolt Note: Refer to ICT/ INFRA Personnel for Inquiries and Verifications
1012(2)	GLASS AND GLAZING	1.00	Lumpsum	 replacement of broken window glasses at Radio Room Equipment: Minor Tools (10% of Labor) Materials are as follows: Clear Glass- (.43m x .28m),(.23m x .26m) Silicon Gun Silicon Tube Note: Refer to ICT/ INFRA Personnel for Inquiries and Verifications
1030(1)	ACOUSTICAL CEILING PANEL	21.20	sq.m	 covers the replacement of ceiling at Radio Room Equipment: Minor Tools (10% Labor) H-frame/GI Pipe Scaffolds Power Tools Materials are as follows: Acoustic Ceiling Board(English System)- Fine Fissured 2'X4'x 9mm T-runners 28mm x 24mm x 4ft Cross Tees 28mm x 24mm x 4ft Wall Angle/Channel 24mm x 24mm x 0.5mm THK x 3m Main Tee 38mm x 24mm x 12ft Grid Hook set 12in. Blind Rivet x 20mm



				Note: Refer to ICT/ INFRA Personnel for Inquiries and Verifications
1031(1)c	ACOUSTIC PANEL	39.97	sq.m	 covers the soundproofing of Radio Room Equipment: Minor tools (10% of labor) Materials are as follows: Polyester Fiber Acoustic Panel (verify color and design)- 9mm thick x 4ft x 8ft Liquid Nail Heavy Duty Adhesive Note: Refer to ICT/ INFRA Personnel for Inquiries and Verifications
1100	ELECTRICAL	1.00	lumpsum	 - covers all Comp. Lab and Speech lab in all campuses Equipment: Minor Tools (10% of Labor) Materials are as follows: Rizal Campus- Server Room Rectangular Moulding (PVC/uPVC) - 30mm x 25mm x 2.44m PVC/uPVC Square box Surface Mounted PVC/uPVC Utility Box (white) Special Purpose Outlet Duplex Convenience Outlet 5.5mm2 THHN Cu wire stranded 3.5mm2 THHN Cu wire stranded LED Ultrabright Emergency Light 2x15W SMD LED, 2600 lumens 6V 4.5Ah Lead-Acid Battery, 220-240VAC 50/60Hz Electrical tape (0.16mmx19mmx16m) Multi- Purpose Construction Adhesive 320g Concrete screw w/ toks Computer Lab: 2x40 Louver Housing Surface Mount 12"x48" 300x1200mm, 2 pcs 1200mm T8 Tube Lights 1800 Lm, Metal Sheet Housing, Mirrorized Reflector, G13, Surface Mount, Double End, IP 40 Bulanao Campus- CCJE: 2x40 Louver Housing Surface Mount 12"x48" 300x1200mm, 2 pcs 1200mm T8 Tube Lights 1800 Lm, Metal Sheet Housing, Mirrorized Reflector, G13, Surface Mount, Double End, IP 40 Bulanao Campus- CCEd: Computer Lab: 2x40 Louver Housing Surface Mount 12"x48" 300x1200mm, 2 pcs 1200mm T8 Tube Lights 1800 Lm, Metal Sheet Housing, Mirrorized Reflector, G13, Surface Mount, Double End, IP 40 Bulanao Campus- CEd: Computer Lab: 2x40 Louver Housing Surface Mount 12"x48" 300x1200mm, 2 pcs 1200mm T8 Tube Lights 1800 Lm, Metal Sheet Housing, Mirrorized Reflector, G13, Surface Mount, Double End, IP 40 Speech Lab: 2x40 Louver Housing Surface Mount 12"x48" 300x1200mm, 2 pcs 1200mm T8 Tube Lights 1800 Lm, Metal Sheet Housing, Mirrorized Reflector, G13, Surface Mount, Double End, IP 40 Dagupan Campus- CLASS Bldg.: Computer Lab: 2x40 Louver Housing Surface Mount 12"x48" 300x1200mm, 2 pcs 1200mm T8 Tube Lights 1800 Lm, Metal Sheet Housing, Mirrorized Reflector, G13, Surface Mount, Double End, IP 40



				Speech Lab: 2×40 Louver Housing Surface Mount 12"x48" 300x1200mm, 2 pcs 1200mm T8 Tube Lights 1800 Lm, Metal Sheet Housing, Mirrorized Reflector, G13, Surface Mount, Double End, IP 40 Rectangular Moulding (PVC/uPVC) - 30mm x 25mm x 2.44m PVC/uPVC Square box Mica tubing Note: Refer to ICT/ INFRA Personnel for Inquiries and Verifications
1100(30)	Conduits, Boxes and Fittings	1.00	lumpsum	-Includes the rectification electrical roughing ins for Lighting, Power, Feeders, Ventilation and Grounding systems Equipment: Minor tools Materials are as follows: ICT Office: Power: Rectangular PVC Moulding 25mm X 16mm X 2.44m PVC/uPVC Surface Type Utility Box (white) Flexible Conduit 25mm dia. (orange) c1 PVC/uPVC Surface Type Utility Box (white) c2 PVC/uPVC Surface Type Utility Box (white) c3 PVC/uPVC Surface Type Utility Box (white) Acoustics Room: Service Entrance: Polyvinyl Chloride Pipes (PVC/uPVC) - 32mm dia x 3m Service Entrance Cap 32mm dia. Adaptor w/ Locknut (PVC/uPVC) - 32mm dia PVC/uPVC long elbow - 32mm dia Lighting: Flexible Conduits (PVC/uPVC) - 20mm dia. 100m PVC/uPVC Surface Utility Box (white) Rectangular Moulding (PVC/uPVC) - 30mm x 25mm x 2.44m Power: Rectangular Moulding (PVC/uPVC) - 30mm x 25mm x 2.44m PVC/uPVC Surface Utility Box (white) ACU/SPO: Rectangular Moulding (PVC/uPVC) - 30mm x 25mm x 2.44m PVC/uPVC Surface Utility Box (white) ACU/SPO: Rectangular Moulding (PVC/uPVC) - 30mm x 25mm x 2.44m PVC/uPVC Surface Utility Box (white) ACU/SPO: Rectangular Moulding (PVC/uPVC) - 30mm x 25mm x 2.44m PVC/uPVC Surface Utility Box (white) ACU/SPO: Rectangular Moulding (PVC/uPVC) - 30mm x 25mm x 2.44m PVC/uPVC Surface Utility Box (white) ACU/SPO: Rectangular Moulding (PVC/uPVC) - 30mm x 25mm x 2.44m PVC/uPVC Surface Utility Box (white) ACU/SPO: Rectangular Moulding (PVC/uPVC) - 30mm x 25mm x 2.44m PVC/uPVC Surface Utility Box (white) ACU/SPO: Rectangular Moulding (PVC/uPVC) - 30mm x 25mm x 2.44m PVC/uPVC Surface Utility Box (white) ACU/SPO: Rectangular Moulding (PVC/uPVC) - 30mm x 25mm x 2.44m PVC/uPVC Surface Utility Box (white) ACU/SPO: Rectangular Moulding (PVC/uPVC) - 30mm x 25mm x 2.44m PVC/uPVC Surface Utility Box (white) ACU/SPO: Rectangular Moulding (PVC/uPVC) - 30mm x 25mm x 2.44m PVC/uPVC Surface Utility Box (white) ACU/SPO: Rectangular Moulding (PVC/uPVC) - 30mm x 25mm x 2.44m PVC/uPVC Surface Utility Box



1101(42) WIRES AND WIRING DEVICES 1.00 Iumpsum -Includes the rectification electrical line Power, Feeders, Ventilation and Ground Equipment: Minor tools Materials are as follows: ICT: Power 5.5mm2 THHN Cu wire strand 3.5mm2 THHN Cu wire strand Duplex Convenience Outlets/R 3prong (grounding type) c1 0 0 Duplex Convenience Outlets/R 3prong (grounding type) 3.5mm2 THHN Cu wire strand cable clip cable tie mica tubing 0 Duplex Convenience Outlets/R 3prong (grounding type)	ding systems ded ded Receptacles, Receptacles,
Minor tools Materials are as follows: ICT: Power 5.5mm2 THHN Cu wire strand 3.5mm2 THHN Cu wire strand Duplex Convenience Outlets/R 3prong (grounding type) c1 Duplex Convenience Outlets/R 3prong (grounding type) 3.5mm2 THHN Cu wire strand cable clip cable tie mica tubing c2 Duplex Convenience Outlets/R	ded Receptacles, Receptacles,
Materials are as follows: ICT: Power 5.5mm2 THHN Cu wire strand 3.5mm2 THHN Cu wire strand Duplex Convenience Outlets/R 3prong (grounding type) c1 Duplex Convenience Outlets/R 3prong (grounding type) 3.5mm2 THHN Cu wire strand cable clip cable tie mica tubing c2 Duplex Convenience Outlets/R	ded Receptacles, Receptacles,
ICT: Power 5.5mm2 THHN Cu wire strand 3.5mm2 THHN Cu wire strand Duplex Convenience Outlets/R 3prong (grounding type) c1 Duplex Convenience Outlets/R 3prong (grounding type) 3.5mm2 THHN Cu wire strand cable clip cable tie mica tubing c2 Duplex Convenience Outlets/R	ded Receptacles, Receptacles,
5.5mm2 THHN Cu wire strand 3.5mm2 THHN Cu wire strand Duplex Convenience Outlets/R 3prong (grounding type) c1 Duplex Convenience Outlets/R 3prong (grounding type) 3.5mm2 THHN Cu wire strand cable clip cable tie mica tubing c2 Duplex Convenience Outlets/R	ded Receptacles, Receptacles,
3.5mm2 THHN Cu wire strand Duplex Convenience Outlets/R 3prong (grounding type) c1 Duplex Convenience Outlets/R 3prong (grounding type) 3.5mm2 THHN Cu wire strand cable clip cable tie mica tubing c2 Duplex Convenience Outlets/R	ded Receptacles, Receptacles,
Duplex Convenience Outlets/R 3prong (grounding type) c1 Duplex Convenience Outlets/R 3prong (grounding type) 3.5mm2 THHN Cu wire strand cable clip cable tie mica tubing c2 Duplex Convenience Outlets/R	Receptacles, Receptacles,
3prong (grounding type) c1 Duplex Convenience Outlets/R 3prong (grounding type) 3.5mm2 THHN Cu wire strand cable clip cable tie mica tubing c2 Duplex Convenience Outlets/R	Receptacles,
Duplex Convenience Outlets/R 3prong (grounding type) 3.5mm2 THHN Cu wire strand cable clip cable tie mica tubing c2 Duplex Convenience Outlets/R	
3prong (grounding type) 3.5mm2 THHN Cu wire strand cable clip cable tie mica tubing c2 Duplex Convenience Outlets/R	-
cable clip cable tie mica tubing c2 Duplex Convenience Outlets/R	led
cable tie mica tubing c2 Duplex Convenience Outlets/R	
mica tubing c2 Duplex Convenience Outlets/R	
c2 Duplex Convenience Outlets/R	
	Receptacles,
3prong (grounding type) 3.5mm2 THHN Cu wire strand	bed
cable clip	
cable tie	
c3	
Duplex Convenience Outlets/R	Receptacles,
3prong (grounding type)	
3.5mm2 THHN Cu wire strand cable clip	led
cable tip	
mica tubing	
Electrical tape (0.16mmx19m	mx16m)
Rubber tape (0.16mmx19mm)	x8m)
No more nails all purpose con	struction
adhesive 100g Black Cable tie 4.8x250mm (1	(00ncs)
Round Head Metal Screw with	
25mm (100pcs)	
Toks with stainless screw 1/2' USB3.0 VGA HDMI Wall socke	
HDMI Wall Plug HDMI Usb VGA Wall Pl	
HDMI VGA	
PVC/uPVC Surface Type Utility VGA Cable to Male VGA Cable	
6 1920*1080P VGA laptop monitor pro	
CABLE 8m	
USB3.0 VGA HDMI Cable VGA Cable HDMI Usb VGA Wall Plate panel	
VGA 8m	
Rectangular PVC Moulding 40	mm X 40mm X
2.44m Acoustics Room:	
Lighting:	
3.5mm2 THHN Cu wire strand	
Duplex (2 Single Pole Wall Sw	itches on one
switch plate) Triplex (3 Single Pole Wall Sw	vitches on one
switch plate)	



				Power:
				3.5mm2 THHN Cu wire stranded 2.0mm2 THHN Cu wire stranded green (Gnd)
				Duplex Convenience Outlets/Receptacles, 3prong (grounding type) ACU:
				5.5mm2 THHN Cu wire stranded 2.0mm2 THHN Cu wire stranded green (Gnd)
				Special Purpose Outlet/Receptacle (Heavy Duty)
				Sevice Drop Wires: No.4 awg Al
				Secondary rack two spool assembly with spool Split Bolt Connector
				Wireless Smoke Detector Smoke Sensor Fire Detector Home Fire Alarm Long Battery White Color
				Note: Refer to ICT/ INFRA Personnel for Inquiries and
		1.00		Verifications
1103	LIGHTING FIXTURES	1.00	lumpsum	-Includes all installation for Lighting fixture for indoor/outdoor applications specified in plans Equipment:
				Minor tools
				Materials are as follows: Acoustics Room:
				2×40 Louver Housing Surface Mount 12"x48" 300x1200mm Metal Sheet Housing, Mirrorized Reflector, Surface Mount, Double End w/ 2- T8 LED tube 1200mm, 21W, 2100 Lm each, 230v, 60Hz Daylight.
				Twin Head Emergency Light, 2 x 5 Watts, Two fully adjustable glare-free round shape light heads, Electro galvanized steel with epoxy powder coating, AC 220V – 265V 50/60 Hz, High Brightness LED COB, IP 40 Architectural Light LED Multiple Downlight
				30W @ 10W each, 600 lm, Daylight, Aluminum Housing + PC Lens, 315 x 130 mm x 70mm H, White, recessed
				Note: Refer to ICT/ INFRA Personnel for Inquiries and Verifications
				Note: All materials must be approved by the Architect/Infra personnel before installation.
1108(1)	DOOR ACCESS AND CARD READER SYSTEM	1.00	lumpsum	- covers the replacing of removed door knobs Equipment: (Equipment cost for these items are to be considered/included in the installation of Access
				Control Terminal and other materials.)
				Materials are as follows:
				Access Control Terminal Note: Verify for Design and Type at ICT



				Note: Refer to ICT/ INFRA Personnel for Inquiries and Verifications.
1200	AIR CONDITIONING AND VENTILATING SYSTEM	1.00	lumpsum	-Covers the installation of VAC system specified in plans. Equipment: Minor tools Materials are as follows: Window type ACU, Inverter, 1Hp 30AT 2P circuit breaker NEMA 3R panel box 3TR STAND TYPE AIRCON Technical Specifications -R410A Refrigerant, LED Display, Self Diagnosis, Lock Function,Stylish, Sleep Mode, Auto Swing, Remote Control, Auto-restart, Slim Type Cooling Capacity= 40090(10033-44099) kj/h(Min-Max) Power Supply= 230/60/1 V/Hz/Ph Rated Power= 3100 W Rated Current= 16.2 A EER 12.9 Kj/hW Note: Includes Installation Note: Refer to ICT/ INFRA Personnel for Inquiries and
1202(24)a3	FIRE EXTINGUISHER (10lbs, CO2/HCFC123 with bracket)	14.00	set	Verifications -covers the installation of fire extinguishier specified in the plan Equipment: Minor tools Materials are as follows: "Fire extinguisher, 10lbs, CO2/HCFC123 with bracket " Note: Refer to ICT/ INFRA Personnel for Inquiries and Verifications
SPL-I	MISCELLANEOUS WORKS	1.00	lumpsum	Materials are as follows: Universal Projector Bracket Ceiling Mount: Aluminum/Steel, Tilt range: ±15°, Swivel range: ±15°, 360° rotation, Adjustable length with cable management. Durable Sound Acoustic Carpet Black Noise Insulation Mat (50cm x 50cm x 2cm) Soundproof Flexible Door Bottom Sealing Strip Dustproof Weatherstrip Guard Stop 10M D/E/P/I Type Self Adhesive Window Door Seal Strip Foam Draught Excluder Dustproof Noise Insulation Anti Collision Tape -please refer to the KSU infra Architect for the design & Specification Note: Refer to ICT/ INFRA Personnel for Inquiries and Verifications
NOTE: 1. ALL EQUIPMENTS INCLUDED IN THE PROGRAM MUST BE USED DURING SITE CONSTRUCTION. 2. ALL MATERIALS MUST BE APPROVED/CHECKED BY THE INFRA PERSONNEL BEFORE INSTALLATION. 3. PLEASE REFER TO THE PLAN FOR OTHER SPECIFICATIONS.				