ISO 9001:2015 CERTIFIED

# PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

# Procurement of GOODS

Government of the Republic of the Philippines

Contract Reference No.	:	IB_GOODS_2022-05-031
Name of Contract		PROCUREMENT OF VARIOUS SMART CAMPUS ICT
vame of Contract	•	EQUIPMENT (3 <sup>RD</sup> BIDDING)
_ocation of Contract		KALINGA STATE UNIVERSITY-MAIN CAMPUS NATIONAL
	•	HIGHWAY, PUROK 6, BULANAO, TABUK CITY, KALINGA
Name of Procuring Entity	:	KALINGA STATE UNIVERSITY (KSU)



Kalinga State University envisions to be "a Knowledge and Technology Hub in Asia-Pacific Region"

Sixth Edition



BIDS AND AWARDS COMMITTEE

Republic of the Philippines **KALINGA STATE UNIVERSITY** Purok 6, Bulanao, Tabuk City, Kalinga 3800

# Table of Contents

Glossar	ry of Acronyms, Terms, and Abbreviations	2
Section	I. Invitation to Bid	4
Section	II. Instructions to Bidders	7
1.	Scope of Bid	8
2.	Funding Information	8
3.	Bidding Requirements	8
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	8
5.	Eligible Bidders	8
6.	Origin of Goods	9
7.	Subcontracts	9
8.	Pre-Bid Conference	9
9.	Clarification and Amendment of Bidding Documents	9
10.	Documents comprising the Bid: Eligibility and Technical Components	9
11.	Documents comprising the Bid: Financial Component	9
12.	Bid Prices	10
13.	Bid and Payment Currencies	10
14.	Bid Security	10
15.	Sealing and Marking of Bids	10
16.	Deadline for Submission of Bids	10
17.	Opening and Preliminary Examination of Bids	11
18.	Domestic Preference	11
19.	Detailed Evaluation and Comparison of Bids	11
20.	Post-Qualification	11
21.	Signing of the Contract	12
Section	III. Bid Data Sheet	.13
Section	IV. General Conditions of Contract	.15
1.	Scope of Contract	16
2.	Advance Payment and Terms of Payment	16
3.	Performance Security	16
4.	Inspection and Tests	16
5.	Warranty	16
6.	Liability of the Supplier	16
Section	V. Special Conditions of Contract	.17
	VI. Schedule of Requirements	
	VII. Technical Specifications	
	VIII. Checklist of Technical and Financial Documents	



# Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

**Consulting Services** – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA -** Cooperative Development Authority.

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

- CIF Cost Insurance and Freight.
- **CIP** Carriage and Insurance Paid.
- **CPI** Consumer Price Index.
- DDP Refers to the quoted price of the Goods, which means "delivered duty paid."
- DTI Department of Trade and Industry.
- **EXW** Ex works.
- FCA "Free Carrier" shipping point.
- FOB "Free on Board" shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s)



granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

**GOCC** – Government-owned and/or –controlled corporation.

**Goods** – Refer to all items, supplies, materials, and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project, or activity, whether in the nature of the Equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of Equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration, or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control, and drainage, water supply, sanitation, sewerage, and solid waste management systems, shore protection, energy/power, and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

**PhilGEPS -** Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project, or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency, which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business, and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier, as used in these Bidding Documents, may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.



# Section I. Invitation to Bid



# INVITATION TO BID FOR PROCUREMENT OF VARIOUS SMART CAMPUS ICT EQUIPMENT (3<sup>RD</sup> BIDDING)

- The Kalinga State University, through the Trust Receipt Fund (TRF) for CY 2021, intends to apply the sum of Twenty-Five Million Philippine Pesos (Php 25,000,000.00) being the ABC to payments under the contract for Procurement of Various Smart Campus ICT Equipment (3<sup>rd</sup> Bidding)/ IB\_Goods\_2022-05-031. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The Kalinga State University now invites bids for the above Procurement Project. Delivery of the Goods is required by Ninety (90) calendar days upon receipt of the Purchase Order. Bidders should have completed, within five (5) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly in Section II (Instructions to Bidders).
- **3.** Bidding will be conducted through open competitive bidding procedures using a non-discretionary *"pass/fail"* criterion as specified in 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

- 4. Prospective Bidders may obtain further information from Kalinga State University and inspect the Bidding Documents at the address given below during *office hours from 9 am to 4 pm*.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on May 17, 2022 (Tuesday) until 10 am of June 6, 2022 (Monday) from the given address and websites below, and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Twenty Five Thousand Philippine Pesos (Php 25,000.00) as prescribed in the Guidelines for the sum of the ABC of all lots. The Procuring Entity shall allow the bidder to present its proof of payment for the fees either in person or through electronic means.
- 6. The Kalinga State University will hold a Pre-Bid Conference on May 25, 2022 (Wednesday), 10 am at the BAC Conference Room, Procurement Management Office, Administration Building, KSU-Main Campus, National Highway, Purok 6, Bulanao, Tabuk City, Kalinga, and/or through video conferencing or webcasting via Google Meet Platform at the link: meet.google.com/bvd-batn-eqa, which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat through **manual submission** at the office address indicated below, on or before **10 am on June 6, 2022 (Monday).** Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on 10:01 am on June 6, 2022 (Monday) at the given address below and/or via Google Meet Platform at the link: meet.google.com/fwm-mfkv-xtu, Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- **10.** Bidders should comply with the applicable provisions of Section 23.4.1.1 of 2016 Revised IRR of R.A. 9184 (Eligibility Criteria for Procurement of Goods) and with a modified set of requirements integrating eligibility documents and criteria for procurement of goods as provided in Annex D of the 2016 revised IRR of RA No. 9184.



- **11.** The **Kalinga State University** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- **12.** For further information, please refer to:

Ronaldo B. Daluping BAC Secretariat Procurement Management Office Kalinga State University-Main Campus Administration Building, National Highway, Purok 6, Bulanao, Tabuk City, Kalinga 3800 procurementservice\_bac@ksu.edu.ph (074) 627-5321

13. You may visit the following websites: https://ksu.edu.ph/bid/procurement-various-smart-campus-ict-equipment-3rd-bidding

May 17 2022

Romualdo U. Wacas, PhD BAC Chairperson



# Section II. Instructions to Bidders



## 1. Scope of Bid

The Procuring Entity, Kalinga State University, wishes to receive Bids for the Procurement of Various Smart Campus ICT Equipment (3<sup>rd</sup> Bidding), with identification number IB\_Goods\_2022-05-031.

The Procurement Project (referred to herein as "Project") is composed of **one (1) Lot**, the details of which are described in Section VII (Technical Specifications).

## 2. Funding Information

2.1. The GOP, through the source of funding as indicated below for **CY 2021** in the amount of **Twenty-Five Million Philippine Pesos (Php 25,000,000.00)** 

2.2. The source of funding is:

Trust Receipt Fund for CY 2021.

## 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules, and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration, and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

# 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

#### 5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
  - a. For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.



# 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under ITB Clause 18.

# 7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

a. Subcontracting is not allowed.

## 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address at BAC Conference Room, Procurement Management Office, Administration Building, KSU-Main Campus, National Highway, Purok 6, Bulanao, Tabuk City, Kalinga, and/or through video conferencing/webcasting as indicated in paragraph 6 of the IB.

## 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

# 10. Documents comprising the Bid: Eligibility and Technical Components

- **10.1.** The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC, as indicated in ITB Clause 5.3, should have been completed within five (5) years prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in a foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

#### 11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.



# 12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, exshowroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;
    - iii. The cost of transportation, insurance, and other costs incidental to the delivery of the Goods to their final destination; and
    - iv. The price of other (incidental) services, if any, listed in e.
  - b. For Goods offered from abroad:
    - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
    - ii. The price of other (incidental) services, if any, as listed in Section VII (Technical Specifications).

## 13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
  - a. Payment of the contract price shall be made in Philippine Pesos.

# 14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until **One Hundred Twenty (120) calendar days**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

# 15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

# 16. Deadline for Submission of Bids



16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission, as indicated in paragraph 7 of the **IB**.

# 17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the IB. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case video conferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

## 18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

# 19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in Section VII (Technical Specifications), although the ABCs of these lots or items are indicated in the BDS for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items that participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

Option 2 – One Project having several items grouped into several lots, which shall be awarded as separate contracts per lot.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

# 20. Post-Qualification

20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.



# 21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.



# Section III. Bid Data Sheet



BIDS AND AWARDS COMMITTEE

Republic of the Philippines **KALINGA STATE UNIVERSITY** Purok 6, Bulanao, Tabuk City, Kalinga 3800

🕅 procurementservice\_bac@ksu.edu.ph 🛛 💽 (074) 627-5321

# **Bid Data Sheet**

ITB Clause						
	For this purpose, contracts similar to the Projection	ct shall be:				
5.3	a. Delivery and/or Installation of Various IC and	T Equipment, 50% of the ABC (F	Php 12,500,000.00);			
	<ul> <li>b. completed within five (5) years prior bids.</li> </ul>	to the deadline for the submiss	sion and receipt of			
7.1	Subcontracting is not allowed.					
12	The price of the Goods shall be quoted DD Commercial Terms (INCOTERMS) for this Proj	ect.				
	The bid security shall be in the form of a Bid S	Securing Declaration or any of the securing Declaration or any of the security	he following forms			
14.1	<ul> <li>and amounts:</li> <li>a. The amount of not less than PhP 500,0 check, bank draft/guarantee or irrevocable</li> <li>b. The amount of not less than PhP 1 250 00</li> </ul>	e letter of credit; or	0			
	b. The amount of not less than PhP 1,250,00 The Project will be awarded by lot, and the follo		0110.			
19.3	No. Title	Items Various items, refer to Section	ABC			
	1         Procurement of Various Smart           Campus ICT Equipment (3 <sup>rd</sup> Bidding)	VII (Technical Specifications)	25,000,000.00			
	List of licenses and permits relevant to the Project	and the corresponding law requirir	ng it:			
20.2	1. VAT or Non-VAT Registration Certificates; and					
	2. Other appropriate licenses and permits, as may	y be required during post-qualifica	tion evaluation.			
	Contract documents relevant to the Project:					
	The following relevant documents are to be submitted by the lowest calculated and responsive bidder after issuance of a notice of award:					
	1. Performance Security. The Winning Bidder sha security during the remaining period or dur effectivity of the contract, or for any contract to shall be valid until final acceptance of the Projection	ration of the Project reckoned fraction extension granted by the Pro	om the date of the			
21.2	In place of the Performance Security, a Performance Securing Declaration (PSD) – Re obligations under the contract, subject to the fe	evised Edition, to guarantee its fait				
	<ul> <li>a) Such declaration shall state, among from being qualified to participate in in case of first offense or two (2) violates any of the conditions stated i</li> </ul>	any government procurement activity years, if with a prior similar offe	vity for one (1) year,			
	<ul> <li>b) The unnotarized PSD may be accepted unless the same is replaced with performance</li> </ul>	,				
	The end-user may require the winning bidder to reany of the prescribed forms under Section 39.2 of State of Calamity, or community quarantine or simila	the 2016 revised IRR of RA No. 9	-			



# Section IV. General Conditions of Contract

# Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.



# 1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).** 

# 2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

### 3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

#### 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

#### 5. Warranty

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

# 6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.



# Section V. Special Conditions of Contract



# **Special Conditions of Contract**

GCC Clause	
1	Additional requirements for the completion of this Contract.
	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	For Goods supplied from abroad:
	"The delivery terms applicable to the Contract are DDP delivered in the port of Manila in accordance with INCOTERMS."
	For Goods supplied from within the Philippines:
	"The delivery terms applicable to this Contract are delivered at the Kalinga State University- Main Campus, National Highway, Purok 6, Bulanao, Tabuk City, Kalinga. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	For purposes of this Clause, the Procuring Entity's Representative at the Project Site is:
	<b>Mr. Joseph Tracy D. Labbutan</b> Supply and Property Officer Supply and Management Office Kalinga State University-Main Campus, National Highway, Purok 6, Bulanao Tabuk City 3800, Kalinga, Philippines
	Incidental Services –
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:
	a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;
	b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;
	c. furnishing of detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
	d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
	e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.
	Spare Parts –

	Republic of the Philippines <b>KALINGA STATE UNIVERSITY</b> Durok 6, Bulanao, Tabuk City, Kalinga 3800 BIDS ADD AWARDS COMMITTEE CATE NUMBER: SCP0005440
	The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:
	a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
	b. in the event of termination of production of the spare parts:
	i. advance notification to the Procuring Entity of the pending termination, insufficient time to permit the Procuring Entity to procure needed requirements; and
	ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.
	The spare parts and other components required are listed in Section VI (Schedule of Requirements), and the costs thereof are included in the contract price.
	The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of 30 days. <i>If not used, a time period of 90 days, which is three times the warranty period</i> .
Pa	ackaging –
	The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.
	The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.
	The outer packaging must be clearly marked on at least four (4) sides as follows:
	Name of the Procuring Entity Name of the Supplier Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications
	A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical, the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
Ті	ransportation –
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
	Where the Supplier is required under this Contract to transport the Goods to a specified place of

	Republic of the Philippines Republic of the Philippines <b>KALINGA STATE UNIVERSITY</b> Purok 6, Bulanao, Tabuk City, Kalinga 3800 BIDS AND AWARDS COMMITTEE WWW.ksu.edu.ph WWW.ksu.edu.ph
	destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be
	arranged by the Supplier, and related costs shall be included in the contract price. Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Intellectual Property Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from the use of the Goods or any part thereof.
2.2	Partial payment is not allowed except.
4	The inspections and tests that will be conducted are: Testing and Sealing by the Inspectorate and Acceptance Committee of the University, including a COA representative, TWG, and end-users representatives.



# Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date, which is the date of delivery to the project site.

No.	Reference	Qty	Unit	<b>Delivered,</b> Weeks/Months
1	<ul> <li>A. NETWORK AND COMMUNICATION INFRASTRUCTURE EQUIPMENT</li> <li>B. ACCESS POINTS WITH CONTROLLER</li> <li>C. FIBER OPTIC BACKBONE</li> <li>D. MAIN SWITCH</li> <li>E. SOLAR POWER SYSTEM WITH CORRESPONDING EQUIPMENT, MATERIALS, ACCESSORIES, INSTALLATION, CONFIGURATION, TESTING AND TRAINING:</li> <li>F. NETWORK SUPPORT SYSTEM</li> <li>G. STUDENT ICT INNOVATION CENTER EQUIPMENT</li> <li>H. INSTRUCTIONAL MATERIALS AND AUDIO VISUAL PRODUCTION EQUIPMENT</li> </ul>	1	lot	Delivery and/or Installation service shall be completed within <b>NINETY (90) CALENDAR</b> <b>DAYS</b> upon acceptance of the Purchase Order

Note:

- a) Contract Warranty: One (1) year to three (3) years from the date of acceptance of the Goods
- b) To be delivered at: Supply and Property Management Office, Administration Building, Kalinga State University-Main Campus, National Highway, Purok 6, Bulanao, Tabuk City, Kalinga

I hereby certify to comply and deliver the above requirements.

Name of Company/Bidder

Signature Over Printed Name of Representative Date



# Section VII. Technical Specifications

**KALINGA STATE UNIVERSITY** Purok 6, Bulanao, Tabuk City, Kalinga 3800

Republic of the Philippines

BIDS AND AWARDS COMMITTEE

@www.ksu.edu.ph 🛛 🕅 procurementservice\_bac@ksu.edu.ph 🛛 🔇 (074) 627-5321

# **Technical Specifications**

R

PAB ACCREDITED QMS CERTIFICATION BODY MSA - 005

SOCOTEC ISO 9001:2015 CERTIFIED CERTIFICATE NUMBER: SCP000544Q

				STATEMENT OF COMPLIANCE
ITEM NO.	ITEM AND DESCRIPTION	QTY	UNIT	[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the Equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of Specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
A. NEI		IN I		
1	a. <b>Firewall</b> : CPU: "Xeon-DE" D-1541,2.1 GHz FCBGA 1667 supported SoC CPU Cores: 8, Memory: 16GB, Storage: 256GB m.2 SATA, 2x 256GB m.2 SATA RAID 1, Network Interface: Dual LAN via i350-AM2, 1 Gigabit Ethernet Dual LAN via SoC, 10Gbase-T Virtual Machine Device Queues reduce I/O overhead Supports 1.0GBASE-T,100BASE-TX, and 1000BASE-T, RJ45 output 1x Realtek RTL8201N PHY(dedicated IPMI), USB Ports: 2x 3.0 ports Max Active Connections: 16 Million, Power: 200W Internal Power Supply, 100~240V, 50-60Hz, 2.6 Amp Max, Case: Standard 19" 1U rack mount, or Hardware Warranty:12 Months, Software: Perpetual License, Features: Support Multi-WAN, high availability, VPN, load balancing, reporting, monitoring, multiple ISP, Web-GUI, Firewall rules, IPSec tunnels, IP MAC Mapping, DHCP Server, Routing Policy, Failover, Captive Portal, PPPOE Server, special condition: properly configured IP Security between Bulanao and Rizal Campus, properly configured firewall in accordance to the existing policy of the university	3	Unit	
B. ACC	ESS POINTS WITH CONTROLLER			
1	a. <b>Access point</b> , Specifications:802.11AC Dual-Radio Access Points, 48V POE, Ceiling mounted. Special Condition: Similar to the existing access point of KSU, properly installed, adapted and configured	50	Unit	



# **Republic of the Philippines KALINGA STATE UNIVERSITY** Purok 6, Bulanao, Tabuk City, Kalinga 3800 BIDS AND AWARDS COMMITTEE

#### 💋 procurementservice\_bac@ksu.edu.ph 🛛 🔇 (074) 627-5321 www.ksu.edu.ph

		production		(014) 021-0021
2	b. UTP cable, pure copper, cat6, UL Listed	20	Roll	
3	c. <b>RJ45</b> with metal jacket and grounding clip	120	Piece	
	d. Roughing-ins (PVC Moldings/PVC Pipes and			
4	accessories)	1	Lot	
5	e. Screw with tox	1	Lot	
0	f. cabling installation labor cost, access point	1	201	
	configuration cost, delivery			
6		1	Lot	
	cost, VAT			
C. FIB	ER OPTIC BACKBONE: Fiber optic line to interconnect Bul	anao Cam	pus to Dagu	pan Campus with a distanc
approx	kimately 11 KM. 1 lot. Inter-connect 10 Buildings with corres	ponding fi	ber optic ma	terials and accessories: Fibe
optic L	AN Cabling coverage: 1) Rizal campus academic building, ad	min buildir	ng, extension	ı building. 2) Bulanao campu
new a	cademic building, clonal & food technology, motorpool, fores	stry buildir	ng, research	area, men dormitory, wome
dormit	ory, library, and innovation center (See attached top view p	hoto). Wit	h rack cabine	et, package with tools: 1 uni
	duty Automatic Fusion Splicer Machine Fiber Optic, 1 unit: he	,		
j				
Cabling	g of computer laboratory rooms with rack and network n	naterials.	The following	g laboratories are subject t
cabling	g: CEIT(6 laboratory rooms), CCJE (1 laboratory room), Co	ED (2 labo	oratory room	n), High School (1 laborator
room)	, CBAA (1 laboratory room), CLASS (2 laboratory rooms	s), Library	(4 laborato	ory room), Rizal Campus (
	tory room), CETHM&CPAIG (1 laboratory room) with the in			
supplie	er will help KSU to work with the Pole agreement between KA	AELCO and	KSU.	-
1	a. Fiber optic cable: 8 core	11,000	meter	
2	b. Fiber optic cable: 4 core	7,500	meter	
3	c. SFP Transceiver	36	unit	
4	d. Fiber Optic patch chord	60	Piece	
5		23		
5	e. Fiber Optic Patch panel		Piece	
6	f. Gigabit Smart Switch: POE 24 ports	17	Unit	
-	Non-POE 24 ports	13		
7	g. Rack cabinet: 24""W X 20"H	38	Unit	
8	h. Automatic fusion splicer	1	Unit	
9	i. Fiber optic tool kit	1	Unit	
10	j. UTP Cat 6, pure copper, UL Listed	20	Roll	
11	k. RJ 45 w/ metal jacket and rubber boots	500	Piece	
	I. Roughing-ins (Metal raceway: 2"x3"x 8' with			
12	accessories such threaded rod, grip anchor, screw with	1	Lot	
	nuts)			
	m. Installation cost of fiber optic cabling, delivery cost,			
13	VAT	1	Lot	
ο ΜΔ	IN SWITCH			
<u>.</u>	a. Main Switch: 1 unit 48 gigaports Manage Switch, 1.0G			
	Base -T L3, 40GB QSFT+ uplinks, Switching			
	Capacity:1.28Tbps, forwarding rate:952.3Mbps, MAC			
	Address: 32K, Max/Min Latency:3.60us/2.60us, Flash		11	
1	memory:2GB, DRAM:1GB, with server rack cabinet-42U	1	Unit	
	Black Network & Server Cabinet 800x1170mm with 2 Pre-			
	installed Cable Managers and PDU Brackets, Warranty:			
	3years Special Condition: able to adapt to the existing			
	switch of KSU, installed and configured			
	b. 2 units 24 ports, gigaports Managed Switch, 1.0G Base			
	-T L3, 40GB QSFT+ uplinks, Switching Capacity: 1.1Tbps,			
	forwarding rate:952.3Mbps, MAC Address:65K, Max/Min			
2	Latency:3.60us/2.60us, Flash memory:2GB, DRAM:1GB,	2	unit	
~	with server rack cabinet-42U Black Network & Server			
2				
۷	Cabinet 800x1170mm with 2 Pre-installed Cable			
2				
	Managers and PDU Brackets,			
	Managers and PDU Brackets, ESS POINT SWITCH(POE)			
	Managers and PDU Brackets,	10	unit	



# **Republic of the Philippines KALINGA STATE UNIVERSITY** Purok 6, Bulanao, Tabuk City, Kalinga 3800

# BIDS AND AWARDS COMMITTEE

www.ksu.edu.ph 💕 procurementservice\_bac@ksu.edu.ph 🛛 🔇 (074) 627-5321

2	LC UPC to LC UPC Duplex OM3 Multimode PVC (OFNR)	20	unit		
Z	2.0mm Fiber Optic Patch Cable	20	unit		
	1000ft (305m) Cat6a Shielded Foiled (SFTP) Solid PVC	-	.,		
3	CMR Blue Bulk Ethernet Cable	5	unit		
	Cat6 RJ45 Unshielded (UTP) Modular Plugs with Loading				
4	Bar for Stranded Cable (50/Pack)	20	unit		
F. SO	LAR POWER SYSTEM WITH CORRESPONDING EQUIPME	NT, MAT	ERIALS, AC	CESSORIES,	INSTALLATION,
CONFI	GURATION, TESTING AND TRAINING:				
	1.11kwp Hybrid' PV Sytem with 2.4kwhr Battery(deep cycle)	4-			
1	backup	15	Lots		
	a. Solar PV, Trina/JA Mono Solar panel, 370watts,	3	pcs		
	b. Solar Inverter, 2kw /24V Hybrid Inverter, TBB, 2kW,	1	Set		
	c. Solar Battery, 12V100AH VRLA AGM Deep cycle, 2.4kwhr	2	Set		
	d. L-foot,	10	Pcs		
	e. End Clamp, 35mm	4	Pcs		
	f. Mid Clamp, 40mm	6	Pcs		
	g. Grounding Clip	2	sets		
	h. MCB, DC, 16a		Pc		
		1			
	i. MCB, DC with enclosure, 100a	1	Pc		
	j. MCB, AC, 20a	1	Pc		
	k. SPD, DC, 600V, 2P	1	Pc		
	I. SPD, AC, 275V, 20-40kA,	1	рс		
	m. DC Isolator	1	рс		
	n. 30AT/50AT with Nema 1 Enclosure,	1	рс		
	o. DISTRIBUTION BOX – plastic,	1	set		
	p. Grounding Rod	1	рс		
	q. DC WIRE (50% RED, 50% BLACK), 6.0mm2	40	m		
	r. DC WIRE (50% RED, 50% BLACK), 25.0mm2	12	m		
	s. AC WIRE (50% white, 50% red), 5.5mm2	30	m		
	t. AC WIRE (GREEN), 3.5mm2	15	m		
	u. MC4 CONNECTOR	4	sets		
	v. Flexible Hose, Liquid tight	15	m		
	w. Flexible Hose, HDPE	20			
	x. Straight Connector	4	pc		
	y. Wire ferrule lug, Black Screw, Tekscrew		lot		
		1			
	z. C-Clamp, Electrical tape, Cable tie	I	lot		
2	8.10kwp Hybrid-ongrid PV Sytem with 4.8kwhr Battery(deep	3	Lots		
	cycle) backup	40	<u> </u>		
	a. Solar PV, Trina/JA /canadian Mono Solar panel, 450w,	18	Pcs		
	b. Solar Inverter, 8.0kw Deye Hybrid on/off grid inverter, 8.0kw,	2	sets		
	c. Solar Battery, 12V200AH VRLA AGM Deep cycle, 9.6kwhr	4	sets		
	d. Solar Railing	4.4	pcs		
	e. L-foot	60	pcs		
	f End Clamp, 25mm	16	pcs		
	f. End Clamp, 35mm				
		30	pcs		
	g. Mid Clamp, 40mm		pcs sets		
	g. Mid Clamp, 40mm h. Grounding Clip	8	sets		
	g. Mid Clamp, 40mm h. Grounding Clip i. MCB, DC, 20a	8 3	sets pcs		
	g. Mid Clamp, 40mm h. Grounding Clip i. MCB, DC, 20a j. MCB, DC with enclosure, 100a	8 3 1	sets pcs pc		
	g. Mid Clamp, 40mm h. Grounding Clip i. MCB, DC, 20a j. MCB, DC with enclosure, 100a k. MCB, AC, 40a	8 3 1 1	sets pcs pc pc		
	g. Mid Clamp, 40mm h. Grounding Clip i. MCB, DC, 20a j. MCB, DC with enclosure, 100a k. MCB, AC, 40a I. SPD, DC, 600V, 2P	8 3 1 1 3	sets pcs pc pc pcs		
	g. Mid Clamp, 40mm h. Grounding Clip i. MCB, DC, 20a j. MCB, DC with enclosure, 100a k. MCB, AC, 40a I. SPD, DC, 600V, 2P m. SPD, AC, 275V, 20-40kA	8 3 1 1 3 1	sets pcs pc pc pcs pcs pc		
	g. Mid Clamp, 40mm h. Grounding Clip i. MCB, DC, 20a j. MCB, DC with enclosure, 100a k. MCB, AC, 40a I. SPD, DC, 600V, 2P m. SPD, AC, 275V, 20-40kA n. DC Isolator	8 3 1 1 3 1 2	sets pcs pc pc pcs pcs pcs pcs		
	g. Mid Clamp, 40mm h. Grounding Clip i. MCB, DC, 20a j. MCB, DC with enclosure, 100a k. MCB, AC, 40a I. SPD, DC, 600V, 2P m. SPD, AC, 275V, 20-40kA n. DC Isolator o. 100AT/100AT with Nema 1 Enclosure	8 3 1 1 3 1 2 1	sets pcs pc pc pcs pcs pcs pcs pc		
	g. Mid Clamp, 40mm h. Grounding Clip i. MCB, DC, 20a j. MCB, DC with enclosure, 100a k. MCB, AC, 40a I. SPD, DC, 600V, 2P m. SPD, AC, 275V, 20-40kA n. DC Isolator o. 100AT/100AT with Nema 1 Enclosure p. DISTRIBUTION BOX - plastic	8 3 1 1 3 1 2 1 2	sets pcs pc pc pcs pc pcs pcs pc sets		
	g. Mid Clamp, 40mm h. Grounding Clip i. MCB, DC, 20a j. MCB, DC with enclosure, 100a k. MCB, AC, 40a l. SPD, DC, 600V, 2P m. SPD, AC, 275V, 20-40kA n. DC Isolator o. 100AT/100AT with Nema 1 Enclosure p. DISTRIBUTION BOX - plastic q. ATS / MTS	8 3 1 1 3 1 2 1 2 1 2 1	sets pcs pc pc pcs pcs pcs pcs pc		
	g. Mid Clamp, 40mm h. Grounding Clip i. MCB, DC, 20a j. MCB, DC with enclosure, 100a k. MCB, AC, 40a l. SPD, DC, 600V, 2P m. SPD, AC, 275V, 20-40kA n. DC Isolator o. 100AT/100AT with Nema 1 Enclosure p. DISTRIBUTION BOX - plastic q. ATS / MTS r. Grounding Rod	8 3 1 1 3 1 2 1 2	sets pcs pc pc pcs pc pcs pcs pc sets		
	g. Mid Clamp, 40mm h. Grounding Clip i. MCB, DC, 20a j. MCB, DC with enclosure, 100a k. MCB, AC, 40a l. SPD, DC, 600V, 2P m. SPD, AC, 275V, 20-40kA n. DC Isolator o. 100AT/100AT with Nema 1 Enclosure p. DISTRIBUTION BOX - plastic q. ATS / MTS r. Grounding Rod s. DC WIRE (50% RED, 50% BLACK), 6.0mm2	8 3 1 1 3 1 2 1 2 1 2 1	sets pcs pc pc pcs pc pcs pc pcs pc sets pc		
	g. Mid Clamp, 40mm h. Grounding Clip i. MCB, DC, 20a j. MCB, DC with enclosure, 100a k. MCB, AC, 40a l. SPD, DC, 600V, 2P m. SPD, AC, 275V, 20-40kA n. DC Isolator o. 100AT/100AT with Nema 1 Enclosure p. DISTRIBUTION BOX - plastic q. ATS / MTS r. Grounding Rod	8 3 1 1 3 1 2 1 2 1 2 1 1 1	sets pcs pc pcs pcs pcs pcs pcs pc sets pc pc		



#### Republic of the Philippines **KALINGA STATE UNIVERSITY** Purok 6, Bulanao, Tabuk City, Kalinga 3800

# BIDS AND AWARDS COMMITTEE

🗰 www.ksu.edu.ph 🛛 🚺 procurementservice\_bac@ksu.edu.ph 🛛 💽 (074) 627-5321

	v. AC WIRE (GREEN), 3.5mm2	50	М	
	w. MC4 CONNECTOR	8	sets	
	x. Flexible Hose, Liquid tight	20	M	
	y. Flexible Hose, HDPE	60	М	
	z. Straight Connector	8	Pc	
	aa. Wire ferrule lug, Black Screw, Tekscrew	1	Lot	
		1		
	ab. C-Clamp, Electrical tape, Cable tie	1	Lot	
G. NE	TWORK SUPPORT SYSTEM			
	Network Management System, license by elements, SL			
1	500, Network performance Monitor, Network traffic	500	elements	
	analyzer, Perpetual license software.		0.01.01.00	
	5ft (1.5m) Cat6a Snagless Shielded (SFTP) PVC CMX			
2		2	unit	
	Ethernet			
	Laptop (Tool to troubleshoot remote network site), 5500U			
	Platinum Grey   Integrated Radeon Graphics   Display 14"			
•	FHD (1920x1080) IPS 300nits Anti-glare, 45% NTSC			
3	8GB RAM   512GB SSD   Battery Integrated 56.5Wh	1	unit	
	Keyboard Backlit   Perpetual License Windows 10 and MS			
	Office with 2 years license antivirus			
4	Network Support System Training, Installation and	1	unit	
	Configuration, Vat			
H. STI	UDENT ICT INNOVATION CENTER EQUIPMENT			
	1	1		
	a. Computer Desktop, processor i5, 4GB Memory, , Hard			
	Dial OFC OOD Manitan 40" HOD Manage and Kasharad			
	DISK 256 SSD, Monitor 19", USB Mouse and Keyboard,			
1	Disk 256 SSD, Monitor 19", USB Mouse and Keyboard, wireless capable. Operating System: Perpetual License	90	unit	
1	wireless capable, Operating System: Perpetual License	90	unit	
1	wireless capable, Operating System: Perpetual License Bundled Software: Perpetual License Office Home 2019,	90	unit	
1	wireless capable, Operating System: Perpetual License	90	unit	
	wireless capable, Operating System: Perpetual License Bundled Software: Perpetual License Office Home 2019, antivirus			
	wireless capable, Operating System: Perpetual License Bundled Software: Perpetual License Office Home 2019, antivirus TRUCTIONAL MATERIALS AND AUDIO VISUAL PRODUCTION			
	wireless capable, Operating System: Perpetual License Bundled Software: Perpetual License Office Home 2019, antivirus TRUCTIONAL MATERIALS AND AUDIO VISUAL PRODUCTION a. Mirrorless Digital Camera with 2 8 -70mm Lens, censor			
	wireless capable, Operating System: Perpetual License Bundled Software: Perpetual License Office Home 2019, antivirus TRUCTIONAL MATERIALS AND AUDIO VISUAL PRODUCTION a. Mirrorless Digital Camera with 2 8 -70mm Lens, censor type: 35.8 x 23.9 mm (Full -Frame) CMOS, aspect ratio:			
	wireless capable, Operating System: Perpetual License Bundled Software: Perpetual License Office Home 2019, antivirus <b>TRUCTIONAL MATERIALS AND AUDIO VISUAL PRODUCTION</b> a. Mirrorless Digital Camera with 2 8 -70mm Lens, censor type: 35.8 x 23.9 mm (Full -Frame) CMOS, aspect ratio: 3:2, 16:9, sensor resolution: Actual: 24.7 Megapixel	EQUIPME	NT	
	wireless capable, Operating System: Perpetual License Bundled Software: Perpetual License Office Home 2019, antivirus TRUCTIONAL MATERIALS AND AUDIO VISUAL PRODUCTION a. Mirrorless Digital Camera with 2 8 -70mm Lens, censor type: 35.8 x 23.9 mm (Full -Frame) CMOS, aspect ratio:			
<u>I. INS</u>	wireless capable, Operating System: Perpetual License Bundled Software: Perpetual License Office Home 2019, antivirus <b>TRUCTIONAL MATERIALS AND AUDIO VISUAL PRODUCTION</b> a. Mirrorless Digital Camera with 2 8 -70mm Lens, censor type: 35.8 x 23.9 mm (Full -Frame) CMOS, aspect ratio: 3:2, 16:9, sensor resolution: Actual: 24.7 Megapixel	EQUIPME	NT	
<u>I. INS</u>	<ul> <li>wireless capable, Operating System: Perpetual License Bundled Software: Perpetual License Office Home 2019, antivirus</li> <li>TRUCTIONAL MATERIALS AND AUDIO VISUAL PRODUCTION         <ul> <li>a. Mirrorless Digital Camera with 2 8 -70mm Lens, censor type: 35.8 x 23.9 mm (Full -Frame) CMOS, aspect ratio: 3:2, 16:9, sensor resolution: Actual: 24.7 Megapixel Effective: 24.3 Megapixel (6000 x 4000), ISO sensitivity: 100 to 25600 (Extended: 50 to 25600) External Flash and</li> </ul> </li> </ul>	EQUIPME	NT	
I. INS <sup>.</sup>	wireless capable, Operating System: Perpetual License Bundled Software: Perpetual License Office Home 2019, antivirus <b>TRUCTIONAL MATERIALS AND AUDIO VISUAL PRODUCTION</b> a. Mirrorless Digital Camera with 2 8 -70mm Lens, censor type: 35.8 x 23.9 mm (Full -Frame) CMOS, aspect ratio: 3:2, 16:9, sensor resolution: Actual: 24.7 Megapixel Effective: 24.3 Megapixel (6000 x 4000), ISO sensitivity: 100 to 25600 (Extended: 50 to 25600) External Flash and Accessories Kit; memory card, spare battery, UV filter,	EQUIPME	NT	
I. INS <sup>.</sup>	<ul> <li>wireless capable, Operating System: Perpetual License Bundled Software: Perpetual License Office Home 2019, antivirus</li> <li>TRUCTIONAL MATERIALS AND AUDIO VISUAL PRODUCTION <ul> <li>a. Mirrorless Digital Camera with 2 8 -70mm Lens, censor type: 35.8 x 23.9 mm (Full -Frame) CMOS, aspect ratio:</li> <li>3:2, 16:9, sensor resolution: Actual: 24.7 Megapixel</li> <li>Effective: 24.3 Megapixel (6000 x 4000), ISO sensitivity:</li> <li>100 to 25600 (Extended: 50 to 25600) External Flash and Accessories Kit; memory card, spare battery, UV filter, protective camera bag</li> </ul> </li> </ul>	EQUIPME	NT	
<u>I. INS</u>	<ul> <li>wireless capable, Operating System: Perpetual License Bundled Software: Perpetual License Office Home 2019, antivirus</li> <li>TRUCTIONAL MATERIALS AND AUDIO VISUAL PRODUCTION <ul> <li>a. Mirrorless Digital Camera with 2 8 -70mm Lens, censor type: 35.8 x 23.9 mm (Full -Frame) CMOS, aspect ratio: 3:2, 16:9, sensor resolution: Actual: 24.7 Megapixel</li> <li>Effective: 24.3 Megapixel (6000 x 4000), ISO sensitivity: 100 to 25600 (Extended: 50 to 25600) External Flash and Accessories Kit; memory card, spare battery, UV filter, protective camera bag</li> <li>b. DSLR Microphone; Acoustic Principle: Line Gradient,</li> </ul> </li> </ul>	EQUIPME	NT	
I. INS <sup>.</sup>	<ul> <li>wireless capable, Operating System: Perpetual License Bundled Software: Perpetual License Office Home 2019, antivirus</li> <li>TRUCTIONAL MATERIALS AND AUDIO VISUAL PRODUCTION <ul> <li>a. Mirrorless Digital Camera with 2 8 -70mm Lens, censor type: 35.8 x 23.9 mm (Full -Frame) CMOS, aspect ratio: 3:2, 16:9, sensor resolution: Actual: 24.7 Megapixel</li> <li>Effective: 24.3 Megapixel (6000 x 4000), ISO sensitivity: 100 to 25600 (Extended: 50 to 25600) External Flash and Accessories Kit; memory card, spare battery, UV filter, protective camera bag</li> <li>b. DSLR Microphone; Acoustic Principle: Line Gradient, Active Electronics: JFET impedance converter, Capsule:</li> </ul> </li> </ul>	EQUIPME	NT	
I. INS <sup>.</sup>	<ul> <li>wireless capable, Operating System: Perpetual License Bundled Software: Perpetual License Office Home 2019, antivirus</li> <li>TRUCTIONAL MATERIALS AND AUDIO VISUAL PRODUCTION <ul> <li>a. Mirrorless Digital Camera with 2 8 -70mm Lens, censor type: 35.8 x 23.9 mm (Full -Frame) CMOS, aspect ratio:</li> <li>3:2, 16:9, sensor resolution: Actual: 24.7 Megapixel</li> <li>Effective: 24.3 Megapixel (6000 x 4000), ISO sensitivity: 100 to 25600 (Extended: 50 to 25600) External Flash and Accessories Kit; memory card, spare battery, UV filter, protective camera bag</li> <li>b. DSLR Microphone; Acoustic Principle: Line Gradient, Active Electronics: JFET impedance converter, Capsule: 0.50", Frequency Range: 40Hz - 20kHz (selected HPF</li> </ul> </li> </ul>	EQUIPME	NT	
1. <b>INS</b>	<ul> <li>wireless capable, Operating System: Perpetual License Bundled Software: Perpetual License Office Home 2019, antivirus</li> <li>TRUCTIONAL MATERIALS AND AUDIO VISUAL PRODUCTION <ul> <li>a. Mirrorless Digital Camera with 2 8 -70mm Lens, censor type: 35.8 x 23.9 mm (Full -Frame) CMOS, aspect ratio: 3:2, 16:9, sensor resolution: Actual: 24.7 Megapixel</li> <li>Effective: 24.3 Megapixel (6000 x 4000), ISO sensitivity: 100 to 25600 (Extended: 50 to 25600) External Flash and Accessories Kit; memory card, spare battery, UV filter, protective camera bag</li> <li>b. DSLR Microphone; Acoustic Principle: Line Gradient, Active Electronics: JFET impedance converter, Capsule:</li> </ul> </li> </ul>	EQUIPME 3	<b>NT</b> unit	
I. INS <sup>.</sup>	<ul> <li>wireless capable, Operating System: Perpetual License Bundled Software: Perpetual License Office Home 2019, antivirus</li> <li>TRUCTIONAL MATERIALS AND AUDIO VISUAL PRODUCTION <ul> <li>a. Mirrorless Digital Camera with 2 8 -70mm Lens, censor type: 35.8 x 23.9 mm (Full -Frame) CMOS, aspect ratio: 3:2, 16:9, sensor resolution: Actual: 24.7 Megapixel</li> <li>Effective: 24.3 Megapixel (6000 x 4000), ISO sensitivity: 100 to 25600 (Extended: 50 to 25600) External Flash and Accessories Kit; memory card, spare battery, UV filter, protective camera bag</li> <li>b. DSLR Microphone; Acoustic Principle: Line Gradient, Active Electronics: JFET impedance converter, Capsule: 0.50", Frequency Range: 40Hz - 20kHz (selected HPF @80), Output Impedance: 200Ω, Maximum SPL:</li> </ul> </li> </ul>	EQUIPME	NT	
1. <b>INS</b>	<ul> <li>wireless capable, Operating System: Perpetual License Bundled Software: Perpetual License Office Home 2019, antivirus</li> <li>TRUCTIONAL MATERIALS AND AUDIO VISUAL PRODUCTION <ul> <li>a. Mirrorless Digital Camera with 2 8 -70mm Lens, censor type: 35.8 x 23.9 mm (Full -Frame) CMOS, aspect ratio: 3:2, 16:9, sensor resolution: Actual: 24.7 Megapixel</li> <li>Effective: 24.3 Megapixel (6000 x 4000), ISO sensitivity: 100 to 25600 (Extended: 50 to 25600) External Flash and Accessories Kit; memory card, spare battery, UV filter, protective camera bag</li> <li>b. DSLR Microphone; Acoustic Principle: Line Gradient, Active Electronics: JFET impedance converter, Capsule: 0.50", Frequency Range: 40Hz - 20kHz (selected HPF @80), Output Impedance: 200Ω, Maximum SPL: 134dBSPL, Maximum Output Level: 6.9mV (@ 1kHz, 1%</li> </ul> </li> </ul>	EQUIPME 3	<b>NT</b> unit	
1. <b>INS</b>	<ul> <li>wireless capable, Operating System: Perpetual License Bundled Software: Perpetual License Office Home 2019, antivirus</li> <li>TRUCTIONAL MATERIALS AND AUDIO VISUAL PRODUCTION <ul> <li>a. Mirrorless Digital Camera with 2 8 -70mm Lens, censor type: 35.8 x 23.9 mm (Full -Frame) CMOS, aspect ratio:</li> <li>3:2, 16:9, sensor resolution: Actual: 24.7 Megapixel</li> <li>Effective: 24.3 Megapixel (6000 x 4000), ISO sensitivity: 100 to 25600 (Extended: 50 to 25600) External Flash and Accessories Kit; memory card, spare battery, UV filter, protective camera bag</li> <li>b. DSLR Microphone; Acoustic Principle: Line Gradient, Active Electronics: JFET impedance converter, Capsule: 0.50", Frequency Range: 40Hz - 20kHz (selected HPF @80), Output Impedance: 200Ω, Maximum SPL: 134dBSPL, Maximum Output Level: 6.9mV (@ 1kHz, 1% THD into 1KΩ load), Sensitivity: - 32.0dB re 1 Volt/Pascal</li> </ul> </li> </ul>	EQUIPME 3	<b>NT</b> unit	
1. <b>INS</b>	<ul> <li>wireless capable, Operating System: Perpetual License Bundled Software: Perpetual License Office Home 2019, antivirus</li> <li>TRUCTIONAL MATERIALS AND AUDIO VISUAL PRODUCTION <ul> <li>a. Mirrorless Digital Camera with 2 8 -70mm Lens, censor type: 35.8 x 23.9 mm (Full -Frame) CMOS, aspect ratio:</li> <li>3:2, 16:9, sensor resolution: Actual: 24.7 Megapixel</li> <li>Effective: 24.3 Megapixel (6000 x 4000), ISO sensitivity: 100 to 25600 (Extended: 50 to 25600) External Flash and Accessories Kit; memory card, spare battery, UV filter, protective camera bag</li> <li>b. DSLR Microphone; Acoustic Principle: Line Gradient, Active Electronics: JFET impedance converter, Capsule: 0.50", Frequency Range: 40Hz - 20kHz (selected HPF @80), Output Impedance: 200Ω, Maximum SPL: 134dBSPL, Maximum Output Level: 6.9mV (@ 1kHz, 1% THD into 1KΩ load), Sensitivity: - 32.0dB re 1 Volt/Pascal (20.00mV @ 94 dB SPL) +/- 2 dB @ 1kHz, Dimensions:</li> </ul> </li> </ul>	EQUIPME 3	<b>NT</b> unit	
1. <b>INS</b>	<ul> <li>wireless capable, Operating System: Perpetual License Bundled Software: Perpetual License Office Home 2019, antivirus</li> <li>TRUCTIONAL MATERIALS AND AUDIO VISUAL PRODUCTION <ul> <li>a. Mirrorless Digital Camera with 2 8 -70mm Lens, censor type: 35.8 x 23.9 mm (Full -Frame) CMOS, aspect ratio: 3:2, 16:9, sensor resolution: Actual: 24.7 Megapixel</li> <li>Effective: 24.3 Megapixel (6000 x 4000), ISO sensitivity: 100 to 25600 (Extended: 50 to 25600) External Flash and Accessories Kit; memory card, spare battery, UV filter, protective camera bag</li> <li>b. DSLR Microphone; Acoustic Principle: Line Gradient, Active Electronics: JFET impedance converter, Capsule: 0.50", Frequency Range: 40Hz - 20kHz (selected HPF @80), Output Impedance: 200Ω, Maximum SPL: 134dBSPL, Maximum Output Level: 6.9mV (@ 1kHz, 1% THD into 1KΩ load), Sensitivity: - 32.0dB re 1 Volt/Pascal (20.00mV @ 94 dB SPL) +/- 2 dB @ 1kHz, Dimensions: 100mmH x 75mmW x 170mmD, Weight: 85g</li> </ul> </li> </ul>	EQUIPME 3	<b>NT</b> unit	
1. <b>INS</b>	<ul> <li>wireless capable, Operating System: Perpetual License Bundled Software: Perpetual License Office Home 2019, antivirus</li> <li>TRUCTIONAL MATERIALS AND AUDIO VISUAL PRODUCTION <ul> <li>a. Mirrorless Digital Camera with 2 8 -70mm Lens, censor type: 35.8 x 23.9 mm (Full -Frame) CMOS, aspect ratio: 3:2, 16:9, sensor resolution: Actual: 24.7 Megapixel</li> <li>Effective: 24.3 Megapixel (6000 x 4000), ISO sensitivity: 100 to 25600 (Extended: 50 to 25600) External Flash and Accessories Kit; memory card, spare battery, UV filter, protective camera bag</li> <li>b. DSLR Microphone; Acoustic Principle: Line Gradient, Active Electronics: JFET impedance converter, Capsule: 0.50", Frequency Range: 40Hz - 20kHz (selected HPF</li> <li>@80), Output Impedance: 200Ω, Maximum SPL: 134dBSPL, Maximum Output Level: 6.9mV (@ 1kHz, 1% THD into 1KΩ load), Sensitivity: - 32.0dB re 1 Volt/Pascal (20.00mV @ 94 dB SPL) +/- 2 dB @ 1kHz, Dimensions: 100mmH x 75mmW x 170mmD, Weight: 85g</li> </ul> </li> </ul>	EQUIPME 3	<b>NT</b> unit	
. <b>INS</b>	<ul> <li>wireless capable, Operating System: Perpetual License Bundled Software: Perpetual License Office Home 2019, antivirus</li> <li>TRUCTIONAL MATERIALS AND AUDIO VISUAL PRODUCTION <ul> <li>a. Mirrorless Digital Camera with 2 8 -70mm Lens, censor type: 35.8 x 23.9 mm (Full -Frame) CMOS, aspect ratio: 3:2, 16:9, sensor resolution: Actual: 24.7 Megapixel</li> <li>Effective: 24.3 Megapixel (6000 x 4000), ISO sensitivity: 100 to 25600 (Extended: 50 to 25600) External Flash and Accessories Kit; memory card, spare battery, UV filter, protective camera bag</li> <li>b. DSLR Microphone; Acoustic Principle: Line Gradient, Active Electronics: JFET impedance converter, Capsule: 0.50", Frequency Range: 40Hz - 20kHz (selected HPF @80), Output Impedance: 200Ω, Maximum SPL: 134dBSPL, Maximum Output Level: 6.9mV (@ 1kHz, 1% THD into 1KΩ load), Sensitivity: - 32.0dB re 1 Volt/Pascal (20.00mV @ 94 dB SPL) +/- 2 dB @ 1kHz, Dimensions: 100mmH x 75mmW x 170mmD, Weight: 85g</li> <li>Video Camera with Microphone, Tripod and Accessories Kit; 20MP Exmor R CMOS Sensor, Full HD (1920x1080)</li> </ul> </li> </ul>	EQUIPME 3	<b>NT</b> unit	
1	<ul> <li>wireless capable, Operating System: Perpetual License Bundled Software: Perpetual License Office Home 2019, antivirus</li> <li>TRUCTIONAL MATERIALS AND AUDIO VISUAL PRODUCTION <ul> <li>a. Mirrorless Digital Camera with 2 8 -70mm Lens, censor type: 35.8 x 23.9 mm (Full -Frame) CMOS, aspect ratio: 3:2, 16:9, sensor resolution: Actual: 24.7 Megapixel</li> <li>Effective: 24.3 Megapixel (6000 x 4000), ISO sensitivity: 100 to 25600 (Extended: 50 to 25600) External Flash and Accessories Kit; memory card, spare battery, UV filter, protective camera bag</li> <li>b. DSLR Microphone; Acoustic Principle: Line Gradient, Active Electronics: JFET impedance converter, Capsule: 0.50", Frequency Range: 40Hz - 20kHz (selected HPF</li> <li>@80), Output Impedance: 200Ω, Maximum SPL: 134dBSPL, Maximum Output Level: 6.9mV (@ 1kHz, 1% THD into 1KΩ load), Sensitivity: - 32.0dB re 1 Volt/Pascal (20.00mV @ 94 dB SPL) +/- 2 dB @ 1kHz, Dimensions: 100mmH x 75mmW x 170mmD, Weight: 85g</li> </ul> </li> </ul>	EQUIPME 3	<b>NT</b> unit	
1 2	<ul> <li>wireless capable, Operating System: Perpetual License Bundled Software: Perpetual License Office Home 2019, antivirus</li> <li>TRUCTIONAL MATERIALS AND AUDIO VISUAL PRODUCTION <ul> <li>a. Mirrorless Digital Camera with 2 8 -70mm Lens, censor type: 35.8 x 23.9 mm (Full -Frame) CMOS, aspect ratio: 3:2, 16:9, sensor resolution: Actual: 24.7 Megapixel</li> <li>Effective: 24.3 Megapixel (6000 x 4000), ISO sensitivity: 100 to 25600 (Extended: 50 to 25600) External Flash and Accessories Kit; memory card, spare battery, UV filter, protective camera bag</li> <li>b. DSLR Microphone; Acoustic Principle: Line Gradient, Active Electronics: JFET impedance converter, Capsule: 0.50", Frequency Range: 40Hz - 20kHz (selected HPF</li> <li>@80), Output Impedance: 200Ω, Maximum SPL: 134dBSPL, Maximum Output Level: 6.9mV (@ 1kHz, 1% THD into 1KΩ load), Sensitivity: - 32.0dB re 1 Volt/Pascal (20.00mV @ 94 dB SPL) +/- 2 dB @ 1kHz, Dimensions: 100mmH x 75mmW x 170mmD, Weight: 85g</li> <li>Video Camera with Microphone, Tripod and Accessories Kit; 20MP Exmor R CMOS Sensor, Full HD (1920x1080) Up to 59.94p/l, Three Manual Lens Rings, Built-In ND</li> </ul> </li> </ul>	EQUIPME 3	NT unit unit	
1. INS 1	<ul> <li>wireless capable, Operating System: Perpetual License Bundled Software: Perpetual License Office Home 2019, antivirus</li> <li>TRUCTIONAL MATERIALS AND AUDIO VISUAL PRODUCTION <ul> <li>a. Mirrorless Digital Camera with 2 8 -70mm Lens, censor type: 35.8 x 23.9 mm (Full -Frame) CMOS, aspect ratio: 3:2, 16:9, sensor resolution: Actual: 24.7 Megapixel Effective: 24.3 Megapixel (6000 x 4000), ISO sensitivity: 100 to 25600 (Extended: 50 to 25600) External Flash and Accessories Kit; memory card, spare battery, UV filter, protective camera bag</li> <li>b. DSLR Microphone; Acoustic Principle: Line Gradient, Active Electronics: JFET impedance converter, Capsule: 0.50", Frequency Range: 40Hz - 20kHz (selected HPF @80), Output Impedance: 200Ω, Maximum SPL: 134dBSPL, Maximum Output Level: 6.9mV (@ 1kHz, 1% THD into 1KΩ load), Sensitivity: - 32.0dB re 1 Volt/Pascal (20.00mV @ 94 dB SPL) +/- 2 dB @ 1kHz, Dimensions: 100mmH x 75mmW x 170mmD, Weight: 85g</li> <li>Video Camera with Microphone, Tripod and Accessories Kit; 20MP Exmor R CMOS Sensor, Full HD (1920x1080) Up to 59.94p/l, Three Manual Lens Rings, Built-In ND Filters, 12x Optical Zoom, 1 spare memory Class 10, 1</li> </ul> </li> </ul>	EQUIPME 3	NT unit unit	
1 2	<ul> <li>wireless capable, Operating System: Perpetual License Bundled Software: Perpetual License Office Home 2019, antivirus</li> <li>TRUCTIONAL MATERIALS AND AUDIO VISUAL PRODUCTION <ul> <li>a. Mirrorless Digital Camera with 2 8 -70mm Lens, censor type: 35.8 x 23.9 mm (Full -Frame) CMOS, aspect ratio: 3:2, 16:9, sensor resolution: Actual: 24.7 Megapixel</li> <li>Effective: 24.3 Megapixel (6000 x 4000), ISO sensitivity: 100 to 25600 (Extended: 50 to 25600) External Flash and Accessories Kit; memory card, spare battery, UV filter, protective camera bag</li> <li>b. DSLR Microphone; Acoustic Principle: Line Gradient, Active Electronics: JFET impedance converter, Capsule: 0.50", Frequency Range: 40Hz - 20kHz (selected HPF @80), Output Impedance: 200Ω, Maximum SPL: 134dBSPL, Maximum Output Level: 6.9mV (@ 1kHz, 1% THD into 1KΩ load), Sensitivity: - 32.0dB re 1 Volt/Pascal (20.00mV @ 94 dB SPL) +/- 2 dB @ 1kHz, Dimensions: 100mmH x 75mmW x 170mmD, Weight: 85g</li> <li>Video Camera with Microphone, Tripod and Accessories Kit; 20MP Exmor R CMOS Sensor, Full HD (1920x1080) Up to 59.94p/l, Three Manual Lens Rings, Built-In ND Filters, 12x Optical Zoom, 1 spare memory Class 10, 1 spare battery, protective camera bag</li> </ul> </li> </ul>	EQUIPME 3	NT unit unit	
1 1 2	<ul> <li>wireless capable, Operating System: Perpetual License Bundled Software: Perpetual License Office Home 2019, antivirus</li> <li>TRUCTIONAL MATERIALS AND AUDIO VISUAL PRODUCTION <ul> <li>a. Mirrorless Digital Camera with 2 8 -70mm Lens, censor type: 35.8 x 23.9 mm (Full -Frame) CMOS, aspect ratio: 3:2, 16:9, sensor resolution: Actual: 24.7 Megapixel</li> <li>Effective: 24.3 Megapixel (6000 x 4000), ISO sensitivity: 100 to 25600 (Extended: 50 to 25600) External Flash and Accessories Kit; memory card, spare battery, UV filter, protective camera bag</li> <li>b. DSLR Microphone; Acoustic Principle: Line Gradient, Active Electronics: JFET impedance converter, Capsule: 0.50", Frequency Range: 40Hz - 20kHz (selected HPF @80), Output Impedance: 200Ω, Maximum SPL: 134dBSPL, Maximum Output Level: 6.9mV (@ 1kHz, 1% THD into 1KΩ load), Sensitivity: - 32.0dB re 1 Volt/Pascal (20.00mV @ 94 dB SPL) +/- 2 dB @ 1kHz, Dimensions: 100mmH x 75mmW x 170mmD, Weight: 85g</li> <li>Video Camera with Microphone, Tripod and Accessories Kit; 20MP Exmor R CMOS Sensor, Full HD (1920x1080) Up to 59.94p/l, Three Manual Lens Rings, Built-In ND Filters, 12x Optical Zoom, 1 spare memory Class 10, 1 spare battery, protective camera bag</li> <li>Tripod; Maximum Height: 4.8', Built-in Leveler, Cranking</li> </ul></li></ul>	EQUIPME 3	NT unit unit	
1 1 2	<ul> <li>wireless capable, Operating System: Perpetual License Bundled Software: Perpetual License Office Home 2019, antivirus</li> <li>TRUCTIONAL MATERIALS AND AUDIO VISUAL PRODUCTION <ul> <li>a. Mirrorless Digital Camera with 2 8 -70mm Lens, censor type: 35.8 x 23.9 mm (Full -Frame) CMOS, aspect ratio: 3:2, 16:9, sensor resolution: Actual: 24.7 Megapixel</li> <li>Effective: 24.3 Megapixel (6000 x 4000), ISO sensitivity: 100 to 25600 (Extended: 50 to 25600) External Flash and Accessories Kit; memory card, spare battery, UV filter, protective camera bag</li> <li>b. DSLR Microphone; Acoustic Principle: Line Gradient, Active Electronics: JFET impedance converter, Capsule: 0.50", Frequency Range: 40Hz - 20kHz (selected HPF @80), Output Impedance: 200Ω, Maximum SPL: 134dBSPL, Maximum Output Level: 6.9mV (@ 1kHz, 1% THD into 1KΩ load), Sensitivity: - 32.0dB re 1 Volt/Pascal (20.00mV @ 94 dB SPL) +/- 2 dB @ 1kHz, Dimensions: 100mmH x 75mmW x 170mmD, Weight: 85g</li> <li>Video Camera with Microphone, Tripod and Accessories Kit; 20MP Exmor R CMOS Sensor, Full HD (1920x1080) Up to 59.94p/I, Three Manual Lens Rings, Built-In ND Filters, 12x Optical Zoom, 1 spare memory Class 10, 1 spare battery, protective camera bag</li> <li>Tripod; Maximum Height: 4.8', Built-in Leveler, Cranking Center Column, Carry Case Included, Fluid Pan/Tilt Head,</li> </ul> </li> </ul>	EQUIPME 3 3 3	NT unit unit	
1 1 2 3	wireless capable, Operating System: Perpetual License Bundled Software: Perpetual License Office Home 2019, antivirus <b>TRUCTIONAL MATERIALS AND AUDIO VISUAL PRODUCTION</b> a. Mirrorless Digital Camera with 2 8 -70mm Lens, censor type: 35.8 x 23.9 mm (Full -Frame) CMOS, aspect ratio: 3:2, 16:9, sensor resolution: Actual: 24.7 Megapixel Effective: 24.3 Megapixel (6000 x 4000), ISO sensitivity: 100 to 25600 (Extended: 50 to 25600) External Flash and Accessories Kit; memory card, spare battery, UV filter, protective camera bag b. DSLR Microphone; Acoustic Principle: Line Gradient, Active Electronics: JFET impedance converter, Capsule: 0.50", Frequency Range: 40Hz - 20kHz (selected HPF @80), Output Impedance: 200Ω, Maximum SPL: 134dBSPL, Maximum Output Level: 6.9mV (@ 1kHz, 1% THD into 1KΩ load), Sensitivity: - 32.0dB re 1 Volt/Pascal (20.00mV @ 94 dB SPL) +/- 2 dB @ 1kHz, Dimensions: 100mmH x 75mmW x 170mmD, Weight: 85g Video Camera with Microphone, Tripod and Accessories Kit; 20MP Exmor R CMOS Sensor, Full HD (1920x1080) Up to 59.94p/I, Three Manual Lens Rings, Built-In ND Filters, 12x Optical Zoom, 1 spare memory Class 10, 1 spare battery, protective camera bag Tripod; Maximum Height: 4.8', Built-in Leveler, Cranking Center Column, Carry Case Included, Fluid Pan/Tilt Head, Supports Almost 7.0 lb, Multi-Terminal Cable Included	EQUIPME 3	NT unit unit	
1 1 2 3	<ul> <li>wireless capable, Operating System: Perpetual License Bundled Software: Perpetual License Office Home 2019, antivirus</li> <li><b>TRUCTIONAL MATERIALS AND AUDIO VISUAL PRODUCTION</b> <ul> <li>a. Mirrorless Digital Camera with 2 8 -70mm Lens, censor type: 35.8 x 23.9 mm (Full -Frame) CMOS, aspect ratio: 3:2, 16:9, sensor resolution: Actual: 24.7 Megapixel</li> <li>Effective: 24.3 Megapixel (6000 x 4000), ISO sensitivity: 100 to 25600 (Extended: 50 to 25600) External Flash and Accessories Kit; memory card, spare battery, UV filter, protective camera bag</li> <li>b. DSLR Microphone; Acoustic Principle: Line Gradient, Active Electronics: JFET impedance converter, Capsule: 0.50", Frequency Range: 40Hz - 20kHz (selected HPF @80), Output Impedance: 200Ω, Maximum SPL: 134dBSPL, Maximum Output Level: 6.9mV (@ 1kHz, 1% THD into 1KΩ load), Sensitivity: - 32.0dB re 1 Volt/Pascal (20.00mV @ 94 dB SPL) +/- 2 dB @ 1kHz, Dimensions: 100mmH x 75mmW x 170mmD, Weight: 85g</li> <li>Video Camera with Microphone, Tripod and Accessories Kit; 20MP Exmor R CMOS Sensor, Full HD (1920x1080) Up to 59.94p/I, Three Manual Lens Rings, Built-In ND Filters, 12x Optical Zoom, 1 spare memory Class 10, 1 spare battery, protective camera bag</li> <li>Tripod; Maximum Height: 4.8', Built-in Leveler, Cranking Center Column, Carry Case Included, Fluid Pan/Tilt Head, Supports Almost 7.0 lb, Multi-Terminal Cable Included and compatible with the video camera.</li> </ul> </li> </ul>	EQUIPME 3 3 3	NT unit unit	
1 1 2 3	wireless capable, Operating System: Perpetual License Bundled Software: Perpetual License Office Home 2019, antivirus <b>TRUCTIONAL MATERIALS AND AUDIO VISUAL PRODUCTION</b> a. Mirrorless Digital Camera with 2 8 -70mm Lens, censor type: 35.8 x 23.9 mm (Full -Frame) CMOS, aspect ratio: 3:2, 16:9, sensor resolution: Actual: 24.7 Megapixel Effective: 24.3 Megapixel (6000 x 4000), ISO sensitivity: 100 to 25600 (Extended: 50 to 25600) External Flash and Accessories Kit; memory card, spare battery, UV filter, protective camera bag b. DSLR Microphone; Acoustic Principle: Line Gradient, Active Electronics: JFET impedance converter, Capsule: 0.50", Frequency Range: 40Hz - 20kHz (selected HPF @80), Output Impedance: 200Ω, Maximum SPL: 134dBSPL, Maximum Output Level: 6.9mV (@ 1kHz, 1% THD into 1KΩ load), Sensitivity: - 32.0dB re 1 Volt/Pascal (20.00mV @ 94 dB SPL) +/- 2 dB @ 1kHz, Dimensions: 100mmH x 75mmW x 170mmD, Weight: 85g Video Camera with Microphone, Tripod and Accessories Kit; 20MP Exmor R CMOS Sensor, Full HD (1920x1080) Up to 59.94p/I, Three Manual Lens Rings, Built-In ND Filters, 12x Optical Zoom, 1 spare memory Class 10, 1 spare battery, protective camera bag Tripod; Maximum Height: 4.8', Built-in Leveler, Cranking Center Column, Carry Case Included, Fluid Pan/Tilt Head, Supports Almost 7.0 lb, Multi-Terminal Cable Included	EQUIPME 3 3 3	NT unit unit	



Republic of the Philippines **KALINGA STATE UNIVERSITY** Purok 6, Bulanao, Tabuk City, Kalinga 3800 BIDS AND AWARDS COMMITTEE

Mode(HF); Follow Mode(TF); Lock Mode(LK); All Follow         Mode (AF), Controllable Range : Tilt +175° to - 55°; Roll:         ±30° (when controlled by Horizontal Adjustment Button)         360° (when parallel to the ground, and works in full follow         mode, it could be controlled to rotate 360° by         joystick)Pan: 360° (unlimited), Charging Time : ≥5 hours         by the charger provided and the adapter 5V/3A         Drawing Pad Screen size: 21.5 inch, Screen resolution:         1920 x 1080 (Full HD), Color gamut: 72% NTSC (CIE1931)         turingl. Den technology: Wasam Dro Dan 2 with Wasam	
±30° (when controlled by Horizontal Adjustment Button)         360° (when parallel to the ground, and works in full follow         mode, it could be controlled to rotate 360° by         joystick)Pan: 360° (unlimited), Charging Time : ≥5 hours         by the charger provided and the adapter 5V/3A         Drawing Pad Screen size: 21.5 inch, Screen resolution:         1920 x 1080 (Full HD), Color gamut: 72% NTSC (CIE1931)	
360° (when parallel to the ground, and works in full follow mode, it could be controlled to rotate 360° by joystick)Pan: 360° (unlimited), Charging Time : ≥5 hours by the charger provided and the adapter 5V/3A         Drawing Pad Screen size: 21.5 inch, Screen resolution: 1920 x 1080 (Full HD), Color gamut: 72% NTSC (CIE1931)	
mode, it could be controlled to rotate 360° by         joystick)Pan: 360° (unlimited), Charging Time : ≥5 hours         by the charger provided and the adapter 5V/3A         Drawing Pad Screen size: 21.5 inch, Screen resolution:         1920 x 1080 (Full HD), Color gamut: 72% NTSC (CIE1931)	
mode, it could be controlled to rotate 360° by         joystick)Pan: 360° (unlimited), Charging Time : ≥5 hours         by the charger provided and the adapter 5V/3A         Drawing Pad Screen size: 21.5 inch, Screen resolution:         1920 x 1080 (Full HD), Color gamut: 72% NTSC (CIE1931)	
joystick)Pan: 360° (unlimited), Charging Time : ≥5 hours by the charger provided and the adapter 5V/3ADrawing Pad Screen size: 21.5 inch, Screen resolution: 1920 x 1080 (Full HD), Color gamut: 72% NTSC (CIE1931)	
by the charger provided and the adapter 5V/3ADrawing Pad Screen size: 21.5 inch, Screen resolution: 1920 x 1080 (Full HD), Color gamut: 72% NTSC (CIE1931)	
Drawing Pad Screen size: 21.5 inch, Screen resolution: 1920 x 1080 (Full HD), Color gamut: 72% NTSC (CIE1931)	
1920 x 1080 (Full HD), Color gamut: 72% NTSC (CIE1931)	
tuning Dan taahaalaguu Maaam Dra Dan Quuth Maaam	
typical, Pen technology: Wacom Pro Pen 2 with Wacom	
6 EMR, Pen pressure levels: 8,192, Native Resolution 1920 x 3 unit	
1080, and free software (Anime Studio Debut by Smith	
Micro, Autodesk Sketchbook Express, Corel® Painter 12	
(Trial), Nik® Software Color Efex Pro™ 4 Select Edition).	
Desktop for Photo editing CPU: M1 (8-Core), RAM: 8GB,	
GPU: 7-core & 8- core options, Storage: 256 GB SSD,	
7 Display: 24-inch 4.5K Retina display, Webcam: 1080 3 unit	
FaceTime HD Camera, with perpetual license, perpetual	
MS Office, 2 years license antivirus, Color: Silver	
Video Editing Software, with Special features: video	
8 effects, sound effects, trimming tools, with 1 week 3 unit	
training	
Photo Editing Software, Special features: neutral filter, sky	
9 replacement, pattern preview, live shapes, plugins & 3 unit	
extras, adjust facial features, combine multiple shots into	
one, photo brushes, photo effects with 1 week training	
2-Person Compact Digital Wireless Omni Lavalier	
Microphone System/Recorder Kit Acoustic Principle: Pre-	
polarized pressure transducer, Polar Pattern:	
Omnidirectional, Frequency Range: 50Hz – 20kHz,	
Maximum SPL (Mic): 100 dB SPL (1kHz @ 1m) dBu,	
10 Power Requirements: In-built rechargeable lithium ion 3 unit	
battery , charged via USB 5V, 0.3A, Operating Time: Up to	
7 hours, Computer Connectivity: USB Type-C, OS	
Requirements: macOS 10.11 above, Windows 10 and	
above, Weight (g): TX: 30g RX: 32g, Included	
Accessories: 3 x SC20, 1 x SC5, 3 x Furry, 1 x Pouch Bag.	
Capture Card Input: HDMI (unencrypted), Supported	
11    Resolutions: 720p, 1080p USB 3.0 extension cable (9    3    unit	
inches long) Class 10	
Lighting Kit; 3x SL-60W 60Ws 5600K Studio LED	
Continuous Photo Video Light + 3x 1.8m Light Stand + 3x	
60x60cm Softbox LED Light Kit with 3 color backdrop	
12 with 6.6 * 10ft Bi-color Washable Background Screen + 3 unit	
6.6 * 10ft Backdrop Support Stand Bracket + 3pcs	
Backdrop Clamps + Carry Bag	
13 Additional Kit Memory Cards, 256 GB Class 10 3 unit	
Terms and Conditions:	
a) All Equipment and components should be branded (not clone, imitation, or assembled) and brand new.	
<ul> <li>All Equipment and components should be branded (not clone, imitation, or assembled) and brand new. The units should be delivered duly packed and sealed by the manufacturer. KSU assumed that the</li> </ul>	
Equipment to be delivered had undergone quality control testing from the manufacturer; hence	
repacking/resealing the same by a sub-dealer is discouraged and inexcusable.	
<ul> <li>b) Availability of parts in the local market by local distributor</li> </ul>	
<ul> <li>c) Provision of Technical Data Sheet indicating the brand name and model of item/s.</li> </ul>	
d) Provision of Operations and Maintenance Manual of the item/s, which includes the plans, drawings,	
diagrams, and equipment configurations.	

Republic of the Philippines **KALINGA STATE UNIVERSITY** Purok 6, Bulanao, Tabuk City, Kalinga 3800

BIDS AND AWARDS COMMITTEE

ISO 9001:2015 CERTIFIED CERTIFICATE NUMBER: SCP000544Q

SOCOTEC

PAB ACCREDITED QMS CERTIFICATION BODY MSA - 005

🗰 www.ksu.edu.ph 🛛 🕅 procurementservice\_bac@ksu.edu.ph 🛛 🔕 (074) 627-5321

e)	The items as specified in this Technical Specifications shall be delivered only to the address indicated	
'	herein to be received by authorized personnel.	
f)	The Supplier shall notify the indicated authorized receiving personnel at the Project Site at the scheduled	
	date of delivery at least three (3) working days in advance and shall ensure that the authorized receiving	
	personnel of the Purchaser is present during the date and time of delivery. The Receiving Personnel	
	reserves the right to refuse to receive/accept delivered Goods made before 8:00 am or after 5:00 pm and	
	non-working days.	
g)	The Supplier shall replace any rejected item within fifteen (15) calendar days from receipt of a written	
	notice from the end-user.	
h)	Prior to issuing the Certificate of Complete Deliveries, the item's testing and ceiling must be conducted	
	with the end-users, Inspectorate Team or TWGs. Hence, conduct training or orientation within weeks after	
	installation is recommended. The winning supplier shall provide other unforeseen peripherals and	
	accessories necessary for the equipment in each lot to function and be operational.	
i)	After the Testing and Ceiling, the Supplier shall be evaluated and will conform to the end user's	
	evaluation rating results as a requirement for payment.	
j)	During or after the delivery, the Supplier shall submit the following requirements:	
	1. Delivery Receipt	
	2. Supplier's Sales Invoice	
	3. Operations and Maintenance Manual	
	4. Warranty or KSU will deduct 1% on the total value of the items as Retention Money	
4.9.	- O-les Descriptions entre	
Απе	r Sales Requirements:	
1.	Under warranty coverage: If unrepairable within 7 days, a free service backup unit (1:1) or service spare	
	part of the same or higher Specification must be provided by the supplier until the defective unit/part is	
	considered repaired/replaced.	
2.	Monday to Friday, office hours technical support and service	
3.	Capable of providing technical service/assistance within 24 hours OR next business day on-site (NBDOS)	
	service warranty.	

I hereby certify to comply with all the above Technical Specifications.

Name of Company/Bidder

Signature Over Printed Name of Representative

Date



# Section VIII. Checklist of Technical and Financial Documents

# Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the Checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this Checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.



# **Checklist of Technical Documents**

Name of Project	:	PROCUREMENT OF VARIOUS SMART CAMPUS ICT EQUIPMENT (3 <sup>rd</sup> BIDDING)
Approved Budget for the Contract	:	Php 25,000,000.00
Name of Bidder	:	
Address of Bidder	:	

ITEM N	0.	REQUIREMENTS	PASSED	FAILED	
I. TE	CHNICA	AL COMPONENT ENVELOPE			
		Class "A" Documents			
<u>Le</u>	Legal Documents				
	A.	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages); and			
	B.	<b>Registration certificate</b> from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document, <u>and</u>			
	_ C.	<b>Mayor's or Business permit</b> issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas; <u>and</u>			
	D.	Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).			
<u></u>	echnical	<u>Documents</u>			
	E.	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; <u>and</u>			
	] F.	<ul> <li>Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents;</li> <li>This statement shall be supported with any of the following as applicable: <ul> <li>a) For Government Contracts:</li> <li>i. Certificate of Final Acceptance (CFA) and/or Certificate of Complete Deliveries (CCD) signed by Head of the Procuring Entity (HOPE) or its duly authorized representative,</li> <li>ii. Official Receipt(s) of the bidder covering the full amount of the contract; or Sales Invoice issued for the contract, if completed.</li> </ul> </li> </ul>			
	] (	5 IJ J			
		a certification issued by the Insurance Commission; or			
Г	П Η.	Original copy of Notarized <b>Bid Securing Declaration</b> ; <u>and</u> Conformity with the <b>Technical Specifications</b> , which include the following:			
<u>L_</u>	11.	<ul> <li>a) Production/Delivery Schedule based on Section VI- Schedule of Requirements</li> <li>b) Manpower Requirements, which shall include the following:</li> </ul>			
		<ol> <li>Organizational chart for the Contract to be bid;</li> </ol>			

Republic of the Philippines **KALINGA STATE UNIVERSITY** Purok 6, Bulanao, Tabuk City, Kalinga 3800

# BIDS AND AWARDS COMMITTEE

		(074) 627-5	1
item No.	REQUIREMENTS	PASSED	FAILED
	2) List of Bidder's Key Personnel to be assigned to the Contract to be bid, with		
	<ul> <li>their complete qualification and experience data, as follows:</li> <li>i) Key Personnel's Bio-data;</li> </ul>		
	ii) Key Personnel's Certificate of Employment		
	iii) Key Personnel's Certificate of Competence as Fiber Optic Technician		
	iv) Key Personnel's ECE License		
	3) After-Sales/Parts, if applicable		
	c) Certificate of Site Inspection		
	and		
	I. Original duly signed revised Omnibus Sworn Statement, with the		
	following supporting paragraphs as follows:		
	1) Signatory is proprietor/duly authorized representative of bidder.		
	2) Full power and authority to perform acts or represent bidder.		
	3) Not "blacklisted" or barred from bidding		
	4) Each document is authentic copy of original, complete, and correct.		
	5) Authorizing Head of Procuring Entity to verify all documents		
	submitted.		
	6) Not related to HOPE, BAC, TWG, Secretariat, PMO/IU, within 3rd civil		
	degree.		
	7) Complies with existing labor laws and standards.		
	8) Aware of and undertaken responsibilities as a bidder.		
	9) Did not give any commission, amount, fee, or consideration.		
	10) Failure to perform or deliver any of the obligations and undertakings		
	in the Contract shall be sufficient grounds to constitute criminal		
	liability for Swindling (Estafa) or the commission of fraud with		
	unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an		
	obligation involving the duty to deliver certain goods or services, to		
	the prejudice of the public and the government of the Philippines		
	pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the		
	Revised Penal Code.		
	i.1. if applicable, Original Notarized Secretary's Certificate in case of a		
	corporation, partnership, or cooperative; or Original Special Power of		
	Attorney of all members of the joint venture giving full power and		
	authority to its officer to sign the OSS and do acts to represent the		
	Bidder (Authority of the signatory)		
	i.2. Integrity Pledge of KSU Service Provider with the attached ID of AMO		
<b></b>	<u>and</u>		
Financi	ial Documents		
	J. The Supplier's audited financial statements, showing, among others, the		
	Supplier's total and current assets and liabilities, stamped "received" by the		1
	BIR or its duly accredited and authorized institutions, for the preceding		
	calendar year which should not be earlier than two (2) years from the date of bid submission; and		
	bid submission; <u>and</u>		
	K. The prospective bidder's computation of Net Financial Contracting		
	Capacity (NFCC); <u>or</u>		
	A committed Line of Credit from a Universal or Commercial Bank in lieu of		
	its NFCC computation.		
	Class "B" Documents		
	L. If applicable, a duly signed joint venture agreement (JVA) in case the joint		

R

PAB ACCREDITED QMS CERTIFICATION BODY MSA - 005



venture is already in existence; <u>or</u>	
duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.	
Other documentary requirements under RA No. 9184 (as applicable)	
M. [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.	
N. Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.	
<b>O.</b> Certificate of Exclusive Distributorship, if applicable	
P. License to Operate issued by a relevant government agency	

NOTE:

- 1. Any missing, incomplete, or patently insufficient document in the above-mentioned Checklist is a ground for outright rejection (non-complying) of the bid.
- 2. For hassle-free and easier bid evaluation, the Technical and Financial Envelopes are preferably soft bounded and with Ear-Tabbing for each Checklist. Ring bounded is discouraged.
- 3. All the documents per item should be provided with Ear-Tabbing from Letter A to P as indicated above; for those documents that are not applicable, the prospective bidders shall still provide pages and tabbings and indicate "NOT APPLICABLE" thereat.

#### CHECKED BY:

BAC MEMBER's/TWG's Name and Signature:

DATE AND TIME OF EVALUATION: \_

REMARKS:

Eligible/ Passed

Non-Eligible/ Failed



# Checklist of Financial Documents

Name of Project	:	PROCUREMENT OF VARIOUS SMART CAMPUS ICT EQUIPMENT (3 <sup>RD</sup> BIDDING)
Approved Budget for the Contract	:	Php 25,000,000.00
Name of Bidder	:	
Address of Bidder	•	

ITE	ITEM NO. REQUIREMENTS		PASSED	FAILED
П.	FINAN	CIAL COMPONENT ENVELOPE		
		A. Original of duly signed and accomplished Financial Bid Form; and		
		B. Original of duly signed and accomplished Price Schedule(s)		
		C. Technical data sheet of each items.		

# NOTE:

- 1. Any missing, incomplete, or patently insufficient document in the above-mentioned Checklist is a ground for outright rejection (non-complying) of the bid.
- 2. For hassle-free and easier bid evaluation, the Technical and Financial Envelopes are preferably soft bounded and with Ear-Tabbing for each Checklist. Ring bounded is discouraged.
- 3. Each and every page of the Documents comprising the Financial Proposal shall be signed by the duly authorized representative/s of the Bidder. Failure to do so shall be a ground for the rejection of the bid.

#### CHECKED BY:

BAC MEMBER's/TWG's Name and Signature:

DATE AND TIME OF EVALUATION:

#### **REMARKS:**

Complying

Non-Complying

