



Republic of the Philippines  
**KALINGA STATE UNIVERSITY**  
**BIDS AND AWARDS COMMITTEE**  
 National Highway, Purok 6, Bulanao, Tabuk City, Kalinga  
 Website: <https://ksu.edu.ph> Email: [procurementservice\\_bac@ksu.edu.ph](mailto:procurementservice_bac@ksu.edu.ph) Contact No.: 0917-774-4185

Procuring Entity : **KALINGA STATE UNIVERSITY**  
 Standard Form Title: **REQUEST FOR QUOTATION**  
 Revised on :

RFQ No. : **TFB\_GOODS\_2018\_11\_51\_A**  
 Date : **NOVEMBER 6, 2018**  
 Office/End-user : **CENTRAL LABORATORIES**

Company Name	:	
Business Address	:	
T.I.N.	:	
Name of Project	:	NEGOTIATED PROCUREMENT FOR PURCHASE OF VARIOUS LABORATORY EQUIPMENT
Location of Project	:	KALINGA STATE UNIVERSITY – BULANAO CAMPUS, TABUK CITY, KALINGA
Approved Budget for the Contract	:	Php 1,123,352.00
Period of Advertisement	:	NOVEMBER 7-12, 2018

Instructions to Bidders	:	<ol style="list-style-type: none"> <li>Please quote your government price, taxes included and FOB, subject to the Terms and Conditions stated below and submit your quotation duly signed by your representative <b>not later than 10 o'clock of November 9, 2018 (Friday)</b> in a sealed envelope to the Office of the Bids and Awards Committee (BAC) stated above <b>or thru e-mail at <a href="mailto:procurementservice_bac@ksu.edu.ph">procurementservice_bac@ksu.edu.ph</a></b> and shall be opened on the same day at 10:01 o'clock.</li> <li>Bidders shall have the option of submitting a proposal on any lot or all lots based on the specialization of the supplier. If the Bidder opts to bid for more than one lot, only one set of eligibility requirements shall be submitted. Evaluation and award of contract will be undertaken per item basis; however, for bidder that bids to more than one lot and determined to have the Lowest Calculated Responsive Bid per lot shall be awarded with only one contract. Bids received in excess of the ABC shall be automatically rejected at bid opening. The following are the ABC per lot:</li> </ol>																																																																																																																																		
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 5%;">Ref</th> <th style="width: 70%;">Description</th> <th style="width: 5%;">Qty</th> <th style="width: 5%;">Unit</th> <th style="width: 15%;">Approved Budget (Php)</th> </tr> </thead> <tbody> <tr> <td></td> <td>Technical and Scientific Equipment (Laboratory Equipment):</td> <td></td> <td></td> <td></td> </tr> <tr> <td rowspan="8" style="text-align: center;">Lot 1</td> <td>ARDUINO TRAINER KIT</td> <td style="text-align: center;">1</td> <td>kit</td> <td style="text-align: right;">186,508.00</td> </tr> <tr> <td>EbOOT 3 Pieces 400-Point Solderless Circuit Breadboard</td> <td style="text-align: center;">15</td> <td>pieces</td> <td style="text-align: right;">18,000.00</td> </tr> <tr> <td>Module Homework Board USB SMT BASIC Stamp 2 USB Miniature-B</td> <td style="text-align: center;">7</td> <td>pieces</td> <td style="text-align: right;">19,600.00</td> </tr> <tr> <td>Arduino Primo nRF52 ESP8266 WiFi Bluetooth Microcontroller</td> <td style="text-align: center;">7</td> <td>pieces</td> <td style="text-align: right;">21,000.00</td> </tr> <tr> <td>DC Power Supply Variable, Eventek KPS305D Adjustable Switching Regulated Power Supply Digita</td> <td style="text-align: center;">7</td> <td>pieces</td> <td style="text-align: right;">28,000.00</td> </tr> <tr> <td>Longrunner DSO 138 Open Source 2.4" TFT Digital Oscilloscope Kit 1Msps with Probe Assembled Vision</td> <td style="text-align: center;">6</td> <td>pieces</td> <td style="text-align: right;">12,000.00</td> </tr> <tr> <td>All-sun Portable Pen Type Digital Multimeter Logic Probe AC DC Volt Amp Tester DMM</td> <td style="text-align: center;">5</td> <td>pieces</td> <td style="text-align: right;">10,000.00</td> </tr> <tr> <td>Electronics-Salon 30 Types 74LSxx Series Logic IC Assortment Kit</td> <td style="text-align: center;">5</td> <td>pieces</td> <td style="text-align: right;">12,500.00</td> </tr> <tr> <td colspan="4" style="text-align: right;"><b>Sub-total (Lot 1)</b></td> <td style="text-align: right;"><b>307,608.00</b></td> </tr> <tr> <td rowspan="8" style="text-align: center;">Lot 2</td> <td>HAMMER DRILL WITH SCREW BIT, corded, 680W</td> <td style="text-align: center;">1</td> <td>set</td> <td style="text-align: right;">7,800.00</td> </tr> <tr> <td>ANGLE GRINDER with carbon brush, cutting &amp; grinding disc; 4' 540W</td> <td style="text-align: center;">1</td> <td>set</td> <td style="text-align: right;">3,500.00</td> </tr> <tr> <td>CORDLESS HAMMER DRILL: 3/8" max 12v</td> <td style="text-align: center;">1</td> <td>kit</td> <td style="text-align: right;">9,500.00</td> </tr> <tr> <td>CHAIN BLOCK, 3 tons, 22.8kg net weight</td> <td style="text-align: center;">1</td> <td>unit</td> <td style="text-align: right;">13,500.00</td> </tr> <tr> <td>TAPS &amp; DIE/THREADER, 40 piece Metric Tap</td> <td style="text-align: center;">1</td> <td>set</td> <td style="text-align: right;">16,500.00</td> </tr> <tr> <td>TORCH WRENCH: Torque Setting Range (N m) 28 – 210</td> <td style="text-align: center;">1</td> <td>unit</td> <td style="text-align: right;">6,500.00</td> </tr> <tr> <td>BALL PEIN HAMMER: Hammer &amp; Axes Handle Type</td> <td style="text-align: center;">1</td> <td>unit</td> <td style="text-align: right;">3,500.00</td> </tr> <tr> <td>PORTABLE WELDING MACHINE, branded, Model: ARC 200A</td> <td style="text-align: center;">1</td> <td>set</td> <td style="text-align: right;">6,500.00</td> </tr> <tr> <td>WELDING MASK, Response time: 1/25000-30000s</td> <td style="text-align: center;">1</td> <td>set</td> <td style="text-align: right;">3,500.00</td> </tr> <tr> <td colspan="4" style="text-align: right;"><b>Sub-total (Lot 2)</b></td> <td style="text-align: right;"><b>70,800.00</b></td> </tr> <tr> <td>Lot 3</td> <td>HYDROLOGY LABORATORY EQUIPMENT with components</td> <td style="text-align: center;">1</td> <td>lot</td> <td style="text-align: right;">288,000.00</td> </tr> <tr> <td colspan="4" style="text-align: right;"><b>Sub-total (Lot 3)</b></td> <td style="text-align: right;"><b>288,000.00</b></td> </tr> <tr> <td>Lot 4</td> <td>IRRIGATION WATER MANAGEMENT EQUIPMENT with components</td> <td style="text-align: center;">1</td> <td>lot</td> <td style="text-align: right;">177,944.00</td> </tr> <tr> <td colspan="4" style="text-align: right;"><b>Sub-total (Lot 4)</b></td> <td style="text-align: right;"><b>177,944.00</b></td> </tr> <tr> <td>Lot 5</td> <td>AUTO CLAVE, 47 quarts capacity, H19, D 151/4"</td> <td style="text-align: center;">1</td> <td>unit</td> <td style="text-align: right;">50,000.00</td> </tr> <tr> <td colspan="4" style="text-align: right;"><b>Sub-total (Lot 5)</b></td> <td style="text-align: right;"><b>50,000.00</b></td> </tr> <tr> <td>Lot 6</td> <td>GAS RANGE WITH PREPARATION TABLE, with 3 Gas Burners</td> <td style="text-align: center;">1</td> <td>set</td> <td style="text-align: right;">76,000.00</td> </tr> <tr> <td colspan="4" style="text-align: right;"><b>Sub-total (Lot 6)</b></td> <td style="text-align: right;"><b>76,000.00</b></td> </tr> </tbody> </table>	Ref	Description	Qty	Unit	Approved Budget (Php)		Technical and Scientific Equipment (Laboratory Equipment):				Lot 1	ARDUINO TRAINER KIT	1	kit	186,508.00	EbOOT 3 Pieces 400-Point Solderless Circuit Breadboard	15	pieces	18,000.00	Module Homework Board USB SMT BASIC Stamp 2 USB Miniature-B	7	pieces	19,600.00	Arduino Primo nRF52 ESP8266 WiFi Bluetooth Microcontroller	7	pieces	21,000.00	DC Power Supply Variable, Eventek KPS305D Adjustable Switching Regulated Power Supply Digita	7	pieces	28,000.00	Longrunner DSO 138 Open Source 2.4" TFT Digital Oscilloscope Kit 1Msps with Probe Assembled Vision	6	pieces	12,000.00	All-sun Portable Pen Type Digital Multimeter Logic Probe AC DC Volt Amp Tester DMM	5	pieces	10,000.00	Electronics-Salon 30 Types 74LSxx Series Logic IC Assortment Kit	5	pieces	12,500.00	<b>Sub-total (Lot 1)</b>				<b>307,608.00</b>	Lot 2	HAMMER DRILL WITH SCREW BIT, corded, 680W	1	set	7,800.00	ANGLE GRINDER with carbon brush, cutting & grinding disc; 4' 540W	1	set	3,500.00	CORDLESS HAMMER DRILL: 3/8" max 12v	1	kit	9,500.00	CHAIN BLOCK, 3 tons, 22.8kg net weight	1	unit	13,500.00	TAPS & DIE/THREADER, 40 piece Metric Tap	1	set	16,500.00	TORCH WRENCH: Torque Setting Range (N m) 28 – 210	1	unit	6,500.00	BALL PEIN HAMMER: Hammer & Axes Handle Type	1	unit	3,500.00	PORTABLE WELDING MACHINE, branded, Model: ARC 200A	1	set	6,500.00	WELDING MASK, Response time: 1/25000-30000s	1	set	3,500.00	<b>Sub-total (Lot 2)</b>				<b>70,800.00</b>	Lot 3	HYDROLOGY LABORATORY EQUIPMENT with components	1	lot	288,000.00	<b>Sub-total (Lot 3)</b>				<b>288,000.00</b>	Lot 4	IRRIGATION WATER MANAGEMENT EQUIPMENT with components	1	lot	177,944.00	<b>Sub-total (Lot 4)</b>				<b>177,944.00</b>	Lot 5	AUTO CLAVE, 47 quarts capacity, H19, D 151/4"	1	unit	50,000.00	<b>Sub-total (Lot 5)</b>				<b>50,000.00</b>	Lot 6	GAS RANGE WITH PREPARATION TABLE, with 3 Gas Burners	1	set	76,000.00	<b>Sub-total (Lot 6)</b>				<b>76,000.00</b>
	Ref	Description	Qty	Unit	Approved Budget (Php)																																																																																																																															
		Technical and Scientific Equipment (Laboratory Equipment):																																																																																																																																		
	Lot 1	ARDUINO TRAINER KIT	1	kit	186,508.00																																																																																																																															
		EbOOT 3 Pieces 400-Point Solderless Circuit Breadboard	15	pieces	18,000.00																																																																																																																															
		Module Homework Board USB SMT BASIC Stamp 2 USB Miniature-B	7	pieces	19,600.00																																																																																																																															
		Arduino Primo nRF52 ESP8266 WiFi Bluetooth Microcontroller	7	pieces	21,000.00																																																																																																																															
		DC Power Supply Variable, Eventek KPS305D Adjustable Switching Regulated Power Supply Digita	7	pieces	28,000.00																																																																																																																															
		Longrunner DSO 138 Open Source 2.4" TFT Digital Oscilloscope Kit 1Msps with Probe Assembled Vision	6	pieces	12,000.00																																																																																																																															
		All-sun Portable Pen Type Digital Multimeter Logic Probe AC DC Volt Amp Tester DMM	5	pieces	10,000.00																																																																																																																															
		Electronics-Salon 30 Types 74LSxx Series Logic IC Assortment Kit	5	pieces	12,500.00																																																																																																																															
	<b>Sub-total (Lot 1)</b>				<b>307,608.00</b>																																																																																																																															
	Lot 2	HAMMER DRILL WITH SCREW BIT, corded, 680W	1	set	7,800.00																																																																																																																															
		ANGLE GRINDER with carbon brush, cutting & grinding disc; 4' 540W	1	set	3,500.00																																																																																																																															
CORDLESS HAMMER DRILL: 3/8" max 12v		1	kit	9,500.00																																																																																																																																
CHAIN BLOCK, 3 tons, 22.8kg net weight		1	unit	13,500.00																																																																																																																																
TAPS & DIE/THREADER, 40 piece Metric Tap		1	set	16,500.00																																																																																																																																
TORCH WRENCH: Torque Setting Range (N m) 28 – 210		1	unit	6,500.00																																																																																																																																
BALL PEIN HAMMER: Hammer & Axes Handle Type		1	unit	3,500.00																																																																																																																																
PORTABLE WELDING MACHINE, branded, Model: ARC 200A		1	set	6,500.00																																																																																																																																
WELDING MASK, Response time: 1/25000-30000s	1	set	3,500.00																																																																																																																																	
<b>Sub-total (Lot 2)</b>				<b>70,800.00</b>																																																																																																																																
Lot 3	HYDROLOGY LABORATORY EQUIPMENT with components	1	lot	288,000.00																																																																																																																																
<b>Sub-total (Lot 3)</b>				<b>288,000.00</b>																																																																																																																																
Lot 4	IRRIGATION WATER MANAGEMENT EQUIPMENT with components	1	lot	177,944.00																																																																																																																																
<b>Sub-total (Lot 4)</b>				<b>177,944.00</b>																																																																																																																																
Lot 5	AUTO CLAVE, 47 quarts capacity, H19, D 151/4"	1	unit	50,000.00																																																																																																																																
<b>Sub-total (Lot 5)</b>				<b>50,000.00</b>																																																																																																																																
Lot 6	GAS RANGE WITH PREPARATION TABLE, with 3 Gas Burners	1	set	76,000.00																																																																																																																																
<b>Sub-total (Lot 6)</b>				<b>76,000.00</b>																																																																																																																																



Republic of the Philippines  
**KALINGA STATE UNIVERSITY**  
**BIDS AND AWARDS COMMITTEE**  
 National Highway, Purok 6, Bulanao, Tabuk City, Kalinga  
 Website: <https://ksu.edu.ph> Email: [procurementservice\\_bac@ksu.edu.ph](mailto:procurementservice_bac@ksu.edu.ph) Contact No.: 0917-774-4185

		<table border="1"> <tr> <td rowspan="2">Lot 7</td> <td>KITCHEN AID ARTISAN: 4.8L or 5 Quartz; Tilt-Head Stand</td> <td>1</td> <td>set</td> <td>32,500.00</td> </tr> <tr> <td>KITCHEN AID, Heavy Duty, 6.9L or 7 Quarts Bowl-Lift Mixer</td> <td>1</td> <td>set</td> <td>52,500.00</td> </tr> <tr> <td colspan="4" style="text-align: right;"><b>Sub-total (Lot 7)</b></td> <td><b>85,000.00</b></td> </tr> <tr> <td rowspan="2">Lot 8</td> <td>CALIBER 38 REVOLVER, brand new, Model 200, with holster</td> <td>1</td> <td>unit</td> <td>29,000.00</td> </tr> <tr> <td>CALIBER 45, brand new, 8 rounder, FSP5</td> <td>1</td> <td>unit</td> <td>39,000.00</td> </tr> <tr> <td colspan="4" style="text-align: right;"><b>Sub-total (Lot 8)</b></td> <td><b>68,000.00</b></td> </tr> </table>	Lot 7	KITCHEN AID ARTISAN: 4.8L or 5 Quartz; Tilt-Head Stand	1	set	32,500.00	KITCHEN AID, Heavy Duty, 6.9L or 7 Quarts Bowl-Lift Mixer	1	set	52,500.00	<b>Sub-total (Lot 7)</b>				<b>85,000.00</b>	Lot 8	CALIBER 38 REVOLVER, brand new, Model 200, with holster	1	unit	29,000.00	CALIBER 45, brand new, 8 rounder, FSP5	1	unit	39,000.00	<b>Sub-total (Lot 8)</b>				<b>68,000.00</b>	
Lot 7	KITCHEN AID ARTISAN: 4.8L or 5 Quartz; Tilt-Head Stand	1		set	32,500.00																										
	KITCHEN AID, Heavy Duty, 6.9L or 7 Quarts Bowl-Lift Mixer	1	set	52,500.00																											
<b>Sub-total (Lot 7)</b>				<b>85,000.00</b>																											
Lot 8	CALIBER 38 REVOLVER, brand new, Model 200, with holster	1	unit	29,000.00																											
	CALIBER 45, brand new, 8 rounder, FSP5	1	unit	39,000.00																											
<b>Sub-total (Lot 8)</b>				<b>68,000.00</b>																											
<p>Terms and Conditions :</p>	<ol style="list-style-type: none"> <li>1. All entries must be typewritten or legibly written.</li> <li>2. Price validity shall be for a period of 30 calendar days.</li> <li>3. As a government agency that subject for COA audit, KSU shall deal only with legitimate suppliers which issue BIR registered official receipts.</li> <li>4. The filled-out RFQ must be submitted by prospective bidder together with the following Attachments (duly signed):</li> <li>5. Financial Documents:             <ol style="list-style-type: none"> <li>a. Bill of Quantities,</li> <li>b. Summary and Detailed Estimates, and</li> <li>c. Brochure/catalogue indicating the brand name and model of item/s as additional technical requirements.</li> </ol> </li> <li>6. Eligibility/Legal Documents:             <ol style="list-style-type: none"> <li>a. CY 2018 Mayor's/Business Permit,</li> <li>b. PhilGEPS Registration Number, and</li> <li>c. Other applicable licenses for the item(s), i.e. if the bidder is authorized distributor/seller of the item/s, please attach supporting documents like Certificate of Sole Distributorship or Authority to Sale.</li> </ol> </li> <li>7. Evaluation of item/s and Award of Purchase Order shall be made to the lowest calculated and responsive quotation which complies with the minimum description as stated below and the terms and conditions hereto stated.</li> <li>8. The total price quoted is subject to withholding tax and payable check.</li> <li>9. Delivery period is within 15-45 calendar days upon receipt of the Purchase Order (PO). Item/s shall be delivered at the Supply and Property Office, Admin Building, KSU Main Campus which will be subject to inspection, and the processing of payment shall commence only after acceptance by the end-user. Administrative penalties pursuant to Sec. 69 of the Revised IRR-RA 9184 shall be imposed for non-delivery without valid reason.</li> <li>10. The KSU reserves the right to post qualify any supplier and/or to accept or reject any or all submitted quotations and to impose additional terms and conditions, as it may deem proper.</li> <li>11. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by the supplier or his/her duly authorized representative/s.</li> <li>12. The winning Supplier has the following responsibilities to perform:             <ol style="list-style-type: none"> <li>a. To deliver the items as per the detailed specifications, already registered and/or ready to use.</li> <li>b. To furnish a detailed operations and maintenance manual (in English or Tagalog language) for each appropriate unit of the supplied Goods;</li> <li>c. Installation or performance or supervision of on-site assembly and/or start-up of the supplied Goods;</li> <li>d. If applicable, the bidder must have a Training Center for the Pre-Training and Testing of Equipment by the end-user and TWG <b>prior to delivery at KSU.</b></li> <li>e. If applicable, after completion of the Delivery the Bidder must conduct After Sales Training to the KSU's end-users.</li> <li>f. To warrant that the goods, including packaging, conform to the specifications for the items and are fit for the purposes and are free from defects in workmanship and materials.</li> <li>g. To ensure that items to be delivered shall conform to the Green Procurement Programs of the government pursuant to EO No. 301 issued in 2004.</li> <li>h. Not charged KSU should any items delivered be found defective, and such condition is found to be attributable to the supplier.</li> </ol> </li> </ol>																														

  
**AMADO P. IMPER, PhD**  
 BAC Chairman



ITEM NO.	ITEM AND DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL PRICE
<b>TECHNICAL AND SCIENTIFIC EQUIPMENT (LABORATORY EQUIPMENT)</b>					
Lot 1	<b>ARDUINO TRAINER KIT, Power:</b> input AC110/220V/50/60Hz, output +5V/1.5A +3.3V/0.5A, <b>Control:</b> arduino uno r3, core atmega328p, digital IO 14(do-d13),analog IO 6 (ao-a5), pwm output 6 (d3-d5-d6-d9,d1-d11, support aref pin, support tx/rx pin, support 12c interface, surrport isp download, programming interface usb type b, <b>Input module:</b> digital input 4x4 key pad touch button, dip swith 8pin, analog input slide potentiometer 20ohm x2, joystickx1, microphonex 1, sensor input cds sensor x1, temperature & humidity sensor x1, accelerometer 3 axis, untrasonic x1, infrared transmitter & reciever x 3, Output <b>Module:</b> led matrix display 8x8, 4digit 7 segment display, led bar 10bit, rgb ledx4, high power led 1w, serial rgb led x20, lcd display 16x2 (serial & parallel), relay 5v, 2 sets, dc motor 5v, 2 sets, step motor 12v 7.5 deg/tick, servo motor 4.8v-6v, electromagnetic buzzer x2, <b>Communication Module:</b> wifi esp8266 x 1, bluetooth hc05x1, <b>Other module:</b> solderless breadboard 81x62mm, 456tie points, <b>Accessories:</b> expreiment manual x1, software/source code cdx1, ac power cord x1, usb cable (type A-to type B) x1, flat cable (5x2pin)x1, dupont wire x 40	1	kit		
Lot 1	<b>EbOOT 3 Pieces 400-Point Solderless Circuit Breadboard</b> with 65 Pieces M/M Flexible Breadboard Jumper Wires,7 ounces weight, 2.2x1.2x9.1 inches dimension, battery-powered, ABS plastic material	15	pcs		
Lot 1	<b>Module Homework Board USB SMT BASIC Stamp 2</b> USB Miniature-B, Surface-mount BASIC Stamp 2 microcontroller, onboard reset button and program activity LED, solderless breadboard for building circuits, I/O pin power and ground headers, built-in 220Ω series resistors, 500mA voltage regulator, program via a USB Mini-B connector with built-in RS-232 serial converter, battery clip for 9V alkaline or rechargeable battery	7	pcs		
Lot 1	<b>Arduino Primo nRF52 ESP8266 WiFi Bluetooth Microcontroller</b> , 14 digital I/O pins, 6 analog inputs, 64MHz ceramic resonator, 5V input voltage, Micro-USB Controller, ICSP header, battery charger, 0.936-94.4mA power consumption, infrared receiver and transmitter, NFC antenna, BLE interface, buzzer, two service buttons, LEDs, Reset buttons, PCB size 2.09 x 2.70 in., WiFi MCU, Arduino MCU, Service MCU	7	pcs		
Lot 1	<b>DC Power Supply Variable</b> , Eventek KPS305D Adjustable Switching Regulated Power Supply Digital, 0-30 V 0-5 A with Alligator Leads US Power Cord, Output voltage: DC 0-30V Continuous adjustable; Output DC Current: 0v-5A; Overall efficiency: ≥89%; Display resolution: 0.1V, 0.1A; Voltage and Current adjustment Voltage regulation: CV 0.1% + 3mV, CC < 0.5% + 6mA; Protection: high current limiting and cooling fan; Load stabilization: CV 0.5% + 1mV/CC 0.5% +3mA Dimension: 8.8 x3.2.6.5 inch	7	pcs		
Lot 1	<b>Longrunner DSO 138 Open Source 2.4" TFT Digital Oscilloscope Kit</b> 1Msps with Probe Assembled Vision (We (TFT Digital)(Open Source), Analog Bandwidth: 0-200KHzSampling rate: 1Msps maxSensitivity: 10mV/Div-5V/Div Vertical resolution: 12-bit Timebase: 10us/Div-500s/Div Record length: 1024 poitns Built-in 1KHz/3.3V test signal	6	pcs		
Lot 1	<b>All-sun Portable Pen Type Digital Multimeter Logic Probe</b> AC DC Volt Amp Tester DMM, Power Supplied by 1 piece 9v (6F22) battery.(battery not provided by seller), designed according to IEC-61010 concerning electronic measuring instruments with a measurement category (CAT II 600V) and Pollution Degree 2, double injection, band switch, strong backlight, automatic shutdown, insulation safety protection test needle.	5	pcs		
Lot 1	<b>Electronics-Salon 30 Types 74LSxx Series Logic IC Assortment Kit</b> , TTL, Low-Power Schottky Logic IC,74LS Series low-power shottky Logic Ics Assorted Kit, 30 Types, total 30 pcs, all DIP Package, packed in plastic box.	5	pcs		
Lot 2	<b>HAMMER DRILL WITH SCREW BIT</b> , corded, Continuous rating Input: 80W,Capacity on Concrete: 16mm (5/8"),Capacity on Steel : 13mm (1/2"),Capacity on Wood : 30mm (1-3/16"),Impacts per minute: 0-44,800 ipm, No load speed: 0-2,800 rpm, Power supply cord: 2.0m (6.6ft)	1	set		
Lot 2	<b>ANGLE GRINDER WITH CARBON BRUSH AND CUTTING AND GRINDING DISC</b> , 4' 540W, Wheel diameter : 100 mm (4");, No load speed: 12,000 rpm, Overall length : 251 mm, Double insulated, Net weight: 1.6 kg, Power supply cord 2m (6.6ft)	1	set		
Lot 2	<b>CORDLESS HAMMER DRILL</b> 3/8" max12v, cxt kit set w/ two sets original drill bit, Battery LED fuel gauge indicator, Higher battery capacity, Individual cell monitoring, Protection circuitry, Low temperature performance	1	kit		
Lot 2	<b>CHAIN BLOCK</b> , 3 tons, 22.8kg net weight, Japanese technology	1	unit		



Lot 2	<p><b>Taps &amp; Die/ Threader</b> (Japan Brand):          -This 40 piece Metric Tap &amp; die set contains everything you will need to repair and cut internal and external threads and is machined to exacting standards.</p> <p>Includes the following Metric thread sizes:          3 x 0.5mm, 3 x 0.6mm, 4 x 0.7mm, 4 x 0.75mm, 5 x 0.8mm, 5 x 0.9mm, 6 x 0.75mm, 6 x 1.0mm, 7 x 0.75mm, 8 x 1.0mm, 8 x 1.25mm, 10 x 1.25mm, 10 x 1.5mm, 12 x 1.5mm, 12 x 1.75mm</p> <p>Also includes:          1/8 NPT x 27 tap wrench, T-handle wrench, die handle, screwdriver, screw pitch gauge and carrying case.</p>	1	set		
Lot 2	<p><b>TORCH WRENCH:</b> -Torque Setting Range (N m) 28 - 210, Square Drive (mm) 12.7, Form, Pre-set type (ratchet), Overall Length (mm) 470</p>	1			
Lot 2	<p><b>BALL PEIN HAMMER</b>, Hammer &amp; Axes Handle Type: Graphite-Core, Hammer &amp; Axes Product Type: Ball Pein, Head Weight (Band): 15-19oz, Model No 1-54-716, Pack Size 1, Pieces in Pack/Case 1, Product Length 330 mm, Product Thickness 28 mm          Product Type Ball Pein Hammer, Product Width 104 mm, Total Product Weight 0.72 kg</p>	1	unit		
Lot 2	<p><b>PORTABLE WELDING MACHINE</b> (US Brand): Model : ARC 200A, Rated Voltage: 220 V (50/60hz), Accessories: Welding Mask Electronic Welding/Arc Welding/ Gas Welding/Soldering</p>	1	set		
	<p><b>WELDING MASK</b>, specs are:          Size of helmet: Width: 20 cm (7.87"); Height: 26 cm (10.23").          Viewing Area: 8.9 x 3.4 cm (3.50"*1.33").          Adjustable headband size: 52-61cm (20.47"-24.01").          Maximum height of headband: 11.5 cm (4.52"); Max. size of semicircle headband: 33.5 cm (13.18").          Minimum height of headband: 8.5 cm (3.34"); Min. size of semicircle headband: 26.5 cm (10.43").          Response time: 1/25000-30000s.          UV Penetration Rate: 313nm&lt;0.00006%; 365nm&lt;0.00006%.          IR Penetration Rate: 780-1300nm&lt;0.003%; 1300-2000nm&lt;0.003%.          Operating Temperature: -5°C~+55°C.          Storing Temperature: -20°C~+70°C.          Automatically ON/ OFF function.          Material: Helmet Material High-Impact resistance Plastic / Polyamide Nylon</p>	1	set		
Lot 3	<p><b>HYDROLOGY LABORATORY EQUIPMENT</b>, with the following components:</p> <p><b>1 River Flow Simulator:</b>          -Anodized aluminum frame and panels made of painted steel.          -The unit includes wheels to facilitate its mobility.          -Main metallic elements made of stainless steel.          -Diagram in the front panel with distribution of the elements similar to the real one.          -Tank with a working area of 2200 x 1000 mm approx. Adjustable height discharge.          -Beam frame made of welded steel to support the tank. The slope of the tank can be adjusted, even when it is full. Slope adjustment: 0 – 10° max.          -Water inlet vessel with stilling system. It can be located anywhere in the tank, capacity: 2 l.          -Storage tank, capacity: 250 l.          -Water pump. Q max: 20 l/min.          -Flowmeter, range: 0 – 20 l/min. Accuracy: 2%.          -Control valve.          -Sand scoop and scraper.          -Cables and Accessories, for normal operation.          Manuals: This unit is supplied with the following manuals: Required Services, Assembly and Installation, Starting-up, Safety, Maintenance &amp; Practices Manuals.          Dimensions: 2400 x 1100 x 1000 mm approx. (94.48 x 43.30 x 39.37 inches approx.)          Weight: 120 Kg approx. (264 pounds approx.)</p>	1	lot		
Lot 4	<p><b>IRRIGATION WATER MANAGEMENT EQUIPMENT</b>, with the following components :</p> <p><b>1 Rainfall Simulator:</b>          -Aluminum table frame          -Tower,-Nozzle,-Oscillating motor with linkage,-Pressure regulator,-Metal soil trays (6,</p>	1	lot		





Republic of the Philippines  
**KALINGA STATE UNIVERSITY**  
**BIDS AND AWARDS COMMITTEE**  
 National Highway, Purok 6, Bulanao, Tabuk City, Kalinga  
 Website: <https://ksu.edu.ph> Email: [procurementservice\\_bac@ksu.edu.ph](mailto:procurementservice_bac@ksu.edu.ph) Contact No.: 0917-774-4185

	<p>includes one extra),-75' 3/4 hose,-Pressure gauge,-Jars and hangers (5),-Funnels/covers (5),-Rain gauge</p> <p>-Labor, cords, connections, 1 Soil/Water Model Tank:</p> <p>-Unit mounted on a movable bench with metallic frame and painted steel panels.,-It includes wheels to facilitate its mobility.,-Main metallic elements made of stainless steel.,-Diagram in the front panel with similar distribution to the elements in the real unit.</p> <p>-Rectangular tank (to contain the soil/sand):</p> <ul style="list-style-type: none"> <li>- Dimensions: 1050 x 25 x 500 mm.</li> <li>- Frame made of aluminum.</li> <li>- A rear wall and a front wall made of glass to visualize the water movements, dimensions: 1020 x 460 mm.</li> <li>- The front wall of the tank includes a grid to facilitate the measurement of water penetration rate in the soil.</li> </ul> <p>-Water supply tank, capacity: 75 l.</p> <p>-Water pump, power: 0.077 KW.</p> <p>-Regulation valve to regulate the water flow.</p> <p>-Flow meter, range: 0.2-2 l./min.</p> <p>-A pressure regulator for the suitable performance of the flood and drip system.</p> <p>-Two filters to prevent impurities from passing to the irrigation system.</p> <p>-A flood and drip system to demonstrate different types of irrigation. It is made of:</p> <ul style="list-style-type: none"> <li>- Four drip output valves.</li> <li>- Three flood output valves.</li> </ul> <p>-Overflow system to remove surface water.</p> <p>Manuals: This unit is supplied with the following manuals: Required Services, Assembly and Installation, Starting-up, Safety, Maintenance &amp; Practices Manuals.</p> <p>Dimensions: 1200 x 600 x 1200 mm. approx. (47.24 x 23.62 x 47.24 inches approx.).</p> <p>Weight: 80 Kg. approx. (176 pounds approx.).</p>				
Lot 5	<b>AUTO CLAVE</b> , 47 quarts capacity, H19, D 151/4"	1	unit		
Lot 6	<b>GAS RANGE WITH PREPARATION TABLE</b> , Gas Range Specs: with 3 Gas Burners; 1 Electric Hotplate; Gas Thermostat Oven; Gas Grill with Rottiserie; Black Porcelain Enameled Body; 50x50cm; Wattage: 1400w; Warranty Type: Local Manufacturer Warranty; Warranty Period: 1 year; Number of hobs: 3 or 4 Accessory: PREPARATION TABLE, with Hole Sink, Faucet, Stainless, 25" x 70" x 35", Built-in Layer Cabinet, Door 14" x 14" x 10" (Fabricated)	1	set		
Lot 7	<b>KITCHEN AID ARTISAN</b> 4.8L/5 Quartz Tilt-Head Stand Mixer, Color: pink, w/ coated flat beater, coated dough hook, 6-wire whip and 1 piece pouring shield	1	set		
Lot 7	<b>KITCHEN AID HEAVY</b> Duty 6.9L/7 Quarts Bowl-Lift Mixer: color: white, w/ power knead spiral dough hook, flat beater, stainless steel wire whip	1	set		
Lot 8	<b>CALIBER 38 REVOLVER</b> , brand new, Model 200, with holster, 50 pcs ammunitions, free license processing, capacity 6rounds, sight front: fixed ramp rear: fixed wide square notch, weight .8kg, length 8.75", height 5.44", grip combat polymer, frame parkerized, barrel length 4", grooves 6, trigger pull 1.81-2.95kgs	1	unit		
Lot 8	<b>CALIBER 45</b> , brand new, 8 rounder, FSP5, 1 magz, 50 pcs ammunitions, with holster, free license processing license, weight 1.07kg, length 8", height 5.5", barrel length 4.25", grooves 6	1	unit		
<b>Grand-total Amount (Php):</b>					
Amount in words:					

Delivery Period : \_\_\_\_\_ Price Validity : \_\_\_\_\_

After having carefully read and accepted your Terms and Conditions, I/We quote you on the item(s) at prices noted above.

\_\_\_\_\_  
Printed Name/Signature/Date

\_\_\_\_\_  
Tel. No./Cellphone No./Email Address