<u> </u>		1		
STATE UND	Kalinga State University	Doc. Ref. No.:	KSU-BAC-03	
	PROCUREMENT MANAGEMENT OFFICE	Effectivity Date:	January 3, 2019	
1986	Notice for Negotiated Procurement	Revision No.:	0.0	
MIL IPPL'		Page No.:	Page 1	
Title:	NOTICE FOR NEGOTIATED PROCUREMENT	Control No.:		
Name of Contract:	Negotiated Procurement for Purchase of Various Laboratory Equipment	NNP No.:	TFB_Goods_2019-01- 005	
Location of Contract:	Kalinga State University – Main Campus, Purok 6, Bulanao, Tabuk City, Kalinga	Date:	January 9, 2019	
End-User Unit:		Fund Cluster:	01-RAF	
Implementing Unit:		ABC:	Php 1,123,500.00	
Period of Advertisement:	January 10-14, 2019 @ 10:00 am	Mode of Procurement:	Two Failed Biddings	
Instructions to External Providers:	ten o'clock in the morning (10am) of January or e-mail address stated below and shall be of 2. Bidders shall have the option of submitting a specialization of the supplier. If the Bidder op of eligibility requirements shall be submitted undertaken per lot basis; however, for bidder to to have the Lowest Calculated Responsive contract. Bids received in excess of the ABC so The following are the ABC per lot: Ref Lot 1: Trainer Kit (Arduino Trainer Start Lot 2: Tools and Accessories (Digital M Hammer Drill, Angel Grinder, Cord Drill, Chain Block, Taps & Die/Thre Wrench, Ballpein Hammer, Portabl Machine, Welding Mask) Lot 3 (Auto Clave, Gas Range with Pre Table, Kitchen Aid Artisan, and Kito Lot 4 (Caliber 38 Revolver and Caliber	pened on the sar proposal on any ots to bid for mor d. Evaluation and that bids to more Bid per lot shall shall be automation er Kit) ultimeter, ess Hammer ader, Torch e Welding paration chen Aid)	ne day at 10:01 am. v lot or all lots based on the than one lot, only one set d award of contract will be than one lot and determined be awarded with only one	
		AL ABC (Php)	1,123,500.00	
Terms and Conditions:	 All entries must be typewritten or legibly w Price validity shall be for a period of 30 ca As a government agency that subject for legitimate suppliers which issue BIR regis The filled-out RFQ must be submitted by following Attachments (duly signed): Financial Documents: Bill of Quantities including Detailed Es Brochure/catalogue indicating the by item/s as additional technical requires Eligibility/Legal Documents: CY 2019 Mayor's/Business Permit, PhilGEPS Registration Number, and Other applicable licenses for the item. 	lendar days. or COA audit, I tered official rec by prospective stimates, and rand name, mo ements. (s), as applicabl	e	
	calculated and responsive quotation per lot which complies with the minimum description as stated below and the terms and conditions hereto stated.8. The total price quoted is subject to withholding tax and payable check.			

¥			
STATE UNIT	Kalinga State University	Doc. Ref. No.:	KSU-BAC-03
	PROCUREMENT MANAGEMENT OFFICE	Effectivity Date:	January 3, 2019
1956	Notice for Negotiated Procurement	Revision No.:	0.0
S. (Pap Las		Page No.:	Page 2
	 9. Delivery period is within 15-30 calendar of (PO). Item/s shall be delivered at the Sup KSU Main Campus which will be subje payment shall commence only after the test the end-user. Administrative penalties pur 9184 shall be imposed for non-delivery of 10. The KSU reserves the right to post qualita any or all submitted quotations and to im it may deem proper. 11. Any interlineations, erasures or overwrite or initialed by the supplier or his/her duly 12. The winning Supplier has the following ready to use. b. To furnish a detailed operations are Tagalog language) for each appropring of the supplied Goods; d. If applicable, after completion of the Sales Training to the KSU's end-use e. To warrant that the goods, including for the items and are fit for the programs of the government pursua g. Not charged KSU should any items condition is found to be attributable t MR. RONALDO B. DALUPING 	pply and Proper- ect to inspection esting, commissi- rsuant to Sec. 6 items without va- fy any supplier a pose additional ing shall be vali- v authorized rep- esponsibilities to tailed specificat and maintenance iate unit of the s- vision of on-site Delivery the Bi- ers. packaging, cont- ourposes and a shall conform to nt to EO No. 30 delivered be for	ty Office, Admin Building, n, and the processing of ioning and acceptance by 9 of the Revised IRR-RA alid reason. and/or to accept or reject terms and conditions, as id only if they are signed resentative/s. o perform: tions, already registered e manual (in English or supplied Goods; assembly and/or start-up idder must conduct After form to the specifications are free from defects in o the Green Procurement 01 issued in 2004.
Prepared by/ Contact Person:	BAC Secretariat Section, Procurement Management Kalinga State University – Main Campus, Nationa Kalinga 3800, Philippines CP No. 0917-774-4185 Email Address: procurementservice_bac@ksu.ed	al Highway, Purok	k 6, Bulanao, Tabuk City,
Approved by:	AMADO P BAC	Mun 1. IMPER, PhD Chairman	

	STATE UNA	Kalinga Stata University	Doc. Re	f. No.:	KSU-BAC-	-03
INC		Kalinga State University PROCUREMENT MANAGEMENT OFFICE	Effectivit		January 3,	
NAN A			Revision No.:		0.0	
	ALL EPP Lats	Notice for Negotiated Procurement	Page No	D.:	Page 3	
Title:		BILL OF QUANTITIE	S	1	1	
item No.	ITEM AND DES		QTY	UNIT	UNIT PRICE	TOTAL PRICE
Techn		ific Equipment (Laboratory Equipment)				
	Lot 1					
1	Specification uno r3; Capac board; USB C cables, 2 x fle: trimmer d10K0 green, yellow, H-bridge, 5 x B	AINER STARTER KIT s: Power: input AC110/220V/50/60Hz; Control: Arduino itors: 5 x 100nF, 100uF, 5 x 100pF; microcontroller able; breadboard; wood base (v battery snap, 70 x hard xible cables, 6 x photoresistors, 2 x photocouplers, 3 x Dhm, 10 x pushbuttons, 29 x LEDs (RGB, white, red, blue), 1 x CC motor 6/9 V, 1 x servomotor, 1 x piezo, 1 x BC547s Transistors, Arduino Project Book, etc.	12	kit		
			Sub-Tot	al Amou	nt for Lot 1:	
	Lot 2					
2	Model: DM-90 strong housing reading 1999; hFE, Diode; P 0.4 second; O P DC 9V batte g/0.41 lb Accessories:	TIMETER s: Pocket size with ACA measurement, high precision; 20; LCD Display, easy read-out; with compact and g case; Display: 13 mm (0.5") LCD, 3.5 digits, max Measurement: 18 ranges, DCV, ACV, DCA, ACA, ohms olarity: automatic switching; Sapling Time: Approximate perating Humidity: less than 80% RH; Power Supply: 000 ery; Dimensions: 4.7 x 2.8 x 1.4 inch; Weight: at least 185 Red and black test leads, instructional manual, full al adapters for temperature, light DC/AC clamp	5 6	pcs		
3	Capacity: 25 n 2800 rpm load kg weight, 255 Features: low reduces user f	ILL s: Spindle Thread: 0.5" x 20 U.N.F; Maximum Drilling nm for wood, 13 mm for steel & 16 mm for concrete; 0- I speed; 8.6 Nm Torque, 600 watts; Measurement: 1.82 5 mm length & 180 mm height r weight which ensures that the drill is easy to use and fatigue; compact design that enables comfort of use and to tight spaces	1	set		
4	710W continue Features: Dus performance;	s: 11,000 load speed; 100mm or 4" wheel diameter; ous rating input; 1.7kg net weight st proof construction; motor with high heat resistant rotatable gear housing can be positioned at every 90 t most cutting and grinding operations; small body grip	1	set		
5	masonry, 10m low load speed weight; 30N.m compact extre ergonomically mechanical 2	AMMER DRILLSpecifications: Capacity: 8mm im steel & 21mm wood; 201mm overall length; 0-450rpm d; 0-1,700rpm high load speed; 1.1kg wi/BL1016 net in max fastening torque Features and Accessories: CXT me technology; 12v max slide battery platform; handle; 18 torque settings; with LED joblight; speed gear box; 100mm drill chuck; 12v hammer drill 5Ah battery, charger belt clip and Philip bit		kit		
6		K s: 3 ton, 22.8kg net weight anese technology	1	unit		

V

5	TATE UND	PROCUREMENT MANAGEMENT OFFICE –	Doc. Re		KSU-BAC-03 January 3, 2019 0.0	
			Effectivi	•		
Call Call	1986		Revisio			
	184 50 p 200		Page N	0.:	Page 4	
7	function within cone thread ty	s and Features: standard system; alloy steel material; the chip, automotive tools, hardware tools; 60 degrees pe; scope of applications are hand, auto tool and s; hand with wiretapping wrenches twist tweezers metric	1	set		
8	TORCH WRE Specification ratchet	NCH s: Torque Setting Range: 28 – 210Nm; ½" 3/8" drive	1	unit		
9	which prevents	AMMER s and Features: 0.5 lb; rim tempered poll and ball pein s chipping; select clear lacquered wooden hickory arbon steel forged head hardened for strength and	1	unit		
10	Specification (50/60hz) Accessories: Welding/Solde Features: ligh	VELDING MACHINE s: branded: Model : ARC 200A, Rated Voltage: 220 V Welding Mask Electronic Welding/Arc Welding/ Gas sring tweight and portable with shoulder strap; ready to use; al amp meter for precision welding	1	set		
11	Height; 52-610 headband; 33. height of head 1/25000-3000 Features: with	SK s: Size of helmet:20cm (7.87") Width, 26cm (10.23") cm adjustable headband size; 11.5cm maximum height of 5cm max. size of semicircle headband; 8.5cm minimum band: (3.34"); 26.5cm min. size of semicircle headband; 0s response time; 313nm UV Penetration Rate in automatically ON/ OFF function; Material: Helmet Impact resistance Plastic/ Polyamide Nylon	1	set		
			Sub-Tot	tal Amou	nt for Lot 2:	
	Lot 3					
12		, 47 quarts capacity, H19, D 151/4"	1	unit		
			-	uniit		
13	Gas Range S Thermostat O Body; 50x50cr Warranty; War Accessory: PF	WITH PREPARATION TABLE pecs: with 3 Gas Burners; 1 Electric Hotplate; Gas ven; Gas Grill with Rottiserie; Black Porcelain Enameled m; Wattage: 1400w; Warranty Type: Local Manufacturer rranty Period: 1 year; Number of hobs: 3 or 4 REPARATION TABLE, with Hole Sink, Faucet, Stainless ", Built-in Layer Cabinet, Door 14" x 14" x 10"	. 1	set		
14		ARTISAN s: 4.8L/5 Quartz Tilt-Head Stand Mixer, Color: pink, with ater, coated dough hook, 6-wire whip and 1 piece pourin		set		
15		s: Heavy Duty 6.9L/7 Quarts Bowl-Lift Mixer: color: er knead spiral dough hook, flat beater, stainless steel	1	set		
			Sub-Tot	tal Amou	nt for Lot 3:	
hear	aly controlled com	of this document is the original signed conversions in the	Procuram	ant Mana	amont Offica Th	na reador m
ie or		y of this document is the original signed copy maintained in the ny other copy of a controlled document is current and complet				

	¥										
P		Kalinga State University PROCUREMENT MANAGEMENT OFFICE	Doc. Ref. No.: Effectivity Date: Revision No.:		KSU-BAC-03 January 3, 2019 0.0						
							Notice for Negotiated Procurement	Page No.:		Page 5	
								Lot 4			
		16	pcs ammunitic front: fixed ran 8.75", height 5	REVOLVER , branded new, Model 200, with holster, 50 ons, free license processing, capacity 6rounds, sight np rear: fixed wide square notch, weight .8kg, length .44", grip combat polymer, frame parkerized, barrel oves 6, trigger pull 1.81-2.95kgs	1	unit					
17	ammunization	brand new, 8 rounder, FSP5, 1 magz, 50 pcs s, with holster, free license processing license, weight 8", height 5.5", barrel length 4.25", grooves 6	1	unit							
			Sub-Tot	al Amou	nt for Lot 4:						
		Grand-Total Ar	nount ir	n Figure	s: Php						
Amou	Int in words:					I					
	mance Securit	y: Not Applicable	Warr	anty:	As applic	able					
Perfor	mance Security	15-30 CD	Price Valid)	As applic 30 cd	able					
Perfor	ry Period:		Price Valid parts:)		able					
Perform Delive Notatio	ry Period: on: naving carefully	15-30 CD The Bill of Quantities (BOQ) contains the following a. BOQ for each Part of the Contract.	Price Valid parts: tract. Negotia	e lity: nted Pro	30 cd curement fo						
Perform Delive Notatio	ry Period: on: naving carefully	15-30 CD The Bill of Quantities (BOQ) contains the following a. BOQ for each Part of the Contract. b. Summary of Bid Prices for all Parts of the Con read and accepted your General Conditions on the	Price Valid parts: tract. Negotia	e lity: nted Pro ms/s abc	30 cd curement fo	r Purchase of					
Perform Delive Notatio	ry Period: on: naving carefully	15-30 CD The Bill of Quantities (BOQ) contains the following a. BOQ for each Part of the Contract. b. Summary of Bid Prices for all Parts of the Con read and accepted your General Conditions on the Equipment, I/We hereby offer the price quotations o	Price Valid parts: tract. Negotia	e lity: nted Pro ms/s abc	30 cd curement fo	r Purchase of					