







SUPPLEMENTAL / BID BULLETIN (SBB)
ADDENDUM NO. 01

This SBB Addendum No. 01 dated February 11, 2019 for the Project: **“Purchase and Delivery of Equipment for Upgrading of YOOKAH Native Pig Nucleus Farm in CAR Project”** is issued to clarify, modify or amend items in the Bidding Documents. Accordingly, this shall form an integral part of said Documents.

PARTICULARS	CLARIFICATION / AMENDMENT
ON TITLE OF PROJECT AT THE INVITATION TO BID:	On the Section I-Invitation to Bid, page 4 of the bid documents, the Title of Project is hereby revised from Invitation to Bid for Purchase and Delivery of PE Uniforms and ID Lace for Students’ Use to Invitation to Bid for Purchase and Delivery of Equipment for Upgrading of YOOKAH Native Pig Nucleus Farm in CAR Project.
ON TECHNICAL SPECIFICATIONS:	On the Technical Specifications and Description of items under the Section VII, pages 51-58 of the bid documents, the following (yellow highlights) are the additional specifications:

Technical Specifications

Item No.	Specification	Statement of Compliance	
		Comply	Not Comply
	Purchase and Delivery of Equipment for Upgrading of YOOKAH Native Pig Nucleus Farm in CAR Project		
1	Collection Dummy (includes Collection Mat, Collection Vessel, Semen Filter, Semen Bottle, 1 set Other Specifications: Collection Dummy Boarmatic® System, Right or Left Side Collection, Height adjustable dummy with spring cushioned support frame made of steel, heavy steel body coated with durable PUR plastic to provide hygienic surface, replaceable mounting element, preferably Product Minitube International Germany. Size: 900mm Length; 510mm Width; 630mm Height Material: Rubber and Steel Net Weight: 50 kgs Function: These are basic equipment and tools for Artificial Insemination.		
	Collection Dummy 	Collection Vessel 	
	Semen Filter 	Semen Bottle 	



**Kalinga State University
BIDS AND AWARDS COMMITTEE
Supplemental Bid/Bulletins**

Doc. Ref. No.:	KSU-BAC-11
Effectivity Date:	January 3, 2019
Revision No.:	0.0
Page No.:	Page 2 of 6

54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109

2	<p>DVM Rapid Test Spectrophotometer/Sperm Analyzer (include supply kits), portable, 1 set</p> <p>Other Specifications: Main unit with 19" LCD display x 1 set, JVC Camera (from Japan) x 1 set, NOVA Binocular Microscope x 1 set, Microscope analysis software x 1 pc, Counting Plate x 1 pc, Video acquisition card x 1 pc, Canon Color jet printer x 1 set, ABS Trolley x 1 set, Sperm thermostat x 1 set, Microscope slide x 1 set, User's manual x 1 pc</p> <p>Function: For quick sperm analysis upon collection.</p>		
---	--	--	--



3	<p>Electric Microscope with Monitor, 1 set</p> <p>Specifications: Head: Binocular Digital observation head, inclined 30 degrees rotatable 360 degrees; Eyepiece: Widefield eyepieces WF10x/18 with field number 18mm; Nosepiece: Quadruple revolving nosepiece, rotation on ball bearings; Objectives: Achromatic DIN 4x (0.10), 10x (0.25), 40x (0.65), 100x (1.25); Working Stage: Double layer with mechanical sliding stage; Size: 125x115mm, X-Y movement range 70x30, specimen holder for one slide; Condenser: Abbe condenser, N.A. 1,25 precentered; Focusing system: Coaxial coarse and fine, with focusing stop mechanism; Illumination: Light source type X-LED² with white LED; Light intensity control using a knob on left side of the frame; LED power 3w, comparable to a 30-35w halogen bulb</p> <p>Definition and Functions: A state of the art microscope with wide field eyepiece and infinite semi-plan achromatic objectives and quadruple nosepiece. This is valuable in terms of viewing and analyzing sperm cell deformities as well as evaluation and documentation of tissue samples for toxicity and efficacy testings.</p>		
---	--	--	--





**Kalinga State University
BIDS AND AWARDS COMMITTEE
Supplemental Bid/Bulletins**

Doc. Ref. No.:	KSU-BAC-11
Effectivity Date:	January 3, 2019
Revision No.:	0.0
Page No.:	Page 3 of 6

110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167




4	<p>Thawing Device (set to +50°C, with accessories, 1 unit</p> <p>Other specifications: Power supply: 220-240 V 50/60 Hz oder, 100-120 V 50/60 Hz; Set temperature: +37°C bis max. +45°C; US: +37°C; Dimensions: 340 x 600 x 320 mm (WxDxH); Weight without filling: 18 kg; Filling quantity: 9 L</p> <p>Function: For constant time-controlled thawing</p>		
5	<p>Semen Storage Unit with Adjustable Digital Display, 17 cu ft, small-size powered storage unit with an exterior digital display, has warm coils and circulating fans to maintain consistent cooled semen temps on all shelf levels, 1 unit</p> <p>Function: For storage purposes</p>		
	<p>Semen Storage</p>		
6	<p>Lean Meter with complete tools and accessories, with rechargeable battery, completely supplied with 1 meter cable, probe, with battery charger, and 25mm test tube, 1 unit</p> <p>Specifications:</p> <p>Range/Accuracy: 4-35 mm (0.156" - 1.365") +/- 1 digit</p> <p>Display: 2-digit LED for thickness, 3 LED's to indicate 1, 2 or 3 layers being measured, Battery charging LED</p> <p>Controls: On/Off Push Button</p> <p>Power Supply: Nickel Metal Hydride Battery</p> <p>Battery Pack Life: Approximately 2-4 years (1000 charges/discharges)</p> <p>Operating Supply: 6-10 hours on full charge, Recharge in 12-14 hours</p> <p>Battery Charger: 100-240VAC 50/60Hz .2A</p> <p>Dimensions/Weight: 7" x 2.75" x 1"</p> <p>Weight (Lean-Meater® Only): 12 oz.</p> <p>Shipping Weight; Complete Package: 1.87 lbs.</p> <p>Definition and Functions: a truly unique device, giving direct electronic readings of backfat depth in big bright numbers. Proven accurate to within ± MM (.039) or 1 digit, this device can measure total thicknesses from 5-40 mm. It can measure the third layer of backfat and will automatically detect the number of layers present and the display of the result.</p> <p>The primary use is the measurement of back fat in swine for the determination of sow condition, gilt selection, quality and other genetic aspects.</p>		



**Kalinga State University
BIDS AND AWARDS COMMITTEE
Supplemental Bid/Bulletins**

Doc. Ref. No.:	KSU-BAC-11
Effectivity Date:	January 3, 2019
Revision No.:	0.0
Page No.:	Page 4 of 6

168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225

	<p>Lean Meter</p> 		
7	<p>Ultrasound Scanner for Sows, 1 unit</p> <p>Specifications: 300 dpi, LCD Display with 3.5 MHz probe, portable with rechargeable battery, line adapter, cable, contact gel, mouse, carrying bag, heavy duty carry case, Sector probe 3.5 MHz with freeze function, and suitable for transabdominal pregnancy detection in sows.</p> <p>Function: Equipment for pregnancy detection</p>		
	<p>Ultrasound Scanner</p> 		
8	<p>Air-conditioning System, Inverter, 2.5 HP, window type, including installation services, 1 unit</p> <p>Other Specifications: Cooling capacity: 24,536kJ/h; Rated current: 9.7A, Rated power input: 2,220 w; EER: 11.0 kJ/HW; Fan Motor: 190 watts; Gross Weight: 65 kg; Unit Dimensions (WxDxH): 660 x 770 x 428 mm</p>		
			
9	<p>Generator Set, Diesel Type, 20KVA, including Installation services, 1 set</p> <p>Additional Specifications: KVA: 12; Engine Type: Perkins 404D – 22G; Volts: 400/230v; Cycles Hz: 50; RPM: 1500; Fuel Consumption: 5.5 L/Hr, Cooling system: water; Integrated fuel tank capacity: 90 L, Approximate weight of DG set: 800kg; 3 phase 27.8</p> <p>Function: To ensure availability of electricity</p>		

The only controlled copy of this document is the original signed copy maintained in the Bids and Awards Committee Office. The reader must ensure that this or any other copy of a controlled document is current and complete prior to use. The user should secure the latest revision of this document from the BAC Secretariat Section. This document is UNCONTROLLED when downloaded and printed.



**Kalinga State University
BIDS AND AWARDS COMMITTEE
Supplemental Bid/Bulletins**

Doc. Ref. No.:	KSU-BAC-11
Effectivity Date:	January 3, 2019
Revision No.:	0.0
Page No.:	Page 5 of 6

226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283



10 Water Pump with Pressure Tank and Pump Well, 1 set

Specifications: Tanks–Various HydroPro® Diaphragm and Galvanized; Models V6P-V350 & T Series; 26 Models, 2-116 Gallon Capacity; Pressure Tank is 2,000L with 1HP Pump; Maximum Working Pressure: 100 PSI for V45PST and V60PST; 125 PSI for 15P; Tank Temperature Rating: maximum 120°F

Features and Benefits: Heavy-duty butyl diaphragm; Rigid polypropylene liner; All stainless steel system connection; Heavy-duty polypropylene base eliminates corrosion

Function: to ensure availability of water supply



Other Requirements:

- The prospective Supplier must provide sample for each item during the bid submission.
- All equipment and components should be original, branded (not clone or assembled) and brand new.
- Availability of parts and consumables in local market by local distributor.
- With at least 3-years on-site warranty on parts and labor (1-year warranty for battery).
- Includes hardware setup, installation, configuration.

Equipment After Sales Support:

- Under warranty coverage: If unrepairable within 24 hours, a free service backup unit (1:1) or service spare part of the same or higher specification must be provided by the supplier until defective unit / part is considered repaired/replaced.



**Kalinga State University
BIDS AND AWARDS COMMITTEE
Supplemental Bid/Bulletins**

Doc. Ref. No.:	KSU-BAC-11
Effectivity Date:	January 3, 2019
Revision No.:	0.0
Page No.:	Page 6 of 6

284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334

Incidental Services –
The Supplier is required to provide all the following services, including additional services, if any, specified in **Error!**
Reference source not found.:

- (a) Training of the Procuring Entity’s personnel, at the Supplier’s plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.
- (b) Includes delivery, deployment, hardware setup, installation, configuration, testing and commissioning of equipment in Kalinga State University.
- (c) Performance or supervision of on-site assembly and/or start-up, hardware set-up, installation, and configuration.
- (d) Furnishing of tools required for assembly and/or maintenance of the supplied Goods and furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
- (e) Availability of parts in local market by local distributor;
- (f) Performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract;
- (g) Provision of service unit (1:1) of equivalent or higher specifications until defective unit is considered repaired;
- (h) Transportation expenses of Supplier’s freight charges and any other charges for the delivery and support for the supplied goods to all the project sites shall be for the account of the Supplier.

I hereby certify to comply with all the above Technical Specifications.

Name of Company/Bidder

Signature Over Printed Name
of Representative

Date

For guidance and information of all concerned.


AMADO P. IMPER, PhD
BAC Chairman 

Date Issued: February 11, 2019

Copy furnished: Prospective Bidders