PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

Procurement of GOODS

Government of the Republic of the Philippines

Contract Reference No. : IB_GOODS_2024-12-108

Name of Contract : PROCUREMENT OF EQUIPMENT FOR COMPLETED PROJECTS-OTHER MACHINERY AND EQUIPMENT

KALINGA STATE UNIVERSITY-MAIN CAMPUS,

Location of Contract : NATIONAL HIGHWAY, PUROK 6, BULANAO, TABUK CITY, KALINGA

Name of Procuring Entity : KALINGA STATE UNIVERSITY (KSU)



Kalinga State University envisions to be "a Knowledge and Technology Hub in Asia-Pacific Region"

Sixth Edition
July 2020

Republic of the Philippines KALINGA STATE UNIVERSITY Tabuk City, Kalinga 3800

Bids and Awards Committee

Table of Contents

Glossar	y of Acronyms, Terms, and Abbreviations2	
Section	I. Invitation to Bid4	
Section	II. Instructions to Bidders8	
1.	Scope of Bid	9
2.	Funding Information	9
3.	Bidding Requirements	9
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	9
5.	Eligible Bidders	9
6.	Origin of Goods	10
7.	Subcontracts	10
8.	Pre-Bid Conference	10
9.	Clarification and Amendment of Bidding Documents	10
10.	Documents comprising the Bid: Eligibility and Technical Components	10
11.	Documents comprising the Bid: Financial Component	10
12.	Bid Prices	11
13.	Bid and Payment Currencies	11
14.	Bid Security	11
15.	Sealing and Marking of Bids	11
16.	Deadline for Submission of Bids	12
17.	Opening and Preliminary Examination of Bids	12
18.	Domestic Preference	12
19.	Detailed Evaluation and Comparison of Bids	12
20.	Post-Qualification	13
21.	Signing of the Contract	13
Section	III. Bid Data Sheet14	
Section	IV. General Conditions of Contract16	
1.	Scope of Contract	17
2.	Advance Payment and Terms of Payment	17
3.	Performance Security	17
4.	Inspection and Tests	17
5.	Warranty	17
6.	Liability of the Supplier	18
Section	V. Special Conditions of Contract19	
Section	VI. Schedule of Requirements23	
Section	VII. Technical Specifications24	
Section	VIII. Checklist of Technical and Financial Documents36	

Page 1 of 42 << bid document >>>

Y STATE WAY

Republic of the Philippines

KALINGA STATE UNIVERSITY

Tabuk City, Kalinga 3800

Bids and Awards Committee

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

 Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR - Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF - Cost Insurance and Freight.

CIP - Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project—Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-

wid document >>>
Page 2 of 42

STATE DATE

Republic of the Philippines

KALINGA STATE UNIVERSITY

Tabuk City, Kalinga 3800

Bids and Awards Committee

Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials, and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project, or activity, whether in the nature of the Equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of Equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration, or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control, and drainage, water supply, sanitation, sewerage, and solid waste management systems, shore protection, energy/power, and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs - Local Government Units.

NFCC - Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project, or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency, which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. o6-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business, and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier, as used in these Bidding Documents, may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

ex bid document sys
Page 3 of 42



KALINGA STATE UNIVERSITY Tabuk City, Kalinga 3800

Bids and Awards Committee

Section I.	Invitation t	o Bid	

Page 4 of 42 <<< bid document >>>



KALINGA STATE UNIVERSITY

Tabuk City, Kalinga 3800

Bids and Awards Committee

INVITATION TO BID FOR PROCUREMENT OF EQUIPMENT FOR COMPLETED PROJECTS-OTHER MACHINERY AND EQUIPMENT

1. The Kalinga State University, through the Regular Agency Fund (RAF) for CY 2025 (Early Procurement Activity) intends to apply the sum of Fifteen Million Philippine Pesos (Php 15,000,000.00) being the ABC to payments under the contract for each lot of the Project "Procurement of Equipment for Completed Projects — Other Machinery and Equipment"/IB_Goods_2024-12-108. Bids received in excess of the ABC shall be automatically rejected at bid opening.

Lo t No	Particulars	Approved Budget for the Contract	Delivery Period	Bidding Fees (Non- Refundable)
	Equipment for Completed Projects- Other Machinery and Equipment			
1	DIGITAL ENHANCED GYMNASIUM AND INNOVATORIUM	4,930,433.00	120	5,000.00
2	INNOVATION CENTER SECURITY SURVEILLANCE	1,627,840.00	90	5,000.00
3	INNOVATION CENTER GENERATOR SET	2,382,020.00	120	5,000.00
4	ICT MODERNIZATION EQUIPMENT	4,819,812.00	90	5,000.00
5	MEDICAL LABORATORY EQUIPMENT	1,239,895.00	120	5,000.00
	Total PhP:	15,000,000.00		

Partial bids are allowed. All Goods are grouped into lots listed above. Bidders shall have the option of submitting a proposal on any or all lots. If the Bidder opts to bid for more than one lot, each set of technical requirements shall be submitted. Evaluation and award of contract will be undertaken per lot basis; however, for bidder that bids to more than one lot and determined to have the Lowest Calculated Responsive Bid per lot shall be awarded only one contract.

- 2. The Kalinga State University now invites bids for the above Procurement Project. Delivery of the Goods per lot as indicated in the Delivery Period above will reckon upon receipt of the Notice to Proceed or Purchase Order in accordance with the Delivery Schedule under Section VI. Schedule of Requirements. Bidders should have completed, within five (5) years from the date of submission and receipt of bids, any of the following:
 - a) A contract similar to this project, equivalent to at least fifty percent (50%) of the ABC for each or total lots; or
 - b) The prospective bidders should have completed at least 2 similar contracts, the aggregate contract amounts should be equivalent to at least 50% of the ABC for each lot or total lots. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.

The description of an eligible bidder is contained in the Bidding Documents, particularly in Section II (Instructions to Bidders).

3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

ex bid document >>> Page 5 of 42

Tabuk City, Kalinga 3800

Bids and Awards Committee

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

- 4. Prospective Bidders may obtain further information from **Kalinga State University** and inspect the Bidding Documents at the address given below during *office hours from 9 am to 4 pm*.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on December 5, 2024 (Thursday) until 10 am of December 27, 2024 (Friday) from the given address and websites below, and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of not more than Twenty-Five Thousand Philippine Pesos (Php 25,000.00) as prescribed in the Guidelines for the sum of the ABC as stated above. The Procuring Entity shall allow the bidder to present its proof of payment for the fees either in person or through electronic means. For online payment, kindly coordinate with the BAC Secretariat for issuance of the KSU bank account details.
- 6. The Kalinga State University will hold a Pre-Bid Conference on on December 13, 2024 (Friday), 10 am at the BAC Conference Room, Procurement Management Office, Administration Building, KSU-Main Campus, National Highway, Purok 6, Bulanao, Tabuk City, Kalinga, and/or through video conferencing or webcasting via Google Meet Platform at the link: meet.google.com/mye-zyfw-vnw, which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below, on or before 10 am on December 27, 2024 (Friday). Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
- g. Bid opening shall be on 10:01 am on December 27, 2024 (Friday) at the given address below and/or via Google Meet Platform at the link: meet.google.com/peb-duje-zsy. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- **10.** Bidders should comply with the applicable provisions of Section 23.4.1.1 of 2016 Revised IRR of R.A. 9184 (Eligibility Criteria for Procurement of Goods) and with a modified set of requirements integrating eligibility documents and criteria for procurement of goods as provided in Annex D of the 2016 revised IRR of RA No. 9184.
- 11. The Kalinga State University reserves the right to reject any and all bids, declare a failure of bidding, or not award the Contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 12. For further information, please refer to:

Ricky James B. Sagun
BAC Secretariat
Procurement Management Office
Kalinga State University-Main Campus
Administration Building, National Highway, Purok 6, Bulanao, Tabuk City, Kalinga 3800
procurementservice_bac@ksu.edu.ph
(074) 627-5321/ 09176240170

ex bid document >>> Page 6 of 42



Tabuk City, Kalinga 3800

Bids and Awards Committee

https://ksu.edu.ph/

13. You may visit the following websites:
For downloading of Bidding Documents: https://ksu.edu.ph/bid/procurement-equipmentcompleted-projects-other-machinery-andequipment

December 4, 2024

(Sgd) **ROMUALDO U. WACAS, PhD** BAC Chairperson

bid document >>>

Page 7 of 42



Republic of the Philippines KALINGA STATE UNIVERSITY Tabuk City, Kalinga 3800

Bids and Awards Committee

Section II. Instructions to Bidders

Page 8 of 42 <<< bid document >>>



Tabuk City, Kalinga 3800

Bids and Awards Committee

1. Scope of Bid

The Procuring Entity, Kalinga State University, wishes to receive Bids for the Procurement of Equipment for Completed Projects-Other Machinery and Equipment, with identification number IB_Goods_2024-12-108.

The Procurement Project (referred to herein as "Project") is composed of **five (5) lots**, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- The GOP, through the source of funding as indicated below for **CY 2025** in the amount of **Fifteen Million Philippine Pesos (Php 15,000,000.00)**
- 2.2. The source of funding is:

NGA – National Expenditure Program CY 2025 (Regular Agency Fund CY 2025).

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules, and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration, and execution or implementation of the Contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the Contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.

exemple 42 september 2 sept



Tabuk City, Kalinga 3800

Bids and Awards Committee

5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under ITB Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

a. Subcontracting is not allowed

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address at BAC Conference Room, Procurement Management Office, Administration Building, KSU-Main Campus, National Highway, Purok 6, Bulanao, Tabuk City, Kalinga, and/or through video conferencing/webcasting as indicated in paragraph 6 of the IB.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- **10.1.** The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- **10.2.** The Bidder's SLCC, as indicated in **ITB** Clause 5.3, should have been completed within **five (5) years** prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in a foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).

ex bid document >>> Page 10 of 42

TATE UNITED

Republic of the Philippines

KALINGA STATE UNIVERSITY

Bids and Awards Committee

Tabuk City, Kalinga 3800

- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the IB shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to the delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.

b. For Goods offered from abroad:

- i. Unless otherwise stated in the BDS, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the BDS. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
- ii. The price of other (incidental) services, if any, as listed in **Section VII** (Technical Specifications).

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
 - a. Payment of the contract price shall be made in Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the BDS, which shall be not less than the percentage of the ABC in accordance with the schedule in the BDS.
- 14.2. The Bid and bid security shall be valid until **One Hundred Twenty (120) calendar days**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

ex bid document >>> Page 11 of 42

STATE UNITED STATE

Republic of the Philippines KALINGA STATE UNIVERSITY

Tabuk City, Kalinga 3800

Bids and Awards Committee

Each Bidder shall submit **three (3)** copies of the first and second components of its Bid labeled as original copy, copy 1 and copy 2.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disgualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission, as indicated in paragraph 7 of the IB.

17. Opening and Preliminary Examination of Bids

- 17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the IB. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case video conferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.
 - In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.
- **17.2.** The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by ITB Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items that participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

Fage 12 of 42



KALINGA STATE UNIVERSITY Tabuk City, Kalinga 3800

Bids and Awards Committee

Option 2 – One Project having several items grouped into several lots, which shall be awarded as separate contracts per lot.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the BDS.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the BDS.

ex bid document >>> Page 13 of 42



Republic of the Philippines KALINGA STATE UNIVERSITY Tabuk City, Kalinga 3800

Bids and Awards Committee

Section III. Bid Data Sheet

Page **14** of **42** << bid document >>>



KALINGA STATE UNIVERSITY Tabuk City, Kalinga 3800

Bids and Awards Committee

Bid Data Sheet

ITB	
Clause	
5.3	For this purpose, contracts similar to the Project shall be:
	 a. Lot 1 – Supply and Installation of Led Wall / Sound System, Lot 2 – Supply and Installation of CCTV, Lot 3 - Supply and Installation of Generator Set, Lot 4 – Supply and Delivery of ICT Equipment and Lot 5 – Supply and Delivery of Medical Laboratory Equipment, 50% of the ABC for each Lot; and
	b. Completed within five (5) years prior to the deadline for the submission and receipt of bids.
7.1	Subcontracting is not allowed.
12	The price of the Goods shall be quoted DDP port of Manila or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration or any of the following forms and
	 a. The amount of not less than 2% of the ABC for each or total lots, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	b. The amount of not less than 5% of the ABC for each or total lots, if bid security is in Surety Bond.
19.3	The Project will be awarded by lot. For the List of Items, please refer to Section VII-Technical Specifications.
20.2	 List of licenses and permits relevant to the Project and the corresponding law requiring it: a. VAT or Non-VAT Registration Certificates; and b. Other appropriate licenses and permits, as may be required during post-qualification evaluation.
21.2	Contract documents relevant to the Project:
	a. The following relevant documents are to be submitted by the lowest calculated and responsive bidder after issuance of a notice of award:
	1. Performance Security. The Winning Bidder shall be responsible for the extension of its performance security during the remaining period or duration of the Project reckoned from the date of the effectivity of the Contract, or for any contract time extension granted by the Procuring Entity, which shall be valid until final acceptance of the Project.
	In place of the Performance Security, a post qualified bidder may submit an unnotarized Performance Securing Declaration (PSD) - Revised Edition, to guarantee its faithful performance of obligations under the Contract, subject to the following:
	i) Such declaration shall state, among others, that the winning bidder shall be blacklisted from being qualified to participate in any government procurement activity for one (1) year, in case of first offense or two (2) years, if with a prior similar offense, in the event it violates any of the conditions stated in the Contract.
	ii) The unnotarized PSD may be accepted, subject to submitting a notarized PSD before payment unless the same is replaced with performance security in the prescribed form.
	The end-user may require the winning bidder to replace the submitted PSD with performance security in any of the prescribed forms under Section 39.2 of the 2016 revised IRR of RA No. 9184 upon lifting the State of Calamity, or community quarantine or similar restrictions, as the case may be.
	b. During or after the delivery, the Supplier shall submit the following requirements:
	1. Delivery Receipt
	2. Supplier's Sales Invoice

<< bid document >>> Page **15** of **42**



Tabuk City, Kalinga 3800

Bids and Awards Committee

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the Contract, or matters affecting the risks, rights, and obligations of the parties under the Contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

ex bid document >>> Page 16 of 42



Tabuk City, Kalinga 3800

Bids and Awards Committee

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special** Conditions of Contract (SCC).

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the SCC.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its Representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

ex bid document >>> Page 17 of 42



Tabuk City, Kalinga 3800

Bids and Awards Committee

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

ex bid document >>> Page 18 of 42



Republic of the Philippines KALINGA STATE UNIVERSITY Tabuk City, Kalinga 3800

Bids and Awards Committee

Section V. Special Conditions of Contract

Page 19 of 42 <<< bid document >>>



KALINGA STATE UNIVERSITY Tabuk City, Kalinga 3800 Bids and Awards Committee

Special Conditions of Contract

GCC Clause						
1	Additional requirements for the completion of this Contract.					
	Delivery and Documents –					
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:					
	For Goods supplied from abroad:					
	"The delivery terms applicable to the Contract are DDP delivered in the port of Manila in accordance with INCOTERMS."					
	For Goods supplied from within the Philippines:					
	"The delivery terms applicable to this Contract are delivered at the Kalinga State University-Main Campus, National Highway, Purok 6, Bulanao, Tabuk City, Kalinga. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."					
Delivery of the Goods shall be made by the Supplier in accordance with the specified in Section VI (Schedule of Requirements) and Section VII (The Specifications).						
	For purposes of this Clause, the Procuring Entity's Representative at the Project Site is:					
	Mr. Joseph Tracy D. Labbutan Supply and Property Management Officer Supply and Management Office Kalinga State University-Main Campus, National Highway, Purok 6, Bulanao Tabuk City 3800, Kalinga, Philippines					
	Incidental Services —					
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:					
	a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;					
	b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;					
	c. furnishing of detailed operations and maintenance manual for each appropriate unit of the supplied Goods;					

Page **20** of **42** <<< bid document >>>



Tabuk City, Kalinga 3800

Bids and Awards Committee

- d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
- e. training of the Procuring Entity's personnel, at the Supplier's plant and/or onsite, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Spare Parts –

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - advance notification to the Procuring Entity of the pending termination, insufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI (Schedule of Requirements)**, and the costs thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of 30 days. If not used, a time period of 90 days, which is three times the warranty period.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity Name of the Supplier

ex bid document >>> Page 21 of 42



KALINGA STATE UNIVERSITY Tabuk City, Kalinga 3800 Bids and Awards Committee

	Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications
	A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical, the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
	Transportation –
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
	Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Intellectual Property Rights —
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from the use of the Goods or any part thereof.
2.2	Partial payment is not allowed except.
4	The inspections and tests that will be conducted are: Testing and Sealing by the Inspectorate and Acceptance Committee of the University, including a COA representative, TWG, and end-users' representatives.

Page **22** of **42** <<< bid document >>>



Republic of the Philippines KALINGA STATE UNIVERSITY Tabuk City, Kalinga 3800

Bids and Awards Committee

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date, which is the date of delivery to the project site.

No.	Lot and Reference	Qt y	Unit	Delivered, Weeks/Months
1	DIGITAL ENHANCED GYMNASIUM AND INNOVATORIUM	1	Lot	Delivery shall be completed within ONE HUNDRED TWENTY (120) CALENDAR DAYS upon acceptance of the Purchase Order or notice to Proceed
2	INNOVATION CENTER SECURITY SURVEILLANCE	1	Lot	Delivery shall be completed within NINETY (90) CALENDAR DAYS upon acceptance of the Purchase Order or notice to Proceed
3	INNOVATION CENTER GENERATOR SET	1	Lot	Delivery shall be completed within ONE HUNDRED TWENTY (120) CALENDAR DAYS upon acceptance of the Purchase Order or notice to Proceed
4	ICT MODERNIZATION EQUIPMENT	1	Lot	Delivery shall be completed within NINETY (90) CALENDAR DAYS upon acceptance of the Purchase Order or notice to Proceed
5	MEDICAL LABORATORY EQUIPMENT	1	Lot	Delivery shall be completed within ONE HUNDRED TWENTY (120) CALENDAR DAYS upon acceptance of the Purchase Order or notice to Proceed

Note:

- Contract Warranty: One (1) year for non-expendable supplies or materials reckoned from the date acceptance by the Procuring Entity of the delivered goods.
- To be delivered at: Supply and Property Management Office (SPMO), Administration Building, KSU-Main Campus, National Highway, Purok 6, Bulanao, Tabuk City, Kalinga, Philippines

I hereby certify to con	3.	
Name of Company/Bidder	Signature Over Printed Name of Representative	 Date

Page 23 of 42 sid document >>>



KALINGA STATE UNIVERSITY Tabuk City, Kalinga 3800 Bids and Awards Committee

Section VII. Technical Specifications

	_	

Page **24** of **42** <<< bid document >>>



KALINGA STATE UNIVERSITY Tabuk City, Kalinga 3800 Bids and Awards Committee

Technical Specifications

				STATEMENT OF
				COMPLIANCE
ITEM NO.	ITEM AND DESCRIPTION	ΦΤΥ	UNIT	[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the Equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of Specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification, or the execution of the Contract may be regarded as fraudulent and render the Bidder or Supplier liable for prosecution subject to the applicable laws
Lot 1	DIGITAL ENHANCED GYMNASIUM AND INNOVATORIUM			and issuances.]
LOUI				
	a. GYMNASIUM			
	Led Wall - 1 unit 8400mm x 2343mm (for the center of the stage)			
	LED screen: P3.91 Outdoor rental led screen with 500x500mm cabinet size (W8.5m*H2.5m=21.25sqm) - 22 Control system (VX600) - 1 Receiving card - 85 Flight Case 8 in 1 - 11 Spare parts LED modules - 22 Receiving card - 10 Power supply - 10			
1	Led Wall - 2 units 3500mm x 2343mm (for the left and right wing of the stage)			
	LED screen: P3.91 Outdoor rental led screen with 500x500mm cabinet size (W8.5m*H2.5m=21.25sqm) Receiving card - 18 Flight Case 8 in 1 - 70 Spare parts LED modules - 11 Receiving card - 10 Power supply - 10 Roughing-in and consumable materials			
	b. Ultra Short Throw Laser Projector and Motorized Projector Screen 150 inch (INNOVATION CENTER)			

Page **25** of **42** << bid document >>>



Tabuk City, Kalinga 3800

Bids and Awards Committee

Motorized Projector Screen (1 Unit) 150inch,4K/8K Ultra HD Ready Matte White Diag 16:9,Drop Down Electric Projections screens,

Mounting type: Wall Mount, Ceiling Mount Product dimensions: 2.14W x 3.62H Meters

Material: Polyester

Display dimensions: 84.1 x 142.6 inches

EpiqVision Ultra LS800 4K PRO-UHD Laser Projection TV Projection

Technology: (1 Unit)

RGB liquid crystal shutter projection system (3LCD) LCD:

Size: 0.62" (C2 Fine) Light Source: Type: Laser Diode

Life: 20,000 hours (Normal / Eco)

Aspect Ratio:

16:9 Resolution:

On-Screen (Maximum): 4K*1

Pixel Number: 4.2M Dots (1920 x 1080 x 2)

Native Resolution:

1080p

Projection Lens:

Type: No Optical Zoom / Focus (Manual)

F-Number: 1.8 Focal Length: 2.3 mm

Zoom Ratio: 1 – 2.5 (Digital Zoom) Throw Ratio (Wide – Tele): 0.16 – 0.40

Specification led wall:

Module:

1 Pixel Pitch 3.91mm

2 Pixel Configuration 1R1G1B 3 Lamp Nationstar SMD1921

4 Module Resolution 64pixels x 64pixels

5 Module Pixles 4,096pixels 6 Module Size 250mm x 250mm

7 Module Weight 0.8kgs

Cabinet Specification:

- 1 Cabinet Size(W*H*D) 500(L) x 500(H) x 90(D)mm
- 2 Cabinet Resolution 128pixels x 128pixels
- 3 Module Quanity 2pcs x 2pcs=4pcs
- 4 Cabinet Pixels 16384pixels
- 5 Pixel Density 65,536pixels/m2
- 6 Average Power Consumption 240W/m
- 7 Max. Power Consumption 720W/m²
- 8 Material Die-Cast Aluminum
- 9 Cabinet Weight 15kgs

Screen Parameters:

- 1. Screen Area W8.5m*H2.5m=21.25sgm
- 2 Whole Screen Resolution 1392640pixels
- 3 Cabinet Quantity 85pcs
- 4 Brightness 4500cd/m²
- 5 Driving Method 1/16 scan
- 6 View Angle Horizontal 120° Vertical 120°
- 7 Optimal Viewing Distance 4m-100m
- 8 Brightness Control Red, Green and Blue 256 Grade/Each

9 Fresh requency 3840Hz

exercise bid document >>> Page 26 of 42



KALINGA STATE UNIVERSITY Tabuk City, Kalinga 3800 Bids and Awards Committee

	40.5			T
	10 Frame Frequency 60Hz			
	11 Input Voltage AC220V/50Hz or AC110V/60Hz 12 Defects Rate ≤0.0001			
	13 Driving IC _			
	14 Screen Weight 31kgs/m²			
	15 MTBF >10,000 hours			
	16 Life Span ≥100,000 hours			
	17 Module Display Brightness Uniformity <3%			
	18 Earth Leakage Current <3mA			
	19 Protective Grade IP65			
	20 Temperature-operating − 30°C~+65°C			
	21 Humidity-operating 10% ~95%			
	22 Power Supply Chipshow			
	23 Controlling System Novastar			
	24 Operating System Win 7/Win 98/me/2000/NT/XP			
	c. SOUND SYSTEM GYMNASIUM			
	10" Dual LineArray Passive Speaker (2 units)			
	System type Dual 10-inch linear array speakers			
	Frequency Range 60Hz-19KHz			
	Sensitivity LF:102dB /HF:116dB			
	Input resistance LF:80HMS/HF:80HMS			
	Rated power LF:500W/HF:100W			
	Maximum sound pressure level LF:133dB/HF:138dB			
	Coverage H100°xV10°			
	Input interface 2x Speakon NI6			
	Size 768×430×280mm			
	Net weight 30KG			
	Authentic Kevler Power Amplifier (1 unit)			
	18" Active Sub-Woofer (2 units)			
	12" Monitor Speaker/ floor speaker (2 units)			
	8 Channel Digital Audio Mixer (1 unit)			
	d. SOUND SYSTEM INNOVATION CENTER (Innovatorium)			
	Authentic Bose S1 Pro Digital Active Speaker with stand (2 units)			
	Authentic Kevler Power Amplifier (1 unit)			
	Dual UHF Professional Wireless Handheld Microphone, 32 Selectable Frequencies (1 set)			
	Roughing-in and consumable materials, Cable Trays (1 Lumpsum)			
	Installation, Training and Knoweledge Transfer (1 Lumpsum)			
Lot 2	INNOVATION CENTER SECURITY SURVEILLANCE			
	Light Fixed Bullet Network Camera (outdoor) 8MP 4K RESOLUTION			
1	COLORVU COLORED 24/7 with BUILT-IN MIC DS-2CD2T87G2-	15	unit	
	LSU/SL 8 MP ColorVu			
	Light Fixed Dome Network Camera (indoor) 8MP 4K RESOLUTION			
2	COLORVU COLORED 24/7 with BUILT-IN MIC DS-2CD2387G2-L	30	unit	
_	8 MP ColorVu			

Page **27** of **42** << bid document >>>



KALINGA STATE UNIVERSITY Tabuk City, Kalinga 3800 Bids and Awards Committee

3	Network Speed Dome PTZ camera DS-2DE7A432IW-AEB(T5) Acusense technology - 4mp 5.9-188.8 mm lens, 32× optical zoom, 16x digital zoom, max, 200m IR distance, H.265+,	2	units	
4	32-ch 1.5U K Series AcuSense 4K RESOLUTION NVR Up to 32-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 2-ch@12 MP or 3-ch@8 MP or 6-ch@4 MP or 12-ch@1080p decoding capacity Up to 256 Mbps incoming bandwidth Adopt Acusense technology to minimize manual effort and security costs	2	units	
5	10TB SATA Surveillance Hard Drive	2	unit	
6	SMART T. V, 65" 4K SMART	2	unit	
7	Gigabit Unmanaged POE Switch 4 Port L2, Unmanaged 1 100Mbps Hi-PoE port 3 100Mbps PoE port 1 gigabit uplink port PoE power budget 60W max. 300m long range transmission	8	unit	
9	Gigabit Unmanaged Ethernet Switch 8 Ports DS-3E0510P-E/M 8 Ports Gigabit Unmanaged Ethernet Switch L2, Unmanaged 8 100Mbps PoE ports 1 gigabit uplink port 1 gigabit fiber optical port PoE power budget 58W max. 300m long range transmission	4	unit	
9	Gigabit Unmanaged POE Switch 24 Ports DS-3E0528HP-E L2, Unmanaged 4 100Mbps Hi-PoE ports 20 100Mbps PoE ports 2 gigabit uplink ports 2 gigabit fiber optical ports PoE power budget 370W max. 300m long range transmission	2	unit	
10	DATA CABINET	1	unit	
	UTP Cat6 Pure Copper Outdoor			
11	(305 meters/ Box) Heavy Duty Steel Box Powder Coated	5	boxes	
12	Terminal Junction Box	2	pcs.	
13	Pull Box for CCTV camera Metal Powder coated Heavy Duty	50	pcs.	
14	Electrical Wire, Electrical Safety Circuit Breaker KSB 2P 30A, #12 THHN Electrical Wire, Electrical Tape Molding, PVC Conduits, Wire Extension, RJ45, TV Bracket accessories and peripherals	1	lot	
15	Labor -Roughing-ins for Backbone: PVC pipes, pull box, hangers, clamps, fittings and consumable materials -Roughing-ins for CCTV cameras: PVC pipes, pull box, hangers, clamps, fittings and consumable materials -Labor and Installation of Wires, Cable Splicing and jointing, Configuration, Testing and Commissioning of IP Cameras, Wires and Devices -Training for basic TroubleshootingManagement Training for the END USER, and Security guidelines.	1	Lot	

Page 28 of 42 <<< bid document >>>



KALINGA STATE UNIVERSITY Tabuk City, Kalinga 3800 Bids and Awards Committee

	Cable Trays			
	-Mobilization, Demobilization			
Lot 3	INNOVATION CENTER GENERATOR SET			
1 Lot 4	Voltage: 400V AC (L-L) with Neutral Terminal, Frequency: 60Hz, Power Output: 171 kVA, Phases: 3-phase, Power Factor:0.8 PF, Alternator Type: Brushless, self-excited alternator, usually with an automatic voltage regulator (AVR), Insulation Class: Typically Class H or F for the alternator windings, Engine Type: Diesel, Cooling System: Radiator-cooled, Starting System: Electric starter motor (High-capacity lead acid battery c/w battery cables), Sound Attenuation: Includes soundproof enclosures, Exhaust System: Includes silencers, Control Panel: Smartgencontrol panel or its equivalent- Digital, featuring meters for voltage, current, frequency, power, etc.), Circuit Breakers: Protection against overload and short circuits (Independent overload protection), Engine Protections: Includes oil pressure, coolant temperature, and overspeed protection Skid-mounted bottom fuel tank for 8 hours full load as standard supply, Vibration damping supports between Engine/Alternator/Control Panel, etc., Battery Charger 650A Heavy Duty: 220V, 50-60Hz, Charging Voltage 12/24V, Three Phase Supply Protection for Phase loss, Over and Under voltage, 200mm2 THHN Copper Wire Stranded-30m, Installation/ electrical works/ delivery, Training and orientation on operation and preventive maintenance on site during commissioning and testing and Technical assistance during warranty period (through a phone call or any other means of communication)	1	Lot	
1	Smart TV, 75" 4K HDR Processor X1™ 4K X-Reality™ PRO Dynamic Contrast Enhancer Triluminous Pro™ Live Color™ Technology Motionflow™ XR 240 (Native 60 Hz) High Dynamic Range (HDR10, HLG, Dolby Vision) Frame Backlight Dimming 60 Hz Panel Refresh Rate Dolby™ Audio Dolby™ Atmos 10 W + 10 W Audio Power X-Balanced Speaker Bass Reflect Speaker Full Range (Bass Reflex) x 2 with Movable stand and 75" Heavy Duty Full-Motion Double-Arm Flat & Curved Monitor LCD LED TV wall Mount	2	unit	
2	All in on PC C27-1751 27in FHD max resolution (1920x1080) LED, Brightness (cd/m2(sad) 250nits), IPS Intel Core i7-1260P processor 8GB soDIMM DDR4 512 GB M.2 2280 PCI-E SSD NVIDIA GeForce MX550 with 2 GB of GDDR6 Windows 11 Home SL with Perpetual MS Office for Home & Student and 1year anti virus,	25	unit	
3	UPS, 800VA, Floor/Wall Mount, 230V, 4x Universal outlets	30	unit	
4	Authentic Bose S1 Pro Digital Active Speaker with stand	2	unit	
5	Authentic Kevler Power Amplifier	2	unit	
	1 set of Dual UHF Professional Wireless Handheld Microphone, 32			
6	Selectable Frequencies	2	unit	

Page **29** of **42** <<< bid document >>>



KALINGA STATE UNIVERSITY Tabuk City, Kalinga 3800 Bids and Awards Committee

	7 O DO 4020 fieth od 05 (40 i0		1	T
	Scanner DS-1630 flatbed 25 ppm/10 ipm2			
	1,500 pages/day peak duty cycle4			
7	SuperSpeed USB 3.0	2	unit	
'	TWAIN/ISIS drivers	_		
	Flatbed w/ ADF			
	50 page capacity			
8	corelDraw Licence Software	2	unit	
9	Laptop, i7 Intel Processor 14th Gen. 15" with Perpetual Msoffice and 1	4	unit	
9	year anti virus		unit	
10	Thermal Transfer Desktop Printer ZD421c TT	2	unit	
11	Barcode Scanner, DS2278-SR Cordless Handheld 2D/1D	1	unit	
	Access Point			
	Dimensions Ø197 x 35 mm (Ø7.76 x 1.38")			
	Weight Without mount: 460 g (1.01 lb)			
	With mount: 600 g (1.32 lb)			
	Enclosure material Plastic			
	Mounting material SGCC steel			
	Weatherproofing IP54			
	Management interfaces Ethernet			
	Bluetooth			
	Networking interface (1) GbE RJ45 port			
	Button Factory reset			
	LED* White/blue			
	*Due to chip supply shortages, the U6 AP's LED has been limited to			
	only white and blue color modes.			
12	Power method PoE+	20	unit	
12		20	unit	
	Power supply UniFi PoE switch			
	48V, 0.5A PoE adapter (not included)			
	Supported voltage range 44 to 57VDC			
	Max. power consumption 13W			
	Max. TX power			
	2.4 GHz			
	5 GHz 22 dBm			
	26 dBm			
	MIMO			
	2.4 GHz			
	5 GHz 2 x 2 (UL MU-MIMO)			
	4 x 4 (DL/UL MU-MIMO)			
	Throughput rate			
	2.4 GHz			
	Managed Switch			
	Dimension 442 x 285 x 44 mm (17.4 x 11.2 x 1.7")			
	Weight Without mounting brackets: 4.3 kg (9.5 lb)			
	With mounting brackets: 4.4 kg (9.7 lb)			
	Management interface Ethernet In-Band			
	Networking interface (24) GbE RJ45 ports			
	(2) 1/10G SFP+ ports			
	PoE interface (16) PoE/PoE+ (Pins 1, 2+; 3, 6-)			
	(8) 60W PoE++; PoE/PoE+ (Pins 1, 2+; 3, 6-) / PoE++ (Pair A 1, 2+; 3,			
13	6-) (Pair B 4, 5+; 7, 8-)	5	unit	
	Total non-blocking throughput 44 Gbps			
	Switching capacity 88 Gbps			
	Forwarding rate 65.472 Mpps			
	Power method (1) Universal input, 100—240V AC, 50/60 Hz			
	(1) USP-RPS DC input, 52V DC, 7.69A; 11.5V DC, 2.61A			
	Power supply AC/DC, internal, 450W			
	Supported voltage range 100—240V AC			
	Max. power consumption 50W (Excluding PoE output)			
	Total available PoE 400W			
	Max. PoE wattage per port by PSE PoE+: 32W			

Page **30** of **42** <<< bid document >>>



KALINGA STATE UNIVERSITY Tabuk City, Kalinga 3800 Bids and Awards Committee

	PoE++: 64W			
	Voltage range PoE mode PoE: 44—57V			
	PoE+: 50—57V			
	ESD/EMP protection Air: ± 16kV, contact: ± 12kV			
	LCM display (1) 1.3" touchscreen			
	. , ,			
	Button Factory reset			
	Shock and vibration ETSI300-019-1.4 Standard			
	Desktop 40L GT21-0126m, Windows 11 Home 64-bit, AMD Ryzen 9			
	5900X			
	W/RGB Liquid Cooling			
	(3.7 GHz up to 4.8 GHz, 64 MB L3 cache, 12 cores)			
4.4	·	_		
14	AMD B550 Chipset, RAM Memory- HyperX 16 GB DDR4-3733 MHz	5	unit	
	XMP RGB Heatsink, NVIDIA GeForce RTX 3060			
	512 GB WD Black PCle NVMe TLC M.2 SSD, 310 Black Wired			
	· · · · · · · · · · · · · · · · · · ·			
	Keyboard and mouse combo, (12 GB GDDR6 dedicated) with LHR,			
	Display Connectors: HDMIx1, DPx3, with MS Office CSP Licence			
	Curved Monitor 34WP85C 34" (inches) 34" 21:9 UltraWide QHD			
	,			
	Display, Display Type-IPS, Size 34" (inches)			
	Panel IPS			
15	Refresh Rate 60 Hz	5	unit	
'			J	
	Min Response Time 5 ms			
	Screen Aspect Ratio 21:9			
	Screen Resolution 3440 x 1440			
	AID3000 Pro Aide Pro LCD 1800W-3000VA UPS with AVR			
16		5	unit	
. •	Uninterruptible Power Supply (6 Sockets)	J	•	
Lot 5	MEDICAL LABORATORY EQUIPMENT			
	3B Smart Anatomy-stan on Hanging Stand			
	All 3B Scientific human skeleton models offer highest quality			
	in workmanship and materials			
	iii workiilaiisiiip aliu iilateilais			
	Life-size and realistic weight			
	Life-size and realistic weightTop-quality cast from real specimens			
	Life-size and realistic weight			
	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by 			
	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand 			
	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand Made from a durable, unbreakable synthetic material 			
	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand Made from a durable, unbreakable synthetic material 3-part assembled skull with magnetic connections 			
	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand Made from a durable, unbreakable synthetic material 3-part assembled skull with magnetic connections 			
	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand Made from a durable, unbreakable synthetic material 3-part assembled skull with magnetic connections Limbs can be removed quickly and easily 			
	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand Made from a durable, unbreakable synthetic material 3-part assembled skull with magnetic connections Limbs can be removed quickly and easily Movable joints for demonstration purposes 			
	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand Made from a durable, unbreakable synthetic material 3-part assembled skull with magnetic connections Limbs can be removed quickly and easily Movable joints for demonstration purposes On a stable metal stand with 5 wheels for secure relocation 			
	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand Made from a durable, unbreakable synthetic material 3-part assembled skull with magnetic connections Limbs can be removed quickly and easily Movable joints for demonstration purposes 			
	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand Made from a durable, unbreakable synthetic material 3-part assembled skull with magnetic connections Limbs can be removed quickly and easily Movable joints for demonstration purposes On a stable metal stand with 5 wheels for secure relocation 			
	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand Made from a durable, unbreakable synthetic material 3-part assembled skull with magnetic connections Limbs can be removed quickly and easily Movable joints for demonstration purposes On a stable metal stand with 5 wheels for secure relocation Transparent dust cover included Includes 3B SMART ANATOMY 			
	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand Made from a durable, unbreakable synthetic material 3-part assembled skull with magnetic connections Limbs can be removed quickly and easily Movable joints for demonstration purposes On a stable metal stand with 5 wheels for secure relocation Transparent dust cover included Includes 3B SMART ANATOMY 3B SMART ANATOMY 			
	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand Made from a durable, unbreakable synthetic material 3-part assembled skull with magnetic connections Limbs can be removed quickly and easily Movable joints for demonstration purposes On a stable metal stand with 5 wheels for secure relocation Transparent dust cover included Includes 3B SMART ANATOMY Stan on Pelvic Mounted Roller Stand 			
4	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand Made from a durable, unbreakable synthetic material 3-part assembled skull with magnetic connections Limbs can be removed quickly and easily Movable joints for demonstration purposes On a stable metal stand with 5 wheels for secure relocation Transparent dust cover included Includes 3B SMART ANATOMY 3B SMART ANATOMY 	4	oot.	
1	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand Made from a durable, unbreakable synthetic material 3-part assembled skull with magnetic connections Limbs can be removed quickly and easily Movable joints for demonstration purposes On a stable metal stand with 5 wheels for secure relocation Transparent dust cover included Includes 3B SMART ANATOMY 3B SMART ANATOMY Stan on Pelvic Mounted Roller Stand 176.5 cm; 9.57 kg 	1	set	
1	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand Made from a durable, unbreakable synthetic material 3-part assembled skull with magnetic connections Limbs can be removed quickly and easily Movable joints for demonstration purposes On a stable metal stand with 5 wheels for secure relocation Transparent dust cover included Includes 3B SMART ANATOMY Stan on Pelvic Mounted Roller Stand 176.5 cm; 9.57 kg 3B SMART ANATOMY 	1	set	
1	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand Made from a durable, unbreakable synthetic material 3-part assembled skull with magnetic connections Limbs can be removed quickly and easily Movable joints for demonstration purposes On a stable metal stand with 5 wheels for secure relocation Transparent dust cover included Includes 3B SMART ANATOMY 3B SMART ANATOMY Stan on Pelvic Mounted Roller Stand 176.5 cm; 9.57 kg 3B SMART ANATOMY Stan on Hanging Stand 	1	set	
1	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand Made from a durable, unbreakable synthetic material 3-part assembled skull with magnetic connections Limbs can be removed quickly and easily Movable joints for demonstration purposes On a stable metal stand with 5 wheels for secure relocation Transparent dust cover included Includes 3B SMART ANATOMY Stan on Pelvic Mounted Roller Stand 176.5 cm; 9.57 kg 3B SMART ANATOMY Stan on Hanging Stand 192.5 cm; 8.77 kg 	1	set	
1	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand Made from a durable, unbreakable synthetic material 3-part assembled skull with magnetic connections Limbs can be removed quickly and easily Movable joints for demonstration purposes On a stable metal stand with 5 wheels for secure relocation Transparent dust cover included Includes 3B SMART ANATOMY 3B SMART ANATOMY Stan on Pelvic Mounted Roller Stand 176.5 cm; 9.57 kg 3B SMART ANATOMY Stan on Hanging Stand 	1	set	
1	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand Made from a durable, unbreakable synthetic material 3-part assembled skull with magnetic connections Limbs can be removed quickly and easily Movable joints for demonstration purposes On a stable metal stand with 5 wheels for secure relocation Transparent dust cover included Includes 3B SMART ANATOMY 3B SMART ANATOMY Stan on Pelvic Mounted Roller Stand 176.5 cm; 9.57 kg 3B SMART ANATOMY Stan on Hanging Stand 192.5 cm; 8.77 kg Recommended: Heavy 	1	set	
1	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand Made from a durable, unbreakable synthetic material 3-part assembled skull with magnetic connections Limbs can be removed quickly and easily Movable joints for demonstration purposes On a stable metal stand with 5 wheels for secure relocation Transparent dust cover included Includes 3B SMART ANATOMY Stan on Pelvic Mounted Roller Stand 176.5 cm; 9.57 kg 3B SMART ANATOMY Stan on Hanging Stand 192.5 cm; 8.77 kg Recommended: Heavy Duty Protective Cover, Black 	1	set	
1	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand Made from a durable, unbreakable synthetic material 3-part assembled skull with magnetic connections Limbs can be removed quickly and easily Movable joints for demonstration purposes On a stable metal stand with 5 wheels for secure relocation Transparent dust cover included Includes 3B SMART ANATOMY 3B SMART ANATOMY Stan on Pelvic Mounted Roller Stand 176.5 cm; 9.57 kg 3B SMART ANATOMY Stan on Hanging Stand 192.5 cm; 8.77 kg Recommended: Heavy Duty Protective Cover, Black Protect your investment with our 	1	set	
1	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand Made from a durable, unbreakable synthetic material 3-part assembled skull with magnetic connections Limbs can be removed quickly and easily Movable joints for demonstration purposes On a stable metal stand with 5 wheels for secure relocation Transparent dust cover included Includes 3B SMART ANATOMY Stan on Pelvic Mounted Roller Stand 176.5 cm; 9.57 kg 3B SMART ANATOMY Stan on Hanging Stand 192.5 cm; 8.77 kg Recommended: Heavy Duty Protective Cover, Black 	1	set	
1	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand Made from a durable, unbreakable synthetic material 3-part assembled skull with magnetic connections Limbs can be removed quickly and easily Movable joints for demonstration purposes On a stable metal stand with 5 wheels for secure relocation Transparent dust cover included Includes 3B SMART ANATOMY 3B SMART ANATOMY Stan on Pelvic Mounted Roller Stand 176.5 cm; 9.57 kg 3B SMART ANATOMY Stan on Hanging Stand 192.5 cm; 8.77 kg Recommended: Heavy Duty Protective Cover, Black Protect your investment with our MAX THE CLASSIC SKELETON 	1	set	
1	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand Made from a durable, unbreakable synthetic material 3-part assembled skull with magnetic connections Limbs can be removed quickly and easily Movable joints for demonstration purposes On a stable metal stand with 5 wheels for secure relocation Transparent dust cover included Includes 3B SMART ANATOMY 3B SMART ANATOMY Stan on Pelvic Mounted Roller Stand 176.5 cm; 9.57 kg 3B SMART ANATOMY Stan on Hanging Stand 192.5 cm; 8.77 kg Recommended: Heavy Duty Protective Cover, Black Protect your investment with our MAX THE CLASSIC SKELETON WITH MUSCLE INSERTIONS 	1	set	
1	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand Made from a durable, unbreakable synthetic material 3-part assembled skull with magnetic connections Limbs can be removed quickly and easily Movable joints for demonstration purposes On a stable metal stand with 5 wheels for secure relocation Transparent dust cover included Includes 3B SMART ANATOMY 3B SMART ANATOMY Stan on Pelvic Mounted Roller Stand 176.5 cm; 9.57 kg 3B SMART ANATOMY Stan on Hanging Stand 192.5 cm; 8.77 kg Recommended: Heavy Duty Protective Cover, Black Protect your investment with our MAX THE CLASSIC SKELETON WITH MUSCLE INSERTIONS AND ORIGINS 	1	set	
1	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand Made from a durable, unbreakable synthetic material 3-part assembled skull with magnetic connections Limbs can be removed quickly and easily Movable joints for demonstration purposes On a stable metal stand with 5 wheels for secure relocation Transparent dust cover included Includes 3B SMART ANATOMY 3B SMART ANATOMY Stan on Pelvic Mounted Roller Stand 176.5 cm; 9.57 kg 3B SMART ANATOMY Stan on Hanging Stand 192.5 cm; 8.77 kg Recommended: Heavy Duty Protective Cover, Black Protect your investment with our MAX THE CLASSIC SKELETON WITH MUSCLE INSERTIONS AND ORIGINS This skeleton contains all the standard benefits of a 3B Scientific 	1	set	
1	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand Made from a durable, unbreakable synthetic material 3-part assembled skull with magnetic connections Limbs can be removed quickly and easily Movable joints for demonstration purposes On a stable metal stand with 5 wheels for secure relocation Transparent dust cover included Includes 3B SMART ANATOMY 3B SMART ANATOMY Stan on Pelvic Mounted Roller Stand 176.5 cm; 9.57 kg 3B SMART ANATOMY Stan on Hanging Stand 192.5 cm; 8.77 kg Recommended: Heavy Duty Protective Cover, Black Protect your investment with our MAX THE CLASSIC SKELETON WITH MUSCLE INSERTIONS AND ORIGINS This skeleton contains all the standard benefits of a 3B Scientific 	1	set	
1	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand Made from a durable, unbreakable synthetic material 3-part assembled skull with magnetic connections Limbs can be removed quickly and easily Movable joints for demonstration purposes On a stable metal stand with 5 wheels for secure relocation Transparent dust cover included Includes 3B SMART ANATOMY 3B SMART ANATOMY Stan on Pelvic Mounted Roller Stand 176.5 cm; 9.57 kg 3B SMART ANATOMY Stan on Hanging Stand 192.5 cm; 8.77 kg Recommended: Heavy Duty Protective Cover, Black Protect your investment with our MAX THE CLASSIC SKELETON WITH MUSCLE INSERTIONS AND ORIGINS This skeleton contains all the standard benefits of a 3B Scientific Skeleton plus painted 	1	set	
1	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand Made from a durable, unbreakable synthetic material 3-part assembled skull with magnetic connections Limbs can be removed quickly and easily Movable joints for demonstration purposes On a stable metal stand with 5 wheels for secure relocation Transparent dust cover included Includes 3B SMART ANATOMY 3B SMART ANATOMY Stan on Pelvic Mounted Roller Stand 176.5 cm; 9.57 kg 3B SMART ANATOMY Stan on Hanging Stand 192.5 cm; 8.77 kg Recommended: Heavy Duty Protective Cover, Black Protect your investment with our MAX THE CLASSIC SKELETON WITH MUSCLE INSERTIONS AND ORIGINS This skeleton contains all the standard benefits of a 3B Scientific Skeleton plus painted muscles to demonstrate the structural interaction between bones and 	1	set	
1	Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand Made from a durable, unbreakable synthetic material Jepart assembled skull with magnetic connections Limbs can be removed quickly and easily Movable joints for demonstration purposes On a stable metal stand with 5 wheels for secure relocation Transparent dust cover included Includes 3B SMART ANATOMY SB SMART ANATOMY Stan on Pelvic Mounted Roller Stand Top-quickly stand Stand on Hanging Stand Stand on Han	1	set	
1	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand Made from a durable, unbreakable synthetic material 3-part assembled skull with magnetic connections Limbs can be removed quickly and easily Movable joints for demonstration purposes On a stable metal stand with 5 wheels for secure relocation Transparent dust cover included Includes 3B SMART ANATOMY 3B SMART ANATOMY Stan on Pelvic Mounted Roller Stand 176.5 cm; 9.57 kg 3B SMART ANATOMY Stan on Hanging Stand 192.5 cm; 8.77 kg Recommended: Heavy Duty Protective Cover, Black Protect your investment with our MAX THE CLASSIC SKELETON WITH MUSCLE INSERTIONS AND ORIGINS This skeleton contains all the standard benefits of a 3B Scientific Skeleton plus painted muscles to demonstrate the structural interaction between bones and 	1	set	
1	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand Made from a durable, unbreakable synthetic material 3-part assembled skull with magnetic connections Limbs can be removed quickly and easily Movable joints for demonstration purposes On a stable metal stand with 5 wheels for secure relocation Transparent dust cover included Includes 3B SMART ANATOMY 3B SMART ANATOMY Stan on Pelvic Mounted Roller Stand 176.5 cm; 9.57 kg 3B SMART ANATOMY Stan on Hanging Stand 192.5 cm; 8.77 kg Recommended: Heavy Duty Protective Cover, Black Protect your investment with our MAX THE CLASSIC SKELETON WITH MUSCLE INSERTIONS AND ORIGINS This skeleton contains all the standard benefits of a 3B Scientific Skeleton plus painted muscles to demonstrate the structural interaction between bones and muscles. It depicts over 600 structures of medical/anatomical significance including 	1	set	
1	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand Made from a durable, unbreakable synthetic material 3-part assembled skull with magnetic connections Limbs can be removed quickly and easily Movable joints for demonstration purposes On a stable metal stand with 5 wheels for secure relocation Transparent dust cover included Includes 3B SMART ANATOMY 3B SMART ANATOMY Stan on Pelvic Mounted Roller Stand 176.5 cm; 9.57 kg 3B SMART ANATOMY Stan on Hanging Stand 192.5 cm; 8.77 kg Recommended: Heavy Duty Protective Cover, Black Protect your investment with our MAX THE CLASSIC SKELETON WITH MUSCLE INSERTIONS AND ORIGINS This skeleton contains all the standard benefits of a 3B Scientific Skeleton plus painted muscles to demonstrate the structural interaction between bones and muscles. It depicts over 600 structures of medical/anatomical significance including muscle origins (red) and 	1	set	
1	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand Made from a durable, unbreakable synthetic material 3-part assembled skull with magnetic connections Limbs can be removed quickly and easily Movable joints for demonstration purposes On a stable metal stand with 5 wheels for secure relocation Transparent dust cover included Includes 3B SMART ANATOMY 3B SMART ANATOMY Stan on Pelvic Mounted Roller Stand 176.5 cm; 9.57 kg 3B SMART ANATOMY Stan on Hanging Stand 192.5 cm; 8.77 kg Recommended: Heavy Duty Protective Cover, Black Protect your investment with our MAX THE CLASSIC SKELETON WITH MUSCLE INSERTIONS AND ORIGINS This skeleton contains all the standard benefits of a 3B Scientific Skeleton plus painted muscles to demonstrate the structural interaction between bones and muscles. It depicts over 600 structures of medical/anatomical significance including muscle origins (red) and insertions (blue) on the left side. 	1	set	
1	 Life-size and realistic weight Top-quality cast from real specimens Extremely accurate in every detail with final assembly carried out by hand Made from a durable, unbreakable synthetic material 3-part assembled skull with magnetic connections Limbs can be removed quickly and easily Movable joints for demonstration purposes On a stable metal stand with 5 wheels for secure relocation Transparent dust cover included Includes 3B SMART ANATOMY 3B SMART ANATOMY Stan on Pelvic Mounted Roller Stand 176.5 cm; 9.57 kg 3B SMART ANATOMY Stan on Hanging Stand 192.5 cm; 8.77 kg Recommended: Heavy Duty Protective Cover, Black Protect your investment with our MAX THE CLASSIC SKELETON WITH MUSCLE INSERTIONS AND ORIGINS This skeleton contains all the standard benefits of a 3B Scientific Skeleton plus painted muscles to demonstrate the structural interaction between bones and muscles. It depicts over 600 structures of medical/anatomical significance including muscle origins (red) and 	1	set	

Page **31** of **42** <<< bid document >>>



KALINGA STATE UNIVERSITY Tabuk City, Kalinga 3800 Bids and Awards Committee

	BETWEEN MUSCLES AND BONES WITH MAX All features exclusive to Max at a glance: • Shows the structural interaction between bones and muscles • Depicts over 600 structures of medical significance • Painted muscle origins in red and insertions in blue • Includes 3B SMART ANATOMY 3B SMART ANATOMY Max on Pelvic Mounted Roller Stand 176.5 cm; 9.57 kg 3B SMART ANATOMY Max on Hanging Stand 192.5 cm; 8.77 kg			
2	Protective Cover Heavy Duty Protective Cover, Black Protect your investment with our heavy-duty protective cover. Suitable for all 3B Scientific full-size skeletons.	1	set	
3	B Smart Anatomy MAX on Hangin Stand contains all the standard benefits of a 3B Scientific Skeleton plus painted muscles to demonstrate the structural interaction between bones and muscles. It depicts over 600 structures of medical/anatomical significance including muscle origins (red) and insertions (blue) on the left side. DEMONSTRATE THE STRUCTURAL INTERACTION BETWEEN MUSCLES AND BONES WITH MAX All features exclusive to Max at a glance: • Shows the structural interaction between bones and muscles • Depicts over 600 structures of medical significance • Painted muscle origins in red and insertions in blue • Includes 3B SMART ANATOMY 3B SMART ANATOMY Max on Pelvic Mounted Roller Stand 176.5 cm; 9.57 kg 3B SMART ANATOMY Max on Hanging Stand 192.5 cm; 8.77 kg	1	set	
4	SAM Super Skeleton with Elasticated Ligaments This skeleton contains all the standard benefits of a 3B Scientific Skeleton plus a bendable vertebral column, ligaments and painted muscles. Sam's fully flexible vertebral column allows you to demonstrate all natural postures, including the movements of the skull and head joints. The unique combination of a flexible vertebral column, muscle origins and insertions, flexible joint ligaments, and a disc prolapsed between the 3rd and 4th lumbar vertebrae allow you to display over 600 structures of medical/anatomical interest with this top of the line model. SAM IS YOUR ALL-PURPOSE TEACHING TOOL FOR ALL LEVELS OF STUDENT OR PATIENT EDUCATION Sam the Super Skeleton does it all: • Hand-painted muscle origins and insertions • Flexible spine and ligaments for natural postures (can be removed from stand) • Slipped disc between the 3rd and 4th lumbar vertebrae • Protruding spinal nerves and vertebral arteries • Full flexibility of limbs on left side, right side has full flexibility of knee and hip with limited flexibility of elbow and shoulder • Includes 3B SMART ANATOMY Sam on Pelvic Mounted Roller Stand 176.5 cm; 10 kg 3B SMART ANATOMY	1	set	

Page **32** of **42** <<< bid document >>>



KALINGA STATE UNIVERSITY Tabuk City, Kalinga 3800 Bids and Awards Committee

	Sam on Hanging Stand			
	192.5 cm; 10 kg			
5	DISARTICULATED FULL SKELETON, WITH MUSCLE ORIGINS AND INSERTIONS This disarticulated 3B Scientific Skeleton is hand painted to show muscle origins in red and muscle insertions in blue on the left side. The skull is detachable into 3-parts for detailed anatomical study. Consists of 179 pieces. • Both hands and feet are wire mounted • Vertebral column strung on thin, nylon wire • Supplied in a sturdy partitioned cardboard storage box 48.5 x 27 x 42.5 cm; 6 kg	1	set	
6	Life Size Male Pelvis. 2 part pelvis anatomy model is shown in median section. One half of male genital organs with bladder, shown at the normal position in the male pelvis. The rectum is removable for a more detailed study of the male pelvic anatomy. Delivered on baseboard offering the possibility to be mounted to the wall. 41 x 31 x 17 cm; 2.5 kg	1	set	
7	Female Pelvis Skeleton with Genital Organs, 3 part This model is especially suitable for studying the position of female genital organs in the pelvis. It consists of a natural cast female pelvis with a movable symphysis, hip bone, sacrum, coccyx, 4th and 5th lumbar vertebrae, and a female genital insert with rectum. The bladder and a portion of the uterus with one fallopian tube and ovary can be removed. The soft tissues are molded from durable, soft vinyl. 33 x 26 x 18 cm; 2 kg	1	set	
8	Male Pelvis with Ligaments, Vessel, Nerves, Floor and Organs & Pelvic Extensive educational tool for a better understanding of the comprehensive anatomy of the male pelvis. For close up study, the pelvis splits into two halves and the following parts can be removed: Left half of the fifth lumbar vertebra, rectum, bladder, prostate and penis. Includes bones, ligaments, vessels, nerves, pelvic floor muscles, and external sex organs All structures are anatomically accurate in every detail Can easily be taken apart using magnetic connections Extremely durable material. Comes on sturdy base 21 x 28 x 31 cm; 3.12 kg	1	set	
9	Deluxe Human Demostration Dental Skull Model, 10 part Exceptional quality and anatomical detail! The skull cap is removable and the base of the skull is mid-sagitally divided. The anatomy of the human skull is easy to learn and teach using this model. The model features the following details, fitted with flaps that can be opened to view internal structures: • Frontal sinus, perpendicular lamina and vomer can be opened to view the lateral nose wall and sphenoidal sinus • Left side temporal bone can be removed and folded up in the area of • the tympanic membrane • Maxilla and mandible of the skull are opened to reveal the alveolar nerves • Right side the temporal bone is opened to reveal the sigmoid sinus, the facial nerve canal and the semicircular ducts • Right side flap at maxillary sinus and the right half of the mandible, so that the dental roots of the premolars and molars of the lower jaw can also be viewed The natural occlusion and the individual removal and replacement of each tooth also make this skull especially interesting for dentists. This is a spectacular model whether you use it as a dental skull or for other	1	set	

Page **33** of **42** <<< bid document >>>



KALINGA STATE UNIVERSITY Tabuk City, Kalinga 3800 Bids and Awards Committee

pı	urposes.			
	8 x 22.5 x 18.5 cm; 1.5 kg			
Di	isplay cabinet w/out glass cover			
Te	echnical Characteristics Showcases			
	Steel structure with epoxy coating			
1 111	Four fixed glass shelves	2	set	
1	Two glass doors with glass	_		
	Stainless steel base			
	Optional: Painted Base			
	Dimensions: 90x35x150cm			
	hisplay cabinet w/ glass cover LF01 Full glass sliding door cabinet djustable shelves storage, high cabinet			
	Dimension: 90w X 40D X 185 Hcm			
	Materials: Metal / glass	2	set	
	Color: Beige, Light Gray, Two-tone (Depends on Availability)	_		
	4 Adjustable shelves			
	Nith keylock			
Ta	able, operating - The table is supplied for surgical operation of chest,			
at	bdomen, E.E.N.T, gynaecology and obstetrics, orthopaedics			
	epartment. It is elevated by feet-oil pump, mechanical transmission			
	re applied forehead operation in other parts of the unit. Min. &			
	nax. height for table top: 1040mmx800mm/3008(S) 1020mmX780mm			
	lax. degree for tabletop for ward and backward tiltig: forward S25°	,		
	ackward 525° 3008(5) forward ^22° backward > Tf	1	set	
	lax. degree for tabletop left and right titling: left & 18° rights 18° lax. degree for back rest adjustment: up & 75° down & 100/ down 5*1			
	° (S) Length and width for tabletop: 100 nmX480mn/3008 (5)			
	000ir, MiX5QOmm Ma waist rest up to: 120mm / 3008(5) ^135°			
	eg rest down adjusted: down ^3Q°3008(5) down 585° putwards			
	.0°(S)			
13 Pt	ulse Oximeter, Omron Fingertip Pulse Oximeter Rechargeable SPO2	1	set	
PI	R PI Heart Rate Digital Health Monitoring	I	3 C l	
	nema set, hot water bottle, combination syringe			
	ackaging: 1 box			
	ouche pipe			
	nema pipe look			
1//	ipe Adapter	1	set	
	hut-off Clamp			
	yringe Bag			
	yringe Connector			
1 .	ubing			
	lospital Bed			
	*Lying down function			
	With infusion stand			
	Back lifting function (0-85°)			
	*Turn over left and right 0-55°			
	*Bend Leg function 0-55°	2	set	
	With dining function *Move function (with universal wheels)			
	Assembled size: 2000*900MM			
	*All bed accessories: Headboard, footboard, bedframe, mattress			
	white), dining table, infusion stand, shampoo basin, bedpan, guardrail,			
	niversal wheels			
	erms and Conditions:			
a)) All equipment and components should be branded (not clo	ned, ir	mitation, or	
	assembled) and brand new. The units should be delivered duly pa			
1		ı		
	the direct company/ manufacturer.			

Page **34** of **42** <<< bid document >>>



KALINGA STATE UNIVERSITY Tabuk City, Kalinga 3800 Bids and Awards Committee

	c)	Provision of Technical Data Sheet indicating the brand name and model of item/s.	
	d)	Provision of Operations and Maintenance Manual of the item/s, if applicable.	
	e)	Partial bids are allowed. All Goods are grouped into 5 lots listed above. Bidders	
		shall have the option of submitting a proposal on any or all lots. If the Bidder opts	
		to bid for more than one lot, each set of technical requirements shall be submitted.	
		Evaluation and award of contract will be undertaken per lot basis; however,	
		bidders who bid to more than one lot and were determined to have the Lowest	
		Calculated Responsive Bid per lot shall be awarded only one contract.	
	f)	The items specified in this Technical Specifications shall be delivered only to the	
		address indicated herein to be received by authorized personnel.	
	g)	The Supplier shall notify the indicated authorized receiving personnel at the	
		Project Site at the scheduled date of delivery at least three (3) working days in	
		advance, and shall ensure that the authorized receiving personnel of the	
		Purchaser is present during the date and time of delivery. The Receiving	
		Personnel reserves the right to refuse to receive/accept delivered Goods made	
		before 8:00 A.M. or after 5:00 P.M. and non-working days.	
	h)	The Supplier shall replace any rejected item within fifteen (15) calendar days from	
		receipt of a written notice from the end-user.	
	i)	Prior to issuing the Certificate of Complete Deliveries, the item's testing and sealing	
		must be conducted with the end-users, Inspectorate Team or TWGs. The winning	
		supplier shall provide other unforeseen peripherals and accessories necessary for the	
		equipment in each lot to function and be operational.	
	j)	After the Testing and Sealing, the Supplier shall be evaluated and will conform to	
		the end user's evaluation rating results as a requirement for payment.	
	k)	1-year warranty of service and device/equipment based on the unit will start after	
		the turn-over and orientation of the end-user. Extended Warranty should apply to	
		big printers. Suppliers may also encourage to include in their bid documents if the	
		other equipment is subjected to extended warranty.	
	l)	The total price offered/quoted is subject to withholding tax and payable checks.	
	m)	During or after the delivery, the Supplier shall submit the following requirements:	
		Delivery Receipt	
		2. Supplier's Sales Invoice	
		3. Operations and Maintenance Manual	
		4. Warranty or KSU will deduct 1% on the total value of the items as Retention	
		Money	
	Aft	er Sales Requirements:	
	n)	Under warranty coverage: If unrepairable within 7 days, a free service backup unit (1:1)	
		or service spare part of the same or higher specification must be provided by the	
		supplier until the defective unit/part is considered repaired/replaced.	
	0)	Monday to Friday, office hours technical support and service.	
	p)	Capable of providing technical service/assistance within 24 hours OR next business day	
		on-site (NBDOS) service warranty.	
		I hereby certify to comply with all the above Technical Specifications.	
_ K	.1=:	a of Company/Didder	
Γ	vam	e of Company/Bidder Signature Over Printed Name of Representative	Date

Page **35** of **42** <<< bid document >>>



Tabuk City, Kalinga 3800

Bids and Awards Committee

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the Checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this Checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

ex bid document >>> Page 36 of 42



KALINGA STATE UNIVERSITY Tabuk City, Kalinga 3800 Bids and Awards Committee

Checklist of Technical Documents

Name of Project : MACHINERY AND EQUIPMENT MACHINERY AND EQUIPMENT						
Approved Budget for the Contract	:	Total: Php 15,000,000.00/ [] Lot 1: Php 4,930,433.00/ [] Lot 3: Php 2,382,020.00/[] Lot 4: Php 4,819,812.00/ [] L				
Name of Bidde	r :					
Address of Bidder	:					
ITEM NO.		REQUIREMENTS	PASSED	FAILED		
I. TECHNICAL	L COMP	ONENT ENVELOPE				
		Class "A″ Documents				
<u>Legal Docu</u>	<u>ments</u>					
_] Valid all Page and	PhilGEPS Registration Certificate (Platinum Membership) s);				
S	Commis sole pro	Registration certificate from Securities and Exchange ision (SEC), Department of Trade and Industry (DTI) for prietorship, or Cooperative Development Authority (CDA) peratives or its equivalent document; and				
I	where th	yor's or Business permit issued by the city or municipality ne principal place of business of the prospective bidder is or the equivalent document for Exclusive Economic Zones; and				
		clearance per E.O. No. 398, s. 2005, as finally reviewed and d by the Bureau of Internal Revenue (BIR).				
<u>Technical D</u>	ocumen	its				
	and priv started,	ent of the prospective bidder of all its ongoing government vate contracts, including contracts awarded but not yet if any, whether similar or not similar in nature and kity to the contract to be bid; and				
((SLCC) s provided IRR of R	ent of the bidder's Single Largest Completed Contract similar to the contract to be bid, except under conditions d for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised A No. 9184, within the relevant period as provided in the Documents;				
Т	his state	ment shall be supported with any of the following as applicable:				
a	i. Cei De dul ii. Of	overnment Contracts: rtificate of Final Acceptance (CFA) and/or Certificate of Complete liveries (CCD) signed by Head of the Procuring Entity (HOPE) or its y authorized representative, or ficial Receipt(s) of the bidder covering the full amount of the ntract; or Sales Invoice issued for the contract, if completed.				

Page **37** of **42** << bid document >>>



KALINGA STATE UNIVERSITY Tabuk City, Kalinga 3800 Bids and Awards Committee

	b) For Private Contracts:	
	i. End-user's Acceptance, or	
	ii. Official Receipt(s) of the bidder covering the full amount of the	
	contract; and	
_	Original copy of Bid Security . If in the form of a Surety Bond, also	
	submit a certification issued by the Insurance Commission ; <u>or</u>	
	Original copy of Notarized Bid Securing Declaration; and	
☐ H.	Conformity with Technical Specifications , which include the following:	
	a.) Production/Delivery Schedule based on Section VI- Schedule of Requirements	
	b.) Manpower Requirements	
	c.) After-Sales/Parts, if applicable	
	and	
l.	Original duly signed revised Omnibus Sworn Statement, with the following supporting paragraphs as follows:	
	Signatory is proprietor/duly authorized Representative of bidder.	
	Full power and authority to perform acts or represent bidder.	
	Not "blacklisted" or barred from bidding	
	4) Each document is authentic copy of original, complete, and correct.5) Authorizing Head of Procuring Entity to verify all documents	
	submitted.	
	Not related to HOPE, BAC, TWG, Secretariat, PMO/IU, within 3rd civil degree.	
	7) Complies with existing labor laws and standards.	
	8) Aware of and undertaken responsibilities as a bidder.	
	9) Did not give any commission, amount, fee, or consideration.	
	10) Failure to perform or deliver any of the obligations and undertakings in the Contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.	
	i.1. if applicable, Original Notarized Secretary's Certificate in case of	
	a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder (Authority of the signatory)	
	i.2. Integrity Pledge of KSU Service Provider with the attached ID of AMO	
	and	
Financial D	Documents	
	The Supplier's audited financial statements , showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; and	

Page **38** of **42** <<< bid document >>>



KALINGA STATE UNIVERSITY Tabuk City, Kalinga 3800 Bids and Awards Committee

	K.	The prospective bidder's computation of Net Financial Contracting Capacity (NFCC); or		
		A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.		
		Class "B″ Documents		
	L.	If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence; \underline{or}		
		duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.		
<u>Other</u>	do	cumentary requirements under RA No. 9184 (as applicable)		
	M.	[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.		
	N.	Certification from the DTI if the Bidder claims preference as a		
		Domestic Bidder or Domestic Entity., if applicable		
		Certificate of Exclusive Distributorship, if applicable		
	Р.	License to Operate issued by a relevant government agency, if applicable		
NOTE: 1.	Cł	ny missing, incomplete, or patently insufficient document in the abnecklist is a ground for outright rejection (non-complying) of the bid. or hassle-free and easier bid evaluation, the Technical and Financial		
	be	soft bound and with Ear-Tabbing for each Checklist.	'	
3.	in	I the documents per item should be provided with Ear-Tabbing from dicated above; for those documents that are not applicable, the proball still provide pages and tabbing and indicate "NOT APPLICABLE" t	spective bi	
CHECKED	BY	:		
BAC MEM	BE	R's/TWG's Name and Signature:		
DATE AND) T	ME OF EVALUATION:		
REMARKS	:	☐ Eligible/ Passed		
		☐ Non-Eligible/ Failed		

Page **39** of **42** <<< bid document >>>



KALINGA STATE UNIVERSITY Tabuk City, Kalinga 3800 Bids and Awards Committee

Checklist of Financial Documents

Name of	Project :	PROCUREMENT OF EQUIPMENT FOR COMPLETED MACHINERY AND EQUIPMENT	PROJECT:	S-OTHER	
Approved Budget for the : Contract		Total: Php 15,000,000.00/ [] Lot 1: Php 4,930,433.00/ [] Lot 3: Php 2,382,020.00/[] Lot 4: Php 4,819,812.00/ [
Name of Bidder :					
Address of Bidder :					
ITEM NO.	REQUIREM	MENTS	PASSED	FAILED	
II. FINANCIAL COMPONENT ENVELOPE					
A. Original of duly signed and accomplished Financial Bid Form ; and					
	B. Origina	al of duly signed and accomplished Price Schedule(s)			
	C. Techni	i cal Data Sheet of Items			
 Any missing, incomplete, or patently insufficient document in the above-mentioned Checklist is a ground for outright rejection (non-complying) of the bid. For hassle-free and easier bid evaluation, the Technical and Financial Envelopes must soft bound and with Ear-Tabbing for each Checklist. 					
3. Each and every page of the Documents comprising the Financial Proposal shall be signed by the duly authorized representative/s of the Bidder. Failure to do so shall be a ground for the rejection of the bid.					
CHECKE	D BY:				
BAC MEN	ЛВЕR's/TW	G's Name and Signature:			
DATE AN	ID TIME OF	EVALUATION:			
REMARK	S:				
	□Со	mplying			
	□No	n-Complying			

<< bid document >>> Page **40** of **42**

